

Cambridge IGCSE[™]

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

BIOLOGY 0610/53

Paper 5 Practical Test

May/June 2023

1 hour 15 minutes

You must answer on the question paper.

You will need: The materials and apparatus listed in the confidential instructions

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].

| For Examiner's Use | | | | |
|--------------------|--|--|--|--|
| 1 | | | | |
| 2 | | | | |
| Total | | | | |

This document has 12 pages. Any blank pages are indicated.

- 1 You are going to investigate the nutrient content of three types of drink:
 - drink A
 - drink B
 - drink C.

Read all the instructions but DO NOT DO THEM until you have drawn a table for your results in the space provided in 1(a)(i).

You should use the safety equipment provided while you are doing the practical work.

- Step 1 Raise your hand when you are ready for hot water to be added to your hot water-bath for **Test 1**.
- Step 2 Test the drinks A, B and C using Tests 1, 2 and 3.
- Step 3 Record your observations in your table in 1(a)(i).

Test 1 Testing for reducing sugars:

- Label three test-tubes A, B and C.
- Put 1 cm³ of drink A into test-tube A.
- Put 1 cm³ of drink B into test-tube B.
- Put 1 cm³ of drink C into test-tube C.
- Add 1 cm³ of Benedict's reagent to each test-tube.
- Put all three test-tubes into the hot water-bath prepared in Step 1.
- Start the stop-clock and leave the test-tubes in the water-bath for five minutes.
- After five minutes, remove the test-tubes from the water-bath and place them in the test-tube rack.

Test 2 Testing for starch:

- Place two drops of each drink onto a white tile.
- Add two drops of iodine solution to each drink sample.

Test 3 Testing for protein:

- Label three test-tubes A, B, and C.
- Put 1 cm³ of drink A into test-tube A.
- Put 1 cm³ of drink **B** into test-tube **B**.
- Put 1 cm³ of drink C into test-tube C.
- Add 1 cm³ of biuret reagent to each drink sample.

(a) (i) Prepare a table to record your **observations** for all of the tests.

Do **not** include conclusions in your table.

| (ii) | Using your results in 1(a)(i), state which nutrients are present in each drink. | |
|------|---|--|
| | drink A | |
| | drink B | |
| | drink C | |
| | | |
| | | |
| | | |

| (iii) | Identify one safet | y hazard associated with Test 1 . | |
|---------------|---------------------------|---|---------|
| | | | |
| | | | [1] |
| (b) Th | e vitamin C content | and the fat content of three other drinks D , E and F was dete | rmined. |
| It v | vas found that: | | |
| | Drink E conta | ained vitamin C. ained fat. ained vitamin C and fat. | |
| (i) | State the reagent | used when testing for vitamin C. | |
| | | | [1] |
| (ii) | Describe the met | hod for the emulsion test for fats. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| (iii) | The results for or | ne of the drinks is shown in Table 1.1. | |
| | | Table 1.1 | |
| | test | observation | |
| | vitamin C | the solution is colourless | |
| | fat | a white emulsion has formed | |
| | Identify the drink | from the results provided in Table 1.1. | |
| | drink | | [1] |
| (iv) | Explain how you | identified the drink from the results provided in Table 1.1. | |
| | | | |
| | | | [41 |

(c) Three types of food contain different concentrations of the enzyme catalase.

Catalase catalyses the breakdown of hydrogen peroxide to release water and oxygen gas:

hydrogen peroxide → water + oxygen

| The production of oxygen gas can be used to measure the activity of the enzyme. |
|---|
| Plan an investigation to compare the concentrations of catalase in the three types of food. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| [6] |
| [Total: 20] |

2 (a) The nutrient content of foods can affect a person's bones.

In a study, the diet and bone density of 120 women were monitored for two years. The women were all between 50 and 70 years of age.

The scientists:

- calculated the mean daily calcium intake for each woman
- measured the change in density of one of their bones by using X-ray scans.


The results for five of the women are shown in Table 2.1.

Table 2.1

| mean daily calcium intake for each woman /mg per day | mean change in bone density /mg per cm² per year |
|--|--|
| 250 | -8.6 |
| 750 | -5.4 |
| 1250 | -1.2 |
| 1750 | +1.2 |
| 2250 | +4.2 |

(i) Plot a line graph on the grid of the data in Table 2.1.

One axis has been started for you.




| | | [4] |
|------|--|-----|
| (ii) | State two conclusions for the data in your graph. | |
| | 1 | |
| | | |
| | | |
| | 2 | |
| | | |
| | | [2] |

| (iii) | Identify the independent variable in this investigation. |
|-------|--|
| | [1] |
| (iv) | Describe two variables that the scientists should have considered when selecting women for the study. |
| | 1 |
| | |
| | 2 |
| | [2] |
| (v) | Suggest a reason for a large number of women (120) being included in the study. |
| | |
| | |
| | [1] |
| (vi) | State one way this study is not representative of the population. |
| | |
| | |
| | [1] |

Question 2 continues on page 10.

(b) Fig. 2.1 is a photograph of a femur, which is a bone in the leg.



magnification ×0.3

Fig. 2.1

(i) Make a large drawing of the bone shown in Fig. 2.1.

| (ii) | The length of line PQ represents the length of the femur in Fig. 2.1. |
|-------|--|
| | Measure the length of line PQ on Fig. 2.1. |
| | length of line PQ on Fig. 2.1 mm |
| | Use your measurement and the formula to calculate the actual length of the bone. |
| | magnification = $\frac{\text{length of line } \mathbf{PQ} \text{ on Fig. 2.1}}{\text{actual length of the bone}}$ |
| | Give your answer to three significant figures. |
| | Space for working. |
| | |
| | |
| | |
| | |
| | mm |
| | [3] |
| (iii) | Fig. 2.2 shows a bone from a person who had vitamin D deficiency. |
| | Titorani Contraction of the Cont |
| | magnification ×0.3 |
| | Fig. 2.2 |
| | State two ways the bone in Fig. 2.2 is different from the bone in Fig. 2.1. |
| | 1 |
| | 2 |
| | [2] |
| | [Total: 20] |

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.