

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

0620/12 **CHEMISTRY**

February/March 2019 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.




1	Fou	Four processes are listed.									
		1	Brownia	n moti	on						
		2	condens	ation							
		3	diffusion								
		4	evapora	tion							
	Wh	ich proce	esses invo	olve a	change of	state′	?				
	A	1 and 2	. E	3 1 a	and 3	С	2 and 4	D	3 and 4		
2		student furic acid		the t	time taken	for	2.0g of magn	esium	to dissolve	in 50 cm ³	of dilute
	Wh	ich appa	ratus is e	ssentia	al to compl	ete th	e experiment?				
		1	stop-clo	ck							
		2	measurii	ng cyli	nder						
		3	thermon	neter							
		4	balance								
	A	1, 2 and	d 4 E	3 1 a	and 2 only	С	1 and 4 only	D	2, 3 and 4		
3	Wh	ich meth	od should	be us	sed to sepa	rate a	a mixture of two	o liquio	ds?		
	A	crystalli	isation								
	В	electrol	ysis								
	С	filtration	1								
	D fractional distillation										

4 Lead(II) iodide is insoluble in water.

Lead(II) iodide is made by adding aqueous lead(II) nitrate to aqueous potassium iodide.

Which pieces of apparatus are needed to obtain solid lead(II) iodide from $20\,\text{cm}^3$ of aqueous lead(II) nitrate?




5 Which row describes isotopes of the same element?

	number of protons	number of neutrons
Α	different	different
В	different	same
С	same	different
D	same	same

6 Which row describes the structure of the positive ion in sodium chloride?

	protons	electrons	neutrons
Α	11	11	12
В	11	10	12
С	17	17	18
D	17	18	18

7 Which pair of statements about diamond and graphite is correct?




- A Diamond and graphite are both pure carbon. They are both macromolecules.
- **B** Diamond and graphite can both be used as electrodes. Graphite is also used as a lubricant.
- **C** Diamond has covalent bonds. Graphite has ionic bonds.
- **D** Diamond is hard with a high melting point. Graphite is soft with a low melting point.
- 8 What is the nucleon number of an atom?
 - A the number of neutrons
 - B the number of protons
 - **C** the total number of protons and neutrons
 - **D** the total number of protons and electrons
- **9** The relative formula mass, M_r , of calcium carbonate, CaCO₃, is 100.

What is the mass of carbon present in 100 g of calcium carbonate?

- **A** 12g
- **B** 36 g
- **C** 40 g
- **D** 60 g

10 Two electrolysis experiments were carried out as shown.

The graphite electrodes are labelled 1-4.



Which row describes the products at the electrodes in these experiments?

	electrode 1	electrode 2	electrode 3	electrode 4
Α	chlorine	hydrogen	chlorine	hydrogen
В	chlorine	sodium	chlorine	hydrogen
С	chlorine	sodium	hydrogen	chlorine
D	sodium	chlorine	sodium	chlorine

11 10 g of ammonium nitrate is added to water at 25 °C and the mixture stirred.

The ammonium nitrate dissolves and, after one minute, the temperature of the solution is 10 °C.

Which word describes this change?

- A endothermic
- **B** exothermic
- **C** neutralisation
- **D** reduction
- **12** Which process involves a chemical change?
 - **A** dissolving copper(II) sulfate
 - **B** distilling ethanol
 - C freezing water
 - **D** neutralising copper(II) oxide

13 Lumps of limestone react with dilute hydrochloric acid according to the equation shown.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$$

Which change in conditions decreases the rate of the reaction?

- A increase the concentration of the acid
- **B** increase the volume of the acid
- **C** increase the size of the lumps of limestone
- **D** increase the temperature
- 14 Which reaction is reversible?
 - **A** $Cu + ZnSO_4 \rightarrow CuSO_4 + Zn$
 - $\textbf{B} \quad \text{CuO} \, + \, \text{H}_2 \text{SO}_4 \, \rightarrow \, \text{CuSO}_4 \, + \, \text{H}_2 \text{O}$
 - C CuO + $H_2 \rightarrow Cu + H_2O$
 - **D** $CuSO_4 \cdot 5H_2O \rightarrow CuSO_4 + 5H_2O$
- 15 The reaction between magnesium and carbon dioxide is shown in the equation.

$$2Mg + CO_2 \rightarrow 2MgO + C$$

Which statement describes what happens in this reaction?

- A Carbon is oxidised.
- **B** Magnesium is reduced.
- **C** Neither oxidation nor reduction happens.
- **D** The carbon in carbon dioxide is reduced.
- **16** Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

- A The pH decreases from pH 14 and becomes constant at pH 7.
- **B** The pH decreases from pH 14 to about pH 1.
- **C** The pH increases from pH 1 and becomes constant at pH 7.
- **D** The pH increases from pH 1 to about pH 14.

17 Copper(II) sulfate crystals are blue. They are made by adding an excess of copper(II) oxide to sulfuric acid.

The mixture is heated and stirred.

It is then filtered and the filtrate is allowed to evaporate, leaving blue crystals.

Why is filtration necessary?

- A to remove soluble properties
- B to remove sulfuric acid
- **C** to remove the blue crystals
- **D** to remove unreacted copper(II) oxide
- **18** The results of two tests on an aqueous solution of X are shown.

test	observation
aqueous sodium hydroxide added	green precipitate formed
acidified aqueous silver nitrate added	yellow precipitate formed

What is X?

- A copper(II) chloride
- **B** copper(II) iodide
- **C** iron(II) chloride
- **D** iron(II) iodide
- **19** Information about the solubility in water of four oxides is shown.

Which oxide, when added to water, gives a solution with a pH less than pH 7?

	name of oxide	solubility in water
Α	nitrogen dioxide	soluble
В	copper(II) oxide	insoluble
С	silicon(IV) oxide	insoluble
D	barium oxide	soluble

20 The elements sodium to argon form Period 3 of the Periodic Table.

Which row describes the trend across Period 3 from left to right?

	number of outer shell electrons	metallic character	group number
Α	decreases	decreases	decreases
В	decreases	increases	decreases
С	increases	decreases	increases
D	increases	increases	increases

21 Astatine is below iodine in Group VII in the Periodic Table.

Which row describes the properties of astatine?

	state at room temperature	reactivity
Α	gas	displaces chlorine, bromine and iodine
В	gas	displaces iodine but does not displace chlorine or bromine
С	solid	displaces iodine but does not displace chlorine or bromine
D	solid	does not displace chlorine, bromine or iodine

22 Which row describes a transition element?

	density in g/cm ³	colour of chloride
Α	0.98	green
В	0.98	white
С	8.90	green
D	8.90	white

23 Which statement explains why elements in Group VIII of the Periodic Table are unreactive?

- A They are monatomic gases.
- **B** They form stable diatomic molecules.
- **C** They have a full outer shell of electrons.
- **D** They share electrons with each other.

24 The electrical conductivity of magnesium was tested.

Magnesium was then added to dilute sulfuric acid and a gas, Q, was produced.

Which row is correct?

	electrical conductivity of magnesium	gas Q
Α	good	hydrogen
В	good	oxygen
С	poor	hydrogen
D	poor	oxygen

25 Four reactions that take place in the blast furnace to produce iron are shown.

Which reaction is used to keep the furnace hot?

$$A \quad C + O_2 \rightarrow CO_2$$

$$\textbf{B} \quad \text{CO}_2 \, + \, \text{C} \, \rightarrow \, 2\text{CO}$$

$$\textbf{C} \quad \text{Fe}_2\text{O}_3 \, + \, 3\text{C} \, \rightarrow \, 2\text{Fe} \, + \, 3\text{CO}$$

D Fe₂O₃ + 3CO
$$\rightarrow$$
 2Fe + 3CO₂

26 The list gives the order of some metals and hydrogen in the reactivity series.

Metal X is also included.

Mg

Zn

Η

Χ

least reactive Cu

Which row correctly shows the properties of metal X?


	reacts with dilute acids	oxide reduced by carbon
A	no	no
В	no	yes
С	yes	no
D	yes	yes

27 The properties of four elements are shown.

Which element is used to make aircraft bodies?

	density	brittle or malleable
Α	high	brittle
В	high	malleable
С	low	brittle
D	low	malleable

28 The diagram shows how water is treated to make it suitable for drinking.



What happens in stage 2?

- **A** condensation
- **B** sublimation
- **C** evaporation
- **D** filtration
- **29** A farmer treats a field with calcium hydroxide to make it less acidic.

When the farmer adds ammonium nitrate fertiliser to the field immediately after the calcium hydroxide, they react.

Why does this reaction make the fertiliser less effective?

- A It makes ammonia gas, so less nitrogen is absorbed by the soil.
- **B** It makes an acid, making the soil acidic again.
- **C** It makes nitrogen gas, so less nitrogen is absorbed by the soil.
- **D** It makes the fertiliser too strong, stopping the plants growing so well.

30 Which row showing an air pollutant and its major source is **not** correct?

	pollutant major source of pollutant						
Α	carbon monoxide	complete combustion of carbon fuels					
В	lead compounds	leaded petrol					
С	oxides of nitrogen	car engines					
D	sulfur dioxide	fossil fuels containing sulfur					

- **31** Which substances are needed for iron to rust?
 - A carbon dioxide and oxygen
 - **B** oxygen only
 - **C** water and carbon dioxide
 - **D** water and oxygen
- **32** Methane and carbon dioxide are both greenhouse gases.

Which row identifies a source of methane and a source of carbon dioxide?

	source of methane	source of carbon dioxide				
Α	decomposition of vegetation	hydrogen car exhausts				
В	digestion in animals	diesel car exhausts				
С	petrol car exhausts	decomposition of vegetation				
D	respiration	petrol car exhausts				

- 33 Which element has an oxide that is used as a food preservative?
 - A helium
 - **B** hydrogen
 - C iron
 - **D** sulfur

34 Lime is made by heating limestone.

Which equation represents this reaction?

$$\textbf{A} \quad \text{CaCO}_3 \, \rightarrow \, \text{Ca} \, + \, \text{O}_2 \, + \, \text{CO}$$

$$\textbf{B} \quad \text{CaCO}_3 \, \rightarrow \, \text{CaO} \, + \, \text{CO}_2$$

$$\textbf{C} \quad \text{CaCO}_3 \ + \ \text{H}_2\text{O} \ \rightarrow \ \text{CaO} \ + \ \text{H}_2\text{CO}_3$$

D
$$CaCO_3 + H_2O \rightarrow Ca(OH)_2 + CO_2$$

35 Most objects made from synthetic polymers last for many years.

Why do these polymers last for so long?

	chemically unreactive	biodegradable				
Α	no	no				
В	no	yes				
С	yes	no				
D	yes	yes				


36 The structure of a compound, G, is shown.

G is in the same homologous series as ethanoic acid.

Which row describes some of the properties of an aqueous solution of G?

	produces a gas with magnesium	turns methyl orange yellow
Α	no	yes
В	no	no
С	yes	no
D	yes	yes

37 The fractional distillation of petroleum is shown.



Which fraction is the least volatile?

- **A** bitumen
- B diesel oil
- C gasoline fraction
- **D** refinery gas

38 Which row shows the properties of methane?

	soluble in water	state at room temperature	gives a positive test with aqueous bromine					
Α	no	gas	no					
В	no	gas	yes					
С	yes	liquid	no					
D	yes	liquid	yes					

39	The	formulae	of five	compounds	are listed.
----	-----	----------	---------	-----------	-------------

- 1 C₄H₁₀
- 2 C₂H₅OH
- 3 C₄H₉OH
- 4 C₄H₉COOH
- 5 C₅H₁₁OH

Which compounds are in the same homologous series?

- **A** 1, 3 and 4 only
- **B** 2, 3 and 5 only
- C 3 and 4 only
- **D** 3 and 5 only

40 Which process is used to make an alkene from a long-chain alkane?

- **A** combustion
- **B** condensation
- **C** cracking
- **D** polymerisation

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	\	2 J	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	55	Xe	xenon 131	98	R	radon -			
	\			6	ш	fluorine 19	17	ľ	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	I			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium -	116	^	livermorium -
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	:E	bismuth 209			
	>			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	≡			2	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	Co	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
dn										28	z	nickel 59	46	Pd	palladium 106	78	凸	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					loc	ISS				24	ပ်	chromium 52		Mo		74	≥	tungsten 184	106	Sg	seaborgium
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Op	dubnium
					ato	rela				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	弘	rutherfordium -
							•			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			3	:=	lithium 7	11	Na	sodium 23	19	エ	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ቷ	francium

Lu Lu	lutetium 175	103	۲	lawrencium	ı	
70 Yb						
e9 Tm	thulium 169	101	Md	mendelevium	I	
₈₈ Г	erbium 167	100	Fm	ferminm	I	
67 Ho	holmium 165	66	Es	einsteinium	I	
es Dy	dysprosium 163	86	Ç	californium	I	
es Tb	terbium 159	26	ă	berkelium	I	
64 Gd	gadolinium 157	96	Cm	curium	I	
ез Еп	europium 152	98	Am	americium	ı	
Sm	samarium 150	94	Pu	plutonium	ı	
e1 Pm	promethium —	86	dN	neptunium	ı	
9 P N	neodymium 144	92	n	uranium	238	
59 P	praseodymium 141	91	Ра	protactinium	231	
Se Se	cerium 140	06	H	thorium	232	
57 La	lanthanum 139	68	Ac	actinium	ı	
lanthanoids			actinoids			

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).