

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

February/March 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 The table shows the numbers of protons, neutrons and electrons in particles A to I.

particle	protons	neutrons	electrons
Α	1	0	0
В	6	6	6
С	6	8	6
D	10	10	10
E	16	16	18
F	17	18	17
G	18	22	18
Н	19	20	19
I	20	20	18

Answer the following questions about particles ${\bf A}$ to ${\bf I}$. Each letter may be used once, more than once or not at all.

(a) State which of the particles A to I:

(i) is an anion		[1]
(i	i) are cations	and	[2]
(ii	i) are noble gas atoms	and	[2]
(iv	y) is a halogen atom		[1]
(\	v) is a Group I atom		[1]
(v	i) have the same nucleon number	and	[1]
(vi	i) causes acidity in aqueous solutions		[1]
(vii	i) is used to define the relative atomic mass of elements.		[1]
(b) E	Explain why B and C are isotopes of the same element.		

[Total: 12]

2 The elements shown are gases at room temperature and pressure.

hydrogen nitrogen oxygen chlorine

(a)	Sta	te which one of these gases is green.	
			[1]
(b)	The	e gases shown exist as diatomic molecules.	
		te the name of another element which has diatomic molecules and is a gas at rooperature and pressure.	om
			[1]
(c)	Wh	en separate samples of each of these gases are placed in a container they will diffuse.	
	(i)	Describe why these gases diffuse.	
			[1]
	(ii)	State which of these four gases has the highest rate of diffusion.	
		Explain your answer.	
		gas	
		explanation	
(d)	Nitr	ogen, oxygen and other substances are found in clean, dry air.	[2]
	(i)	State the percentage of nitrogen in clean, dry air.	
			[1]
	(ii)	Other than nitrogen and oxygen, identify another element found in clean, dry air.	
			[1]
	(iii)	Identify a compound found in clean, dry air.	
			[1]
	(iv)	Nitrogen and oxygen can be separated from liquid air.	
		State the name of this process.	
			[2]
		[Total:	10]

3	This	question	is	about	ammonia.

(a)	Nitr	rogen reacts with hydrogen to form ammonia in an industrial process.	
		$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$	
	(i)	Name this industrial process.	
			[1]
	(ii)	State the meaning of the symbol ← .	
	()		[1]
	(iii)	State the conditions used in this industrial process. Include units.	[.]
	(111)		
		temperature	
		pressure	[2]
	(iv)	Name the catalyst used in this industrial process.	
			[1]
	(v)	If the pressure is increased, the yield of ammonia increases.	
		Explain why, in terms of equilibrium.	
	(vi)	If the temperature is increased, the rate of reaction increases.	[4]
	(*1)		
		Explain why, in terms of particles.	
			[3]
(b)	Am	monia reacts with sulfuric acid to make a compound which is used as a fertiliser.	
	Wri	te the chemical equation for the reaction between ammonia and sulfuric acid.	
			[2]

[Total: 12]

A st	tudent wanted to make some zinc chloride crystals.	
The	e student followed the procedure shown.	
ste	p 1 Add excess zinc powder to dilute hydrochloric acid to form aqueous zinc chloride.	
ste	p 2 Remove unreacted zinc powder from the aqueous zinc chloride.	
ste	p 3 Heat the solution until it is saturated.	
ste	p 4 Allow the saturated solution to cool and remove the crystals that form.	
(a)	Write the equation for the reaction in step 1 . Include state symbols.	
		[3]
(b)	Explain why excess zinc powder is added in step 1 .	
		[1]
(c)	Suggest how unreacted zinc powder is removed in step 2 .	
		[1]
(d)	A saturated solution is formed in step 3 .	
(- /	Suggest what is meant by the term <i>saturated solution</i> .	
		[2]
(e)	Explain why crystals form as the solution cools in step 4 .	
		[1]
(f)	Name two zinc compounds which react with dilute hydrochloric acid to form zinc chloride.	
(g)	If excess calcium metal is used instead of excess zinc powder in step 1 , pure calcium chlor crystals do not form.	ride
	Explain why.	
		[1]

(h) Some salts can be made by titration.

In a titration experiment, 20.0 cm³ of aqueous sodium hydroxide reacts exactly with 25.0 cm³ of 0.100 mol/dm³ dilute sulfuric acid to make sodium sulfate.

$$2NaOH(aq) + H2SO4(aq) \rightarrow Na2SO4(aq) + 2H2O(I)$$

(i) Circle the name of the type of reaction that takes place.

decomposition neutralisation precipitation reduction [1]

- (ii) Calculate the concentration of the aqueous sodium hydroxide in g/dm³ using the following steps.
 - Calculate the number of moles of dilute sulfuric acid used.

..... mol

 Determine the number of moles of sodium hydroxide which react with the dilute sulfuric acid.

..... mol

• Calculate the concentration of the aqueous sodium hydroxide in mol/dm³.

..... mol/dm³

• Calculate the concentration of the aqueous sodium hydroxide in g/dm³.

..... g/dm³ [5]

[Total: 17]

QUESTION 5 STARTS ON THE NEXT PAGE.

5 The table shows the names or structures of organic compounds ${\bf P}$ to ${\bf U}$.

Р	Q	R
H H H H—C—C—C—H 	propanoic acid	but-1-ene
S	Т	U
propan-1-ol	methyl butanoate	H H H H C=C-H H H

(a)	Giv	Give the letters of the organic compounds, P to U , that are unsaturated hydrocarbons.						
			[2]					
(b)	Des	scribe the test for an unsaturated hydrocarbon.						
	test							
	obs	ervations						
			[2]					
(c)	But	-1-ene is an unbranched molecule.						
	(i)	Name the unbranched isomer of but-1-ene.						
			[1]					
	(ii)	Draw the structure of a branched isomer of but-1-ene. Show all of the atoms and all of bonds.	the					

			[1]
(d)	Doo	decane is an alkane with 12 carbon atoms. Dodecane can be cracked.	
	(i)	Write the formula of dodecane.	
			[1]
	(ii)	Give the letters of all the organic compounds, ${\bf P}$ to ${\bf U}$, that can be formed when dodeca is cracked.	ne
			[2]

(e)		me the reagent and suggest the conditions needed to convert organic compound ${f U}$ i anic compound ${f S}$.	nto
	rea	gent	
	con	ditions	[3]
(f)	_	ganic compound S can be converted to organic compound Q by reaction with an acidif gent.	fied
	(i)	Name the type of chemical change that happens to organic compound S .	
	(!!\	Name the sold of a second of delay and a second of	[1]
	(ii)	Name the acidified reagent added to organic compound S .	[1]
(g)	Org	ganic compound T is made by reacting two compounds together.	
	(i)	Name the homologous series that organic compound T belongs to.	
	(ii)	Name the two compounds which react together to make organic compound T .	[1]
	, ,	Draw the structures of each compound you have named. Show all of the atoms and all the bonds.	ll of
		name	
		structure	
		name	
		structure	
			[4]
	(iii)	Deduce the molecular formula of organic compound T .	
			[1]

[Total: 20]

6	Pol	yme	rs are large molecules built up from small molecules.
	(a)	Sta	te the name given to the small molecules from which polymers are made.
	(b)	The	formula of a polymer is shown.
			$ \begin{array}{c c} H & H \\ C & C \\ C & I \\ CH_3 & CH_3 \end{array} $
		(i)	Draw the structure of the small molecule from which this polymer is made. Show all of th atoms and all of the bonds.
		(ii)	[2] State the type of polymerisation used to make this polymer.
		(11)	[
	(c)	Thr	ee amino acids are shown. They combine to form part of a natural polymer.
H	H ₂ N-	-	H_2N —COOH H_2N —COOH
		(i)	Name the type of natural polymer formed when amino acids combine.
		(ii)	Complete the diagram to show part of the structure of the natural polymer that forms whe these three amino acids combine. Show all of the bonds in the linkages.
		(iii)	Name the type of chemical reaction that takes place when this natural polymer is converte back to amino acids.
			[

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

110.7	 	۵ ۲	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	格	radon			
18.7	=			6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
3	>			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Ъ	molonium –	116		livermorium -
;	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209			
2	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
=	=			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	р С	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
										59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
eroup										28	Ż	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
5				7						27	ပိ	cobalt 59	45	格	rhodium 103	77	ı	iridium 192	109	Ĭ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
				_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	
					atc	len 				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	¥	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
:	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	#	Na	sodium 23	19	×	potassium 39	37	В	rubidium 85	22	S	caesium 133	87	ᇁ	francium -

7.1 Lu	lutetium 175	103	۲	lawrencium	ı
° A	ytterbium 173	102	8	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
88 Fr	erbium 167	100	Fm	ferminm	ı
67 Ho	holmium 165	66	Es	einsteinium	I
% Dv	dysprosium 163	86	ŭ	californium	I
e5 Tb	terbium 159	62	Æ	berkelium	I
Gd	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium	93	ď	neptunium	ı
9 PN	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Se Ce	cerium 140	06	Ч	thorium	232
57 La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).