

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

0620/12 **CHEMISTRY**

May/June 2017 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.



© UCLES 2017





- 1 Four statements about the arrangement of particles are given.
 - 1 Particles are packed in a regular arrangement.
 - 2 Particles are randomly arranged.
 - 3 Particles move over each other.
 - 4 Particles vibrate about fixed points.

Which statements describe the particles in a solid?

- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- **2** A student needs to measure four different volumes of a solution accurately. The volumes are $10\,\mathrm{cm}^3$, $25\,\mathrm{cm}^3$, $50\,\mathrm{cm}^3$ and $60\,\mathrm{cm}^3$.

The apparatus available includes a 25 cm³ pipette.

Which volumes could be measured using this pipette?

- \mathbf{A} 10 cm³ and 25 cm³
- \mathbf{B} 25 cm³ and 50 cm³
- C 25 cm³ only
- **D** $50 \, \text{cm}^3$ and $60 \, \text{cm}^3$
- 3 Impurities change the melting and boiling points of substances.

Sodium chloride is added to a sample of pure water.

How does the addition of sodium chloride affect the melting point and boiling point of the water?

| | melting point | boiling point |
|---|-----------------------|---------------|
| Α | increases | increases |
| В | increases | decreases |
| С | C decreases increases | |
| D | decreases | decreases |

4 The table shows the solubility of four substances, W, X, Y and Z, in ethanol and in water.

| substance | solubility in ethanol | solubility in water |
|-----------|-----------------------|------------------------|
| W | insoluble | insoluble |
| X | insoluble | soluble |
| Y | soluble | insoluble |
| Z | soluble | soluble |

Two methods of separation are given.

- method 1: add the substance to ethanol and then filter
- method 2: add the substance to water and then filter

Which substances can be separated from each other by both method 1 and method 2?

- A W and X
- B X and Y
- C X and Z
- **D** Y and Z
- **5** Q and R are elements in the same period of the Periodic Table.

Q has 7 electrons in its outer shell and R has 2 electrons in its outer shell.

Which statement about Q and R is correct?

- **A** Q is a metal and R is a non-metal.
- **B** Q and R have different numbers of electron shells.
- **C** R is found to the right of Q in the Periodic Table.
- **D** The proton number of R is less than the proton number of Q.
- 6 Which electron arrangement for the outer shell electrons in a covalent compound is correct?

- 7 Which element does **not** form a stable ion with the same electronic structure as argon?
 - A aluminium
 - **B** chlorine
 - C phosphorus
 - **D** potassium

8 Graphite and diamond are both forms of the element carbon.

Which row shows the number of other carbon atoms that each carbon atom is covalently bonded to in graphite and diamond?

| | graphite | diamond |
|---|----------|---------|
| Α | 3 | 3 |
| В | 3 | 4 |
| С | 4 | 3 |
| D | 4 | 4 |

9 When chlorine reacts with hot concentrated aqueous sodium hydroxide one of the products formed is sodium chlorate(V).

The formula of sodium chlorate(V) is $NaClO_3$.

What is the relative formula mass of sodium chlorate(V), NaClO₃?

- **A** 52.0
- **B** 74.5
- **C** 106.5
- **D** 223.5

10 Concentrated aqueous sodium chloride can be electrolysed.

Which statement is correct?

- **A** Hydrogen gas is formed at the anode, and chlorine gas is formed at the cathode.
- **B** Hydrogen gas is formed at the cathode, and chlorine gas is formed at the anode.
- **C** Sodium metal is formed at the anode, and chlorine gas is formed at the cathode.
- **D** Sodium metal is formed at the cathode, and chlorine gas is formed at the anode.
- 11 Which statement about fuels is correct?
 - A Heat energy can only be produced by burning fuels.
 - **B** Hydrogen is used as a fuel although it is difficult to store.
 - **C** Methane is a good fuel because it produces only water when burned.
 - **D** Uranium is burned in air to produce energy.


| | Which statements about exothermic and endothermic reactions are correct? | | | | | |
|---|--|--|--|---|---|--|
| 1 During an exothermic reaction, heat is given out. | | | | | | |
| 2 | 2 The temperature of an endothermic reaction goes up because heat is taken in. | | | | | |
| 3 | 3 Burning methane in the air is an exothermic reaction. | | | | | |
| 1, 2 and | 3 B | 1 and 2 only | С | 1 and 3 only | D | 2 and 3 only |
| A gas is produced when calcium carbonate is heated. | | | | | | |
| | 2 3 1, 2 and | 2 The tempe 3 Burning me 1, 2 and 3 B as is produced when | 2 The temperature of an end 3 Burning methane in the air 1, 2 and 3 B 1 and 2 only as is produced when calcium carbor | 2 The temperature of an endothe 3 Burning methane in the air is ar 1, 2 and 3 B 1 and 2 only C as is produced when calcium carbonate in | 2 The temperature of an endothermic reaction go 3 Burning methane in the air is an exothermic reaction 1, 2 and 3 B 1 and 2 only C 1 and 3 only | 2 The temperature of an endothermic reaction goes up 3 Burning methane in the air is an exothermic reaction 1, 2 and 3 B 1 and 2 only C 1 and 3 only D as is produced when calcium carbonate is heated. |

- **A** chemical
- **B** exothermic
- **C** physical
- **D** separation
- **14** X is a white solid which dissolves in water to give a blue solution.

What is X?

- A anhydrous cobalt(II) chloride
- **B** anhydrous copper(II) sulfate
- **C** hydrated cobalt(II) chloride
- **D** hydrated copper(II) sulfate

15 A student was investigating the reaction between marble chips and dilute hydrochloric acid.



Which changes slow down the rate of reaction?

| | temperature of acid | concentration of acid | surface area of marble chips |
|---|------------------------|-----------------------|------------------------------|
| Α | decrease | decrease | decrease |
| В | decrease | decrease | increase |
| С | increase | decrease | decrease |
| D | increase | increase | increase |

16 The reactions shown may occur in the air during a thunder-storm.

$$N_2 + O_2 \rightarrow 2NO$$

$$2NO + O_2 \rightarrow 2NO_2$$

$$NO + O_3 \rightarrow NO_2 + O_2$$

Which row shows what happens to the reactant molecules in each of these reactions?

| | N_2 | NO | O ₃ |
|---|----------|----------|----------------|
| Α | oxidised | oxidised | oxidised |
| В | oxidised | oxidised | reduced |
| С | reduced | reduced | oxidised |
| D | reduced | reduced | reduced |

17 When compound P is added to sodium carbonate, carbon dioxide is produced.

When compound Q is added to ammonium chloride, ammonia is produced.

What are P and Q?

| | Р | Q | |
|---|------------------|------------|--|
| Α | a base | a base | |
| В | B a base an acid | | |
| С | an acid a base | | |
| D | an acid | id an acid | |

- **18** Which oxide is suitable for treating acidic soil?
 - A calcium oxide
 - **B** carbon dioxide
 - C phosphorus oxide
 - **D** silicon(IV) oxide
- **19** Which salt preparation uses a burette and a pipette?
 - A calcium nitrate from calcium carbonate and nitric acid
 - **B** copper(II) sulfate from copper(II) hydroxide and sulfuric acid
 - **C** potassium chloride from potassium hydroxide and hydrochloric acid
 - **D** zinc chloride from zinc and hydrochloric acid
- **20** Dilute sulfuric acid is added to two separate aqueous solutions, X and Y. The observations are shown.


| solution X | white precipitate |
|------------|-----------------------------|
| solution Y | bubbles of a colourless gas |

Which row shows the ions present in the solutions?

| | solution X | solution Y |
|---------------------------|------------------|-------------------------------|
| A Ba ²⁺ | | CO ₃ ²⁻ |
| В | Ca ²⁺ | C <i>l</i> − |
| C Cu ²⁺ | | CO ₃ ²⁻ |
| D Fe ²⁺ | | NO ₃ ⁻ |

21 Part of the Periodic Table is shown.

Which element is a metal?



- 22 Which element is less reactive than the other members of its group in the Periodic Table?
 - A astatine
 - **B** caesium
 - **C** fluorine
 - **D** rubidium
- 23 An element has the following properties.
 - It forms coloured compounds.
 - It acts as a catalyst.
 - It melts at 1539 °C.

In which part of the Periodic Table is the element found?

- A Group I
- **B** Group VII
- C Group VIII
- **D** transition elements
- **24** Why are weather balloons sometimes filled with helium rather than hydrogen?
 - A Helium is found in air.
 - **B** Helium is less dense than hydrogen.
 - C Helium is more dense than hydrogen.
 - **D** Helium is unreactive.

25 Element E:

- forms an alloy
- has a basic oxide
- is below hydrogen in the reactivity series.

What is E?

- A carbon
- **B** copper
- C sulfur
- **D** zinc
- **26** Calcium, copper, iron and magnesium are metals. They can be placed in order of reactivity.

Which statement is correct?

- **A** Copper reacts with dilute hydrochloric acid to form copper(II) chloride.
- **B** Iron reacts with steam but magnesium does not.
- **C** Iron(II) oxide cannot be reduced by heating strongly with carbon.
- **D** Magnesium and calcium both react with hot water.
- 27 Steel is manufactured from the iron produced in a blast furnace.


Which statement about the manufacture of iron and steel is **not** correct?


- **A** In a blast furnace, acidic impurities are removed by adding a basic oxide.
- **B** In a blast furnace, calcium oxide is added to remove basic impurities.
- **C** Oxygen is passed into the molten iron from a blast furnace to remove carbon impurities.
- **D** The molten iron from a blast furnace contains traces of other elements such as phosphorus.
- 28 Stainless steel is an alloy of iron and other metals. It is strong and does not rust but it costs much more than normal steel.


What is **not** made from stainless steel?

- A cutlery
- **B** pipes in a chemical factory
- C railway lines
- **D** saucepans

29 The diagram shows some uses of water in the home.







For which uses is it important for the water to have been treated?

- A 1 only
- B 2 only
- C 3 only
- **D** 1, 2 and 3
- 30 Which gas in the air is needed for iron to rust?
 - A argon
 - B carbon dioxide
 - C nitrogen
 - **D** oxygen
- **31** A solid fertiliser contains ammonium sulfate.

A sample of the fertiliser is shaken with water.

To show the presence of ammonium ions in the solution,1..... is added and the gas produced is tested with damp2..... litmus paper.

Which words complete gaps 1 and 2?


| | 1 | 2 |
|---|--------------------------|------|
| Α | aqueous sodium hydroxide | blue |
| В | aqueous sodium hydroxide | red |
| С | dilute hydrochloric acid | blue |
| D | dilute hydrochloric acid | red |


- 32 In which process is carbon dioxide **not** formed?
 - burning of natural gas
 - В fermentation
 - heating lime C
 - respiration
- 33 Statements about methods of manufacture and uses of calcium oxide are shown.
 - It is manufactured by reacting acids with calcium carbonate.
 - 2 It is manufactured by heating calcium carbonate.
 - It is used to desulfurise flue gases.
 - It is used to treat alkaline soil.


Which statements are correct?

- **A** 1 and 2

- **34** The structures of three substances are shown.








Why do these substances all belong to the same homologous series?

- **A** They are all compounds.
- В They are all saturated.
- C They all contain oxygen.
- They all contain the same functional group. D

35 The industrial fractional distillation of petroleum is shown.



Which process happens at Y?

- **A** burning
- **B** condensation
- **C** cracking
- **D** evaporation
- **36** Two reactions are shown.
 - 1 butane \rightarrow ethene
 - 2 ethene \rightarrow ethanol

Which terms describe reactions 1 and 2?

| | 1 | 2 | |
|---|-----------------------|------------|--|
| Α | cracking | addition | |
| В | cracking | combustion | |
| С | distillation addition | | |
| D | distillation | combustion | |

37 Ethene is a hydrocarbon.

Which row shows the type of bond between the carbon atoms in ethene, and the effect of ethene on aqueous bromine?

| | type of bond | effect of ethene on aqueous bromine |
|---|--------------|---|
| Α | single bond | colour changes from brown to colourless |
| В | single bond | colour changes from colourless to brown |
| С | double bond | colour changes from brown to colourless |
| D | double bond | colour changes from colourless to brown |

38 Poly(ethene), nylon and *Terylene* are all polymers.


From which small units are all polymers made?

- **A** alkenes
- **B** monomers
- **C** plastics
- **D** proteins


39 Which property is a property of aqueous ethanoic acid?

- **A** It rapidly decolourises aqueous bromine.
- **B** It has a sweet smell.
- **C** It reacts with magnesium ribbon.
- **D** It turns red litmus blue.

40 The diagram shows part of the molecule of a polymer.



Which diagram shows the monomer from which this polymer could be manufactured?



BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

| | \ | 2 J | helium 4 | 10 | Ne | neon 20 | 18 | Ā | argon 40 | 36 | 궃 | krypton 84 | 55 | Xe | xenon 131 | 98 | R | radon - | | | |
|-------|---|-----|---------------|---------------|--------------|------------------------------|----|----|------------------|----|---------|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | \ | | | 6 | ш | fluorine 19 | 17 | ľ | chlorine 35.5 | 35 | ğ | bromine 80 | 53 | П | iodine 127 | 85 | ¥ | astatine - | | | |
| | I | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 84 | Ъ | polonium - | 116 | ^ | livermorium - |
| | > | | | 7 | z | nitrogen 14 | 15 | ₾ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | :E | bismuth 209 | | | |
| | > | | | 9 | O | carbon 12 | 14 | Si | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium |
| | ≡ | | | 2 | Ф | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | I | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | В | cadmium 112 | 80 | Нg | mercury 201 | 112 | ű | copernicium |
| | | | | | | | | | | 29 | Co | copper 64 | 47 | Ag | silver 108 | 62 | Αu | gold 197 | 111 | Rg | roentgenium - |
| dn | | | | | | | | | | 28 | z | nickel 59 | 46 | Pd | palladium 106 | 78 | 凸 | platinum 195 | 110 | Ds | darmstadtium - |
| Group | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 뫈 | rhodium 103 | 77 | 'n | iridium 192 | 109 | ¥ | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 92 | Os | osmium 190 | 108 | Hs | hassium |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ပ | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium |
| | | | | | loc | ISS | | | | 24 | ပ် | chromium 52 | | Mo | | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium |
| | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | g | niobium 93 | 73 | <u>a</u> | tantalum 181 | 105 | Op | dubnium |
| | | | | | ato | rela | | | | 22 | i= | titanium 48 | 40 | Zr | zirconium 91 | 72 | 士 | hafnium 178 | 104 | 弘 | rutherfordium - |
| | | | | | | | • | | | 21 | Sc | scandium 45 | 39 | > | yttrium 89 | 57-71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ഗ് | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| | _ | | | 3 | := | lithium 7 | 11 | Na | sodium 23 | 19 | \prec | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | ቷ | francium |

| 71 | Ľ | lutetium 175 | 103 | ۲ | lawrencium | I |
|----|-------------|---------------------|-----|-----------|--------------|-----|
| | | ytterbium 173 | | | | |
| 69 | Tm | thulium 169 | 101 | Md | mendelevium | I |
| 89 | Щ | erbium 167 | 100 | Fm | ferminm | ı |
| 29 | 웃 | holmium 165 | 66 | Es | einsteinium | ı |
| 99 | ۵ | dysprosium 163 | 86 | ರ | californium | ı |
| 92 | Д | terbium 159 | 6 | ă | berkelium | ı |
| 64 | 9 G | gadolinium 157 | 96 | Cm | curium | ı |
| 63 | En | europium 152 | 92 | Am | americium | ı |
| 62 | Sm | samarium 150 | 94 | Pu | plutonium | ı |
| 61 | Pm | promethium - | 93 | ď | neptunium | ı |
| 09 | ΡN | neodymium 144 | 92 | \supset | uranium | 238 |
| 69 | P | praseodymium 141 | 91 | Ра | protactinium | 231 |
| 28 | Ce | cerium 140 | 06 | H | thorium | 232 |
| 22 | Га | lanthanum 139 | 89 | Ac | actinium | I |
| | lanthanoids | | | actinoids | | |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).