

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

0620/22 **CHEMISTRY** 

May/June 2017 Paper 2 Multiple Choice (Extended)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of 15 printed pages and 1 blank page.





1 Small crystals of purple KMnO<sub>4</sub> ( $M_r$  = 158) and orange K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> ( $M_r$  = 294) were placed at the centres of separate petri dishes filled with agar jelly. They were left to stand under the same physical conditions.

After some time, the colour of each substance had spread out as shown.



The lengths of the arrows indicate the relative distances travelled by particles of each substance.

Which statement is correct?

- **A** Diffusion is faster in dish 1 because the mass of the particles is greater.
- **B** Diffusion is faster in dish 2 because the mass of the particles is greater.
- **C** Diffusion is slower in dish 1 because the mass of the particles is smaller.
- **D** Diffusion is slower in dish 2 because the mass of the particles is greater.
- 2 Impurities change the melting and boiling points of substances.


Sodium chloride is added to a sample of pure water.

How does the addition of sodium chloride affect the melting point and boiling point of the water?

	melting point	boiling point
Α	increases	increases
В	increases	decreases
С	decreases	increases
D	decreases	decreases

**3** The diagram shows a chromatogram of four substances.

Which substance has an  $R_f$  value of approximately 0.32?



- 4 Which element does **not** form a stable ion with the same electronic structure as argon?
  - A aluminium
  - **B** chlorine
  - C phosphorus
  - **D** potassium
- **5** Graphite and diamond are both forms of the element carbon.

Which row shows the number of other carbon atoms that each carbon atom is covalently bonded to in graphite and diamond?

	graphite	diamond
Α	3	3
В	3	4
С	4	3
D	4	4

^	\ \ / I - ! - I -	_1_1_11	-1 :: !	4 - 11: -	I I' 0
h	which	ctatement	MACCHINAC	matallic	nondina /
6	V V I II C I I	statement	ucscribes	IIICiaiiic	DOMESTIC :

- A The attraction between a lattice of negative ions and delocalised protons.
- **B** The attraction between a lattice of positive ions and delocalised electrons.
- **C** The attraction between delocalised protons and electrons.
- **D** The attraction between oppositely charged ions.

# 7 Which equations are balanced?

1 Fe<sub>2</sub>O<sub>3</sub> + 3CO 
$$\rightarrow$$
 2Fe + 3CO<sub>2</sub>

2 
$$ZnCO_3 + 2HCl \rightarrow ZnCl_2 + CO_2 + 2H_2O$$

3 
$$Mg(NO_3)_2 + NaOH \rightarrow Mg(OH)_2 + 2NaNO_3$$

4 
$$CaCO_3 + H_2SO_4 \rightarrow CaSO_4 + H_2O + CO_2$$

- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4
- 8 Calcium carbide, CaC<sub>2</sub>, reacts with water to form ethyne, C<sub>2</sub>H<sub>2</sub>, and calcium hydroxide.

The equation for the reaction is shown.

$$CaC_2(s) + 2H_2O(I) \rightarrow C_2H_2(g) + Ca(OH)_2(s)$$


Which volume of ethyne is produced when 6 g of water react completely with calcium carbide?

- $\mathbf{A}$  4 dm<sup>3</sup>
- **B** 8 dm<sup>3</sup>
- **C** 36 dm<sup>3</sup>
- $\mathbf{D}$  72 dm<sup>3</sup>
- **9** Which statement about electrolysis is correct?
  - **A** Electrons move through the electrolyte from the cathode to the anode.
  - **B** Electrons move towards the cathode in the external circuit.
  - **C** Negative ions move towards the anode in the external circuit.
  - **D** Positive ions move through the electrolyte towards the anode during electrolysis.

**10** The reactivity series for a number of different metals is shown.

most reactive				least reactive		
	magnesium	zinc	iron	copper	silver	platinum

The diagram shows different metal strips dipped into an electrolyte.



Which pair of metals produces the highest voltage?

- A copper and magnesium
- B magnesium and platinum
- C magnesium and zinc
- **D** silver and platinum
- **11** Which statement about fuels is correct?
  - **A** Heat energy can only be produced by burning fuels.
  - **B** Hydrogen is used as a fuel although it is difficult to store.
  - **C** Methane is a good fuel because it produces only water when burned.
  - **D** Uranium is burned in air to produce energy.
- 12 Which statements about exothermic and endothermic reactions are correct?
  - 1 During an exothermic reaction, heat is given out.
  - 2 The temperature of an endothermic reaction goes up because heat is taken in.
  - 3 Burning methane in the air is an exothermic reaction.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

**13** The equation for the reaction between hydrogen and chlorine is shown.

$$H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$$

The reaction is exothermic.

The bond energies are shown in the table.

bond	bond energy in kJ/mol
Cl-Cl	+240
H–C1	+430
H–H	+436

What is the energy change for the reaction?


- **A** -1536 kJ/mol
- **B** -184 kJ/mol
- C +184 kJ/mol
- **D** +246 kJ/mol

**14** A gas is produced when calcium carbonate is heated.

Which type of change is this?

- **A** chemical
- **B** exothermic
- C physical
- **D** separation

**15** A student was investigating the reaction between marble chips and dilute hydrochloric acid.



Which changes slow down the rate of reaction?

	temperature of acid	concentration of acid	surface area of marble chips
Α	decrease	decrease	decrease
В	decrease	decrease	increase
С	increase	decrease	decrease
D	increase	increase	increase

16 The reaction used to manufacture ammonia from nitrogen and hydrogen is reversible.

An equilibrium can be established between ammonia, nitrogen and hydrogen.

Which statement describes the equilibrium?

- **A** Both the forward reaction and the backward reaction have the same rate.
- **B** The rate of the backward reaction is greater than the rate of the forward reaction.
- **C** The rate of the forward reaction is greater than the rate of the backward reaction.
- **D** The forward and backward reactions have both stopped.
- **17** An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- **A** Zn is the oxidising agent and it oxidises Cu<sup>2+</sup>.
- **B** Zn is the oxidising agent and it reduces Cu<sup>2+</sup>.
- **C** In is the reducing agent and it oxidises Cu<sup>2+</sup>.
- **D** Zn is the reducing agent and it reduces Cu<sup>2+</sup>.

18	Which	type	of ox	ide is	alumini	um	oxide	?

A acidic

**B** amphoteric

C basic

**D** neutral

# 19 Which statements about a weak acid, such as ethanoic acid, are correct?

- 1 It reacts with a carbonate.
- 2 It does not neutralise aqueous sodium hydroxide solution.
- 3 It turns red litmus blue.
- 4 It is only partially ionised in aqueous solution.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 20 Silver chloride is a white solid which is insoluble in water.

Which statement describes how a sample of pure silver chloride can be made?

- **A** Add aqueous silver nitrate to aqueous sodium chloride and then filter.
- **B** Add aqueous silver nitrate to dilute hydrochloric acid, evaporate and then crystallise.
- **C** Add silver carbonate to dilute hydrochloric acid, evaporate and then crystallise.
- **D** Add silver to dilute hydrochloric acid, filter and then wash the residue.
- **21** Dilute sulfuric acid is added to two separate aqueous solutions, X and Y. The observations are shown.

solution X	white precipitate
solution Y	bubbles of a colourless gas

Which row shows the ions present in the solutions?

	solution X	solution Y
Α	Ba <sup>2+</sup>	CO <sub>3</sub> <sup>2-</sup>
В	Ca <sup>2+</sup>	C1 <sup>-</sup>
С	Cu <sup>2+</sup>	CO <sub>3</sub> <sup>2-</sup>
D	Fe <sup>2+</sup>	NO <sub>3</sub> <sup>-</sup>

22	VVII	incit element is less reactive than the other members of its group in the Fehotic Table!
	Α	astatine
	В	caesium
	С	fluorine
	D	rubidium

23 The elements oxygen and sulfur are in the same group of the Periodic Table.

Which statement about oxygen and sulfur is **not** correct?

- **A** They are non-metals.
- **B** They have giant covalent structures.
- **C** They have six electrons in their outer shells.
- **D** They react together to form an acidic oxide.
- 24 Why are weather balloons sometimes filled with helium rather than hydrogen?
  - A Helium is found in air.
  - **B** Helium is less dense than hydrogen.
  - C Helium is more dense than hydrogen.
  - **D** Helium is unreactive.
- 25 Which process is involved in the extraction of zinc from zinc blende?
  - **A** Cryolite is added to lower the melting point of zinc blende.
  - **B** Molten zinc blende is electrolysed.
  - **C** Zinc blende is heated with carbon.
  - **D** Zinc blende is roasted in air.

26 Element I	Ξ:
--------------	----

	•	forms	an	al	lον	,
--	---	-------	----	----	-----	---

- has a basic oxide
- is below hydrogen in the reactivity series.

1/1/	hat	10	<b>⊢</b> '⁄
vv	ıιαι	13	_:

- A carbon
- **B** copper
- **C** sulfur
- **D** zinc
- 27 A list of metals is shown.

aluminium

copper

iron

magnesium

silver

zinc


Which metal will displace all of the other metals from aqueous solutions of their salts?


- A aluminium
- **B** iron
- **C** magnesium
- **D** zinc
- **28** Stainless steel is an alloy of iron and other metals. It is strong and does not rust but it costs much more than normal steel.


What is **not** made from stainless steel?

- **A** cutlery
- **B** pipes in a chemical factory
- C railway lines
- D saucepans

29 The diagram shows some uses of water in the home.







Z

For which uses is it important for the water to have been treated?

- A 1 only
- **B** 2 only
- C 3 only
- **D** 1, 2 and 3
- **30** The carbon cycle includes the processes combustion, photosynthesis and respiration.

Which row shows how each process changes the amount of carbon dioxide in the atmosphere?

	combustion	photosynthesis	respiration
Α	decreases	decreases	increases
В	decreases	increases	decreases
С	increases	decreases	increases
D	increases	increases	decreases

- **31** Which statement about the conditions used in the Haber process is **not** correct?
  - **A** A high temperature is used because the forward reaction is exothermic.
  - **B** A high pressure is used because there are fewer moles of gas in the products than in the reactants.
  - **C** An iron catalyst is used to increase the rate of the forward reaction.
  - **D** The unreacted hydrogen and nitrogen are recycled to increase the amount of ammonia produced.
- **32** Which chemical reaction decreases pollution in the air?

$$\mathbf{A}\quad \mathsf{S}\;+\;\mathsf{O}_2\;\rightarrow\;\mathsf{SO}_2$$

**B** 
$$N_2 + O_2 \rightarrow 2NO$$


$$\mathbf{C} \quad 2CH_4 + 3O_2 \rightarrow 2CO + 4H_2O$$

**D** 2NO + 2CO 
$$\rightarrow$$
 2CO<sub>2</sub> + N<sub>2</sub>

- **33** Which statement about sulfuric acid is correct?
  - A It is made by the Haber process.
  - **B** It is made in the atmosphere by the action of lightning.
  - **C** It reacts with ammonia to produce a fertiliser.
  - **D** It reacts with copper metal to produce hydrogen gas.
- **34** Statements about methods of manufacture and uses of calcium oxide are shown.
  - 1 It is manufactured by reacting acids with calcium carbonate.
  - 2 It is manufactured by heating calcium carbonate.
  - 3 It is used to desulfurise flue gases.
  - 4 It is used to treat alkaline soil.

Which statements are correct?


- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4
- **35** The industrial fractional distillation of petroleum is shown.



Which process happens at Y?

- **A** burning
- **B** condensation
- C cracking
- **D** evaporation

- 36 Which statement about homologous series is not correct?
  - **A** Alkenes have the same general formula,  $C_nH_{2n+2}$ .
  - **B** Each member of the homologous series of alkanes differs from the next by CH<sub>2</sub>.
  - **C** The members of a homologous series all have similar chemical properties.
  - **D** The members of a homologous series all have the same functional group.
- **37** The diagram shows part of the molecule of a polymer.



Which diagram shows the monomer from which this polymer could be manufactured?

38 Ethanol is manufactured by fermentation or by the catalytic addition of steam to ethene.

What is an advantage of ethanol manufacture by fermentation instead of by the catalytic addition of steam to ethene?

- **A** Ethanol manufactured by fermentation is purified by distillation.
- **B** Ethanol manufacture by fermentation produces purer ethanol.
- **C** Ethanol manufacture by fermentation uses large areas of land.
- **D** Ethanol manufacture by fermentation uses renewable resources.
- **39** The formula of an ester is CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>COOCH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

Which acid and alcohol react together to make the ester?

	acid	alcohol
Α	butanoic acid	butanol
В	butanoic acid	propanol
С	propanoic acid	butanol
D	propanoic acid	propanol

**40** Polyesters and polyamides are types of synthetic polymer.

Which statements are correct?

- 1 They are made by addition polymerisation.
- 2 They are made by condensation polymerisation.
- 3 The monomers from which they are made are unsaturated hydrocarbons.
- 4 The monomers from which they are made contain reactive functional groups at their ends.

**A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	<sup>2</sup> He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	25	Xe	xenon 131	98	R	radon			
	IIA			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	Ą	astatine _			
	I			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	moloum —	116	^	livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	$\geq$			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	Ξ			2	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	lΤ	thallium 204			
										30	Zu	zinc 65	48	р О	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
G				1						27	ပိ	cobalt 59	45	格	rhodium 103	77	ľ	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
							1			25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	loq	lass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium
					atc	le1				22	j	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	¥	rutherfordium -
											လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	7	Na	sodium 23	19	エ	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ቷ	francium

Nd Pm Sm Eu Gd Tb Dy Ho Er Tm   neodymium promethium samarium europium gadolinium terbium dysprosium homium erbium thulium   144 - 150 152 157 159 165 167 169   92 93 94 95 96 97 98 99 100 101   U Np Pu Am Cm BK Cf Es Fm Md   uranium nepturium perkelium califonium einfinm eminm mendelevium		£	Г	0	70	00	C		L	C	1	0	00	1	1
Image: Line Month Information Smm (Smm) Europium (Smm) Gd Tb Dy Ho Er Tm   Inimation Franchium Samantum (Smm) Ground (Smm) Frethium (Sprostium) Hoff (Smm)	28		26	09	61	62	63	64	65	99	19	89	69	0,	7.1
neodymium promethium samarium europium gadolinium terbium dysprosium holmium erbium thuium <td>.a Ce</td> <td></td> <td>P</td> <td>PZ</td> <td>Pm</td> <td>Sm</td> <td>Ш</td> <td>Вd</td> <td>Q L</td> <td>D</td> <td>운</td> <td>ш</td> <td>Tm</td> <td>Υp</td> <td>Ľ</td>	.a Ce		P	PZ	Pm	Sm	Ш	Вd	Q L	D	운	ш	Tm	Υp	Ľ
92 93 94 95 96 97 98 99 100 101   U Np Pu Am Cm BK Cf Es Fm Md   uranium nepturium plutonium americium curium berkelium californium efemium mendelevium   238 - - - - - -	nthanum cerium p	۵	raseodymium 141	.=	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
U Np Pu Am Cm Bk Cf Es Fm Md uranium neptunium plutonium americum curium berkelium berkelium einsteinium femium mendelevium mendelevium curium perkelium californium einsteinium in mendelevium mendel	06 68		91	92	93	94	92	96	26	86	66	100	101	102	103
uranium neptunium plutonium americium curium berkelium califomium einsleinium fermium mendelevium 238 – – – – – – – – – – – – – – – – – – –	Ac Th		Ра	n	dN	Pu	Am	Cm	Ř	ర్	Es	Fm	Md	Š	۲
238	thorium		protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
	- 232		231	238	ı	ı	ı	ı	ı	I	ı	I	ı	ı	ı

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).