



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

0620/31

Paper 3 Theory (Core)

May/June 2017

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **16** printed pages.

1 (a) The electronic structures of five atoms, **A**, **B**, **C**, **D** and **E**, are shown.



Answer the following questions about these atoms.
Each atom may be used once, more than once or not at all.

Which atom, **A**, **B**, **C**, **D** or **E**,

- (i) has a complete outer shell of electrons, [1]
- (ii) has a proton number of 15, [1]
- (iii) has 4 shells containing electrons, [1]
- (iv) is a fluorine atom, [1]
- (v) is an atom of a metallic element? [1]

(b) Complete the table to show the number of electrons, neutrons and protons in the chlorine atom and bromide ion shown.

	number of electrons	number of neutrons	number of protons
$^{35}_{17}\text{Cl}$	17		
$^{79}_{35}\text{Br}^-$		44	

[3]

[Total: 8]

- 2 (a) The table shows the ions present in a 1000 cm^3 sample of polluted river water.

ion present	formula of ion	mass present in $\text{mg}/1000\text{ cm}^3$
calcium	Ca^{2+}	2.0
chloride	Cl^-	1.3
hydrogencarbonate	HCO_3^-	2.0
magnesium	Mg^{2+}	1.0
potassium	K^+	4.0
silicate	SiO_3^{2-}	12.0
sodium	Na^+	11.0
	SO_3^{2-}	3.0

Answer these questions using the information from the table.

- (i) Which positive ion is present in the highest concentration?

..... [1]

- (ii) State the name of the ion SO_3^{2-} .

..... [1]

- (iii) Calculate the mass of silicate ions present in 250 cm^3 of this sample.

mass of silicate ions = mg [1]

- (iv) Calculate the mass of solid formed when all the water is evaporated from the 1000 cm^3 sample.

mass of solid formed = mg [1]

- (v) Name the compound containing Ca^{2+} ions and HCO_3^- ions.

..... [1]

(b) Describe a test for sodium ions.

test

result

[2]

(c) The formulae of some chlorides are given.

aluminium chloride, $AlCl_3$

calcium chloride, $CaCl_2$

sodium chloride, $NaCl$

Deduce the formula for magnesium chloride.

..... [1]

(d) Molten calcium chloride can be electrolysed using inert electrodes.

Predict the products of this electrolysis at




the negative electrode (cathode),

the positive electrode (anode).

[2]

[Total: 10]

- 3 The diagram shows part of the structures of three substances, **X**, **Y** and **Z**, at room temperature and pressure.

**X****Y****Z**

(a) Describe substances **X**, **Y** and **Z** in terms of

- their bonding,
- the arrangement of their particles,
- the motion of their particles.

.....

.....

.....

.....

.....


.....

.....

.....

..... [5]

(b) A closed gas syringe contains substance **X**.



Describe what happens to the volume of substance **X** in the syringe when the pressure is increased. The temperature remains constant. Explain your answer in terms of particles.

.....
 [2]

(c) Substance **Z** is diamond. Diamond is used in jewellery.

Give **one** other use of diamond.

..... [1]

(d) Substance **Y** undergoes physical and chemical changes.

Which **two** of the following are physical changes? Explain your answer.

- A** Substance **Y** dissolves easily in water.
- B** An aqueous solution of substance **Y** gives a white precipitate with acidified aqueous silver nitrate.
- C** Substance **Y** melts at 801 °C.
- D** Substance **Y** reacts with concentrated sulfuric acid.

.....

 [3]

[Total: 11]


4 Chlorine is an element in Group VII of the Periodic Table.

(a) Chlorine is a diatomic molecule.

Explain what is meant by the term *diatomic*.

..... [1]

(b) Aqueous chlorine reacts with aqueous potassium bromide.



(i) How does this equation show that chlorine is more reactive than bromine?

..... [1]

(ii) Aqueous potassium bromide and aqueous potassium chloride are both colourless.

Predict the colour change when aqueous chlorine reacts with aqueous potassium bromide.

..... [1]

(iii) Complete the chemical equation for the reaction of aqueous bromine with aqueous potassium iodide.



[2]

(c) Describe a test for iodide ions.

test

result

[2]

(d) Chlorine is used to make the polymer PVC.

(i) Give **one** other use of chlorine.

..... [1]

(ii) The monomer used to make PVC is made by the thermal decomposition of dichloroethane.



Explain what is meant by the term *thermal decomposition*.

.....

..... [2]

(iii) PVC is a non-biodegradable plastic.

Describe **two** pollution problems caused by non-biodegradable plastics.

1


2

[2]

[Total: 12]

- 5 Citronellol is found in rose oil.

The structure of citronellol is shown.



- (a) On the structure shown draw a circle around the alcohol functional group. [1]

- (b) How many hydrogen atoms are there in **one** molecule of citronellol?

..... [1]

- (c) What feature of the citronellol structure shows that it is unsaturated?

..... [1]

(d) The table shows the properties of some alkanes.

alkane	number of carbon atoms in one molecule	melting point in °C	boiling point in °C	density of liquid alkane in g/cm ³
methane	1	−182	−162	0.466
ethane	2	−183	−88	0.572
propane	3	−188		0.585
butane	4		0	0.601
pentane	5	−130	36	0.626

(i) Describe how the density of the liquid alkanes varies with the number of carbon atoms in one molecule.

..... [1]

(ii) Predict the boiling point of propane.

..... [1]

(iii) Why would it be difficult to predict the melting point of butane from the information in the table?

..... [1]

(iv) What is the state of pentane at 30 °C? Explain your answer.

.....
 [2]

(v) Alkanes are hydrocarbons.


What is the meaning of the term *hydrocarbon*?

.....
 [2]

(vi) Draw the structure of ethane. Show all of the atoms and all of the bonds.

[1]

(vii) Complete the chemical equation for the combustion of propane.



[2]

[Total: 13]

6 (a) The table shows the properties of some metals.

metal	density in g/cm ³	melting point in °C	relative strength	relative electrical conductivity	cost
aluminium	2.7	660	7.0	4.0	expensive
iron	7.9	1535	21.0	1.1	cheap
lead	11.3	328	1.5	0.5	expensive
silver	10.5	962	2.0	6.7	very expensive
tungsten	19.4	3420	12.0	2.0	expensive

Use the information in the table to answer the questions.

- (i) Which metal would be most useful for making overhead power cables?
Give **two** reasons for your answer.

metal

reason 1

reason 2 [2]

- (ii) Why is iron and **not** tungsten used to reinforce concrete?

..... [1]

- (iii) The front part of a space rocket is called a nose cone. The nose cone gets **very** hot as the space rocket moves through the air.

Which metal is best to make a space rocket nose cone? Explain your answer.

..... [1]

- (b) Tungsten is a transition element.

State **two** physical properties of transition elements which are **not** shown by Group I elements.

1

2 [2]

- (c) When extremely hot tungsten reacts with oxygen, tungsten(VI) oxide is formed.

Balance the chemical equation for this reaction.



[2]

- (d) Some information about the reaction of four metals with oxygen is given.

cobalt: reacts slowly at high temperatures

iron: thin wire burns when heated strongly

magnesium: burns when heated

tungsten: reacts very slowly at extremely high temperatures

List these metals in order of their reactivity. Put the least reactive metal first.

least reactive $\longrightarrow$ **most** reactive

--	--	--	--

[2]

- (e) The table compares the time taken for reaction of an alloy with ethanoic acid, nitric acid and phosphoric acid, each at three different concentrations. The time taken for the alloy to decrease in mass by 1.0 g was measured. All other conditions were kept the same.

acid	time taken for reaction / hours		
	concentration of acid 0.04 mol / dm ³	concentration of acid 0.02 mol / dm ³	concentration of acid 0.01 mol / dm ³
ethanoic acid	92	190	410
nitric acid	2	6	18
phosphoric acid	19	39	80

- (i) How does the concentration of acid affect the rate of reaction?

.....
 [1]

- (ii) Which acid reacts most rapidly with the alloy?

..... [1]

- (iii) Predict how long it would take for the alloy to decrease in mass by 1.0 g using phosphoric acid of concentration 0.03 mol/dm^3 .

time taken = hours [1]

- (iv) Suggest which **one** of these pH values is the pH of concentrated aqueous ethanoic acid. Draw a circle around the correct answer.

pH 4

pH 7

pH 10


pH 13

[1]

[Total: 14]

7 Carbon is an element in Group IV of the Periodic Table. It reacts with oxygen to form carbon dioxide.

(a) The energy level diagram for this reaction is shown.



Explain how this diagram shows that the reaction is exothermic.

.....
..... [1]

(b) Carbon monoxide, carbon dioxide and methane are all atmospheric pollutants.

- Give the sources of these gases.
- Describe the effects that both carbon dioxide and methane have on the environment.
- State an adverse effect of carbon monoxide on health.

.....
.....
.....
.....
.....
.....
.....
.....
.....
..... [5]

(c) Calcium carbonate decomposes to form calcium oxide (lime) and carbon dioxide.

(i) State **one** use of calcium oxide.

..... [1]

(ii) Calculate the relative formula mass of calcium carbonate, CaCO_3 .

Show all your working.

Use your Periodic Table to help you.

relative formula mass = [2]

(d) Carbon and magnesium are both insoluble in water.

Carbon does **not** react with hydrochloric acid but magnesium reacts to form a soluble salt and a gas which escapes into the air.

Suggest how you could prepare a pure dry sample of carbon from a mixture of carbon powder and magnesium powder.

.....

.....

.....

.....

.....

..... [3]

[Total: 12]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group																	
I	II						III	IV	V	VI	VII	VIII					
		1Hhydrogen1															
		2Hehelium4															
3Li lithium 7	4Be beryllium 9	Key atomic number atomic symbol name relative atomic mass										5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium –	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids	72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium –	85At astatine –	86Rn radon –
87Fr francium –	88Ra radium –	89–103 actinoids	104Rf rutherfordium –	105Db dubnium –	106Sg seaborgium –	107Bh bohrium –	108Hs hassium –	109Mt meitnerium –	110Ds darmstadtium –	111Rg roentgenium –	112Cn copernicium –		114Fl flerovium –		116Lv livermorium –		