

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 The symbols of the elements of Period 3 of the Periodic Table are shown.

Na Mg Al Si P S Cl

Answer the following questions about these elements. Each element may be used once, more than once or not at all.

Write the symbol of an element which:

(a)	is malleable	
		[1]
(b)	has only two electrons in its outermost shell	
		[1]
(c)	forms an oxide which leads to acid rain	[4]
(d)	forms an ion with a 2– charge	[1]
(ω)		[1]
(e)	is extracted from an ore called bauxite	
		[1]
(f)	does not form an oxide	
		[1]
(g)	forms an oxide with a macromolecular structure	[1]
(h)	forms an amphoteric oxide	1.1
		[1]
(i)	exists as diatomic molecules	
		[1]
(j)	forms a binary compound with hydrogen that is a strong acid.	F.4.1
	[Total:	
	[18tall]

2

Silver h	as an atomic num	ber of 47.				
(a) Na	turally occurring a	toms of silver ar	e ¹⁰⁷ Ag and ¹⁰	⁰⁹ Ag.		
(i)	State the name	given to atoms o	of the same el	lement with di	fferent nucleon numbers.	
					[1]	
(ii)	Complete the ta and ion of silver		number of pr	otons, neutror	ns and electrons in each atom	
			¹⁰⁷ ₄₇ Ag	¹⁰⁹ ₄₇ Ag ⁺		
		protons				
		neutrons				
		electrons				
					[3]	
(iii)	Complete this de	efinition of relativ	e atomic ma	SS.		
	Relative atomic	mass is the .		mass	of naturally occurring atoms	
	of an element of	on a scale wher	e the		atom has a mass of exactly	
		units.			[3]	
(iv)	A sample of silve	er has a relative	atomic mass	of 108.0.		
. ,	Deduce the perc	centage of ¹⁰⁷ Ag	present in thi	s sample of si	ilver.	
	[1]					
(b) Silv	ver nitrate is a salt	of silver made l	by reacting si	lver oxide with	n an acid.	
Wr	ite the formula of	the acid which re	eacts with silv	ver oxide to fo	rm silver nitrate.	
	[1]					

(c)	Aqı	leous silver nitrate is a colourless solution containing Ag⁺(aq) ions.
	(i)	Describe what is seen when aqueous silver nitrate is added to aqueous sodium iodide $NaI(aq)$.
		[1
	(ii)	Write the ionic equation for the reaction between aqueous silver nitrate and aqueous sodium iodide. Include state symbols.
		[3
(d)		ne positive test for aqueous nitrate ions, aqueous sodium hydroxide and one other substance warmed with the nitrate ions.
	Nar	ne this other substance and the gas formed.
	nan	ne of substance
	nan	ne of gas[2
(e)	Wh	en silver nitrate is exposed to sunlight, silver is formed.
	Nar	me the type of reaction which needs light to make it happen.
		[1
(f)	Mei	mbers of one homologous series only react with chlorine in the presence of sunlight.
	(i)	Name a member of this homologous series.
	.,	[1
	(ii)	Name two products that form when the compound in (i) reacts with chlorine.
		1
		2
		[2
		[Total: 19

		5
3	Soc	lium hydrogencarbonate is found in baking powder.
	Wh	en sodium hydrogencarbonate is heated it forms three products.
		$2NaHCO_3 \rightarrow Na_2CO_3 + H_2O + CO_2$
	(a)	Name the type of reaction that takes place when sodium hydrogencarbonate reacts in this way. [1]
	(b)	Calculate the volume of carbon dioxide formed at room temperature and pressure when 12.6 g of NaHCO ₃ is heated using the following steps:
		 determine the mass of one mole of NaHCO₃
		• calculate the number of moles of NaHCO ₃ used
		moles
		determine the number of moles of carbon dioxide formed .
		moles
		 calculate the volume of carbon dioxide formed at room temperature and pressure.
		dm ³ [4]
	(c)	Limewater is aqueous calcium hydroxide. Carbon dioxide turns limewater milky because a white precipitate forms.
		Write the formula of:


[Total: 7]

[2]

calcium hydroxide

the white precipitate that forms when limewater turns milky.

4 A student carries out an electrolysis experiment using the apparatus shown.



The student uses dilute aqueous sodium chloride.

(a)	Sta	te the name given to any solution which undergoes electrolysis.	- 4
			[1]
(b)	Нус	droxide ions are discharged at the anode.	
	(i)	Complete the ionic half-equation for this reaction.	
		OH-(aq) \rightarrow + $O_2(g)$ + $4e^-$	[2]
	(ii)	Explain how the ionic half-equation shows the hydroxide ions are being oxidised.	
			[1]
(c)	Des	scribe what the student observes at the cathode.	
			[1]
(d)	Wri	te the ionic half-equation for the reaction at the cathode.	

(e)	The	e student repeats the experiment using concentrated aqueous sodium chloride.	
	(i)	Describe what the student observes at:	
		the cathode	
		the anode.	
			[2]
	(ii)	The student added litmus to the solution after the electrolysis of concentrated a sodium chloride.	queous
		State the colour seen in the solution. Give a reason for your answer.	
		colour of solution	
		reason	
		1000011	[2]
(f)	Caı	arbon electrodes are used because they are inert.	
	Sta	ate another element that can be used instead of carbon.	
			[1]
		ГТ	otal: 12

This qu	uestion is about compounds of nitrogen.		
(a) Nit	trogen reacts with lithium to form lithium nitride, Li ₃ N.		
(i)	Write the chemical equation for the reaction between lithium and nitrogen.		
	[2]		
(ii)	Lithium nitride is ionically bonded.		
	Complete the diagram to show the electronic structure of the nitride ion. Show the charge on the nitride ion.		
	Γ]		
	N N		

[2]

- **(b)** Nitrogen reacts with fluorine to form nitrogen trifluoride, NF₃.
 - (i) The chemical equation can be represented as shown.

$$N\equiv N + 3 F-F \rightarrow 2 F-N-F$$

Some bond energies are shown in the table.

bond	bond energy in kJ/mol	
N≡N	945	
F–F	160	
N-F	300	

Calculate the energy change for the reaction between nitrogen and fluorine, using the following steps:

 energy taken in to break bor 	nds
--	-----

		k.
•	energy released when bonds are formed	
		k.
•	energy change during the reaction.	
		kJ/mo [3]
	- vers energies to (1) to deduce subother this recetion is	


(ii) Use your answer to (i) to deduce whether this reaction is endothermic or exothermic. Explain your answer.

_____[

(iii) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of NF₃.

Use dots for nitrogen electrons and crosses for fluorine electrons.

Show outer electrons only.



[3]

(c) Lithium nitride melts at 813 °C. Nitrogen trifluoride melts at –206 °C.

Explain in terms of attractive forces why lithium nitride has a much higher melting point than nitrogen trifluoride.

stren	er reier	to the	types o	i alliactive	lorces	between	particles	and the	ir relative
	 								[31
	 								[0]

- (d) Ammonium nitrate, NH₄NO₃, is a compound of nitrogen.
 - (i) Calculate the percentage by mass of nitrogen in ammonium nitrate.

percentage by mass of nitrogen = [2]

(ii) State a use of ammonium nitrate in agriculture.

.....[1]

(iii) State the name of a compound that will displace ammonia from ammonium nitrate.

.....[1]

(e)	Am	monia is a base which forms a weakly alkaline solution when dissolved in water.
	(i)	Define the term base.
		[1]
	(ii)	Suggest the pH of aqueous ammonia.
		[1]
		[Total: 20]

6	Molecules	A and	B can	form	condensation	polymers.
---	-----------	-------	--------------	------	--------------	-----------

		A B	
		но———он ноос———соон	
(a)	Ead	ch molecule has two identical functional groups.	
	(i)	Name the functional group in B .	
			[1]
	(ii)	Draw the part of the structure of the synthetic polymer that would form when two molecules of A and two molecules of B combine. Show all of the bonds in the linkages.	les
			[3]
	(iii)	Name the other product formed when molecules of A and B undergo polymerisation.	
			[1]
(b)	Mol	blecule A is a simple sugar unit which can be made by hydrolysis of complex carbohydrat	es.
	(i)	Draw part of the complex carbohydrate that could be hydrolysed to make molecules of	f A .
		Include one linkage and show all of the bonds in the linkage.	
			- 4 -
			[1]
	(ii)	State two sets of conditions which could be used to hydrolyse the complex carbohydr to form A .	ate
		1	
		2	 [2]
	/:::\		
	(iii)	Name the technique used to identify the individual sugar units made by the hydrolysis complex carbohydrate.	ot a

(c)	Eth	anol can be made from the simple sugar glucose, $C_6H_{12}O_6$.	
	(i)	State the name of this process.	
			[1]
	(ii)	Complete the chemical equation for this reaction.	
		$C_6H_{12}O_6 \rightarrow$	[2]
		[Total:	12]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	\parallel	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ъ	promine 80	53	н	iodine 127	85	At	astatine -			
	 >								sulfur c										116		morium -
																				_	liver
	>			7	Z	nitroge 14	15	<u>С</u>	phosphorus 31	33	As	arseni 75	51	Sb	antimo 122	83	Ξ	bismut 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group	,									28	ï	nickel 59	46	Pq	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Ö										27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	₹	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>⊾</u>	tantalum 181	105	В	dubnium —
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Έ	hafnium 178	104	꿉	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	<u>г</u>	francium -

7.1 Lu	lutetium 175	103	۲	lawrencium	ı
° A	ytterbium 173	102	8	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
88 Fr	erbium 167	100	Fm	ferminm	ı
67 Ho	holmium 165	66	Es	einsteinium	I
% Dv	dysprosium 163	86	ŭ	californium	I
e5 Tb	terbium 159	62	Æ	berkelium	I
Gd	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium	93	d	neptunium	ı
9 PN	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Se Ce	cerium 140	06	Ч	thorium	232
57 La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).