

Cambridge IGCSE[™]

CHEMISTRY 0620/23

Paper 2 Multiple Choice (Extended)

May/June 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




of dilute

1	Wh	nich two g	ases will di	ffuse at the san	ne rat	e, at the same	temp	erature?	
	Α	carbon r	monoxide a	and carbon diox	ide				
	В	carbon r	monoxide a	and nitrogen					
	С	chlorine	and fluorin	ie					
	D	nitrogen	and oxyge	en					
2		student n furic acid.		he time taken	for 2	2.0 g of magn	esium	to dissolve i	n 50 cm³
	Wh	nich appar	atus is ess	ential to comple	ete th	e experiment?			
		1	stop-clock						
		2	measuring	g cylinder					
		3	thermome	ter					
		4	balance						
	A	1, 2 and	4 B	1 and 2 only	С	1 and 4 only	D	2, 3 and 4	
3	Wh	nich stater	ment descr	ibes the propert	ies of	f both diamond	and s	silicon(IV) oxid	e?
	Α	They are	e brittle, wi	th a low melting	point	t, and are insol	uble i	n water.	
	В	They are	e hard, with	n a high melting	point	, and are elect	rical in	nsulators.	
	С	They are	e malleable	e, with a high me	elting	point, and are	electr	ical conductors	S.
	D	They are	e soft, with	a low melting p	oint, a	and are electric	cal ins	ulators.	
		-							

4 Paper chromatography is used to separate four different coloured inks, W, X, Y and Z, and an unknown ink T.

The chromatogram is shown.



Which inks are present in ink T?

- **A** W and X
- **B** W and Y
- C X and Z
- **D** Y and Z

5 Particle P has an atomic number of 18, a mass number of 40 and no overall charge.

Particle Q has an atomic number of 19, a mass number of 40 and a single positive charge.

Which statement is correct?

- **A** They are isotopes of the same element.
- **B** They are both ions.
- **C** Q has more neutrons than P.
- **D** They have the same number of electrons in their outer shell.
- 6 Which statement about the properties of metals is correct?
 - **A** Metals are malleable because the layers of positive ions can slide over each other.
 - **B** Metals conduct electricity when solid because the positive ions move freely through the metal.
 - **C** Metals conduct electricity because there is a strong force of attraction between the positive ions and the delocalised electrons.
 - **D** Metals have a high melting point because the positive ions attract each other strongly.

7 The equation for the reaction between barium chloride and dilute sulfuric acid is shown.

$$BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + 2HCl$$

Which row shows the state symbols for this equation?

	BaCl ₂	H ₂ SO ₄	BaSO ₄	2HC <i>l</i>
Α	(aq)	(aq)	(s)	(aq)
В	(aq)	(I)	(s)	(aq)
С	(1)	(aq)	(s)	(1)
D	(aq)	(I)	(aq)	(I)

8 A 0.5 g sample of calcium carbonate is reacted with excess dilute hydrochloric acid.

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(I) + CO_2(g)$$

Which volume of CO₂ is produced at r.t.p.?

A $0.12\,\mathrm{dm}^3$

B $0.18\,\mathrm{dm}^3$

 $\mathbf{C} = 0.24 \, \text{dm}^3$


D 12 dm³

9 Aluminium is manufactured from aluminium oxide by electrolysis.

Which row shows the ionic half-equations at each electrode and describes the role of cryolite in the process?

	reaction at anode	reaction at cathode	role of cryolite
Α	$20^{2-} \rightarrow 0_2 + 4e^-$	$Al^{3+} + 3e^- \rightarrow 3Al$	catalyst
В	$Al^{3+} + 3e^- \rightarrow Al$	$20^{2-} \rightarrow O_2 + 4e^-$	solvent for aluminium oxide
С	$2O^{2-} \rightarrow O_2 + 4e^-$	$Al^{3+} + 3e^- \rightarrow Al$	solvent for aluminium oxide
D	$Al^{3+} + 3e^- \rightarrow 3Al$	$20^{2-} \rightarrow 0_2 + 4e^-$	catalyst

10 The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



At which electrodes is hydrogen produced?

- A electrode 1 only
- B electrodes 1 and 3
- C electrode 2 only
- **D** electrodes 2 and 4
- 11 Which statement about fuels is correct?
 - **A** Coal and ethanol are examples of non-renewable energy sources.
 - **B** Hydrogen and oxygen can be reacted to produce an electric current.
 - **C** Large amounts of energy are taken in by a fuel when it burns.
 - **D** Radioactive isotopes are burned to produce heat.
- 12 Which row identifies a chemical change and a physical change?

	chemical change	physical change
Α	boiling ethanol	burning ethanol
В	burning ethanol	evaporating ethanol
С	dissolving ethanol in water	burning ethanol
D	evaporating ethanol	dissolving ethanol in water

13 Metal M reacts with steam and produces gas G.

Which row identifies gas G and the type of reaction when metal M reacts with steam?


	gas G	type of reaction
A	hydrogen	redox
В	hydrogen	neutralisation
С	oxygen	redox
D	oxygen	neutralisation

- **14** Which statement explains why increasing the concentration of a reactant increases the rate of the reaction?
 - A greater proportion of the particles have the activation energy so there are more successful collisions.
 - **B** Particles have more energy so there are more frequent collisions.
 - **C** There are more particles in the same volume so there are more frequent collisions.
 - **D** The particles move more quickly so there are more frequent collisions.
- **15** Water is added to anhydrous copper(II) sulfate.

What happens during the reaction?

- **A** The copper(II) sulfate turns blue and the solution formed gets colder.
- **B** The copper(II) sulfate turns blue and the solution formed gets hotter.
- **C** The copper(II) sulfate turns white and the solution formed gets colder.
- **D** The copper(II) sulfate turns white and the solution formed gets hotter.
- 16 Which statement explains why lime is added to soil?
 - A to decrease the pH of acidic soil
 - **B** to decrease the pH of alkaline soil
 - C to increase the pH of acidic soil
 - **D** to increase the pH of alkaline soil

17 Sulfur dioxide is bubbled through water containing litmus.



Which row describes and explains what happens to the litmus?

	observation	explanation
Α	it turns blue	sulfur dioxide is a basic oxide
В	it turns blue	sulfur dioxide is an acidic oxide
С	it turns red	sulfur dioxide is an acidic oxide
D	it turns red	sulfur dioxide is a basic oxide

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

oxide tested	pH of solution
Х	1
Υ	13

Which information about X and Y is correct?

	oxide is acidic	oxide is basic	metal	non-metal
Α	Х	Υ	X	Υ
В	X	Υ	Υ	X
С	Y	X	X	Y
D	Υ	Х	Υ	Χ

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

- **A** crystallisation \rightarrow evaporation \rightarrow filtration
- **B** evaporation \rightarrow crystallisation \rightarrow filtration
- **C** filtration \rightarrow crystallisation \rightarrow evaporation
- \mathbf{D} filtration \rightarrow evaporation \rightarrow crystallisation
- **20** Which ion forms a precipitate that dissolves in excess with both aqueous ammonia and with aqueous sodium hydroxide?
 - A calcium ion, Ca²⁺
 - **B** copper(II) ion, Cu²⁺
 - C iron(III) ion, Fe³⁺
 - **D** zinc ion, Zn²⁺
- **21** Elements in Group IV of the Periodic Table are shown.

carbon

silicon

germanium

tin

lead

What does **not** occur in Group IV as it is descended?

- **A** The proton number of the elements increases.
- **B** The elements become more metallic.
- **C** The elements have more electrons in their outer shell.
- **D** The elements have more electron shells.

22 W, X, Y and Z are elements in Period 3 of the Periodic Table.

The numbers of outer-shell electrons in an atom of each element are shown.

element	number of outer-shell electrons
W	1
X	2
Y	7
Z	8

Which elements are non-metals?

- **A** W, X and Y
- **B** W and X only **C** Y and Z **D** Z only

23 Selenium is an element in Group VI.

Group VI elements follow similar trends to Group VII elements.

Which statement about selenium is correct?

- Α It has a higher density than sulfur.
- В It has a lower melting point than sulfur.
- It has six electron shells. C
- D It is a monoatomic element.

24 Which row describes the properties of a typical transition element?

	melting point	density	used as catalyst
Α	high	high	yes
В	high	low	no
С	low	high	yes
D	low	low	no

25 Which row describes an atom of a noble gas?

	number of protons	number of neutrons	number of electrons
Α	2	2	0
В	2	2	2
С	8	8	8
D	8	8	10

26	Some pro	perties	of four	elements,	P, (Q, R	and S	are,	shown
----	----------	---------	---------	-----------	------	------	-------	------	-------

Solid P reacts with dilute hydrochloric acid to give hydrogen.

Solid Q does not conduct electricity.

Solid R is used to make saucepans because it is a good conductor of heat.

Solid S reacts with oxygen to form a compound where atoms of S share electrons with atoms of oxygen.

Which elements are metals?

Α	P and R	В	P and S	С	Q and R	D	Q and S
	i aliait	_	i and	•	G GIIG I C	_	G GIIG C

27 Which substance is used to reduce zinc oxide in the manufacture of zinc?

- A carbon
- B carbon dioxide
- C hydrogen
- **D** sulfur dioxide

28 Three metal compounds, J, K and L, are heated using a Bunsen burner.

The results are shown.

- J colourless gas produced, which relights a glowing splint
- K colourless gas produced, which turns limewater milky
- L no reaction

Which row identifies J, K and L?

	J	K	L
Α	magnesium carbonate	potassium carbonate	potassium nitrate
В	magnesium carbonate	potassium nitrate	potassium carbonate
С	potassium nitrate	magnesium carbonate	potassium carbonate
D	potassium nitrate	potassium carbonate	magnesium carbonate

29 Nitrogen oxide, NO, is formed in the engine of petrol-powered cars.

One constituent of petrol is octane, C₈H₁₈.

Nitrogen oxide is removed from exhaust fumes by catalytic converters.

Which row identifies the reactants that produce nitrogen oxide and a reaction that removes it in a catalytic converter?

	reactants that produce NO	reaction that removes NO
Α	octane + one gas found in air	$2NO + 2CO \rightarrow N_2 + 2CO_2$
В	octane + one gas found in air	$NO + CO_2 \rightarrow NO_2 + CO$
С	two gases found in air	$2NO + 2CO \rightarrow N_2 + 2CO_2$
D	two gases found in air	$NO + CO_2 \rightarrow NO_2 + CO$

30 A magnesium block is attached to iron to prevent it from rusting.

Which statement about this method of rust prevention is correct?

- **A** Magnesium corrodes instead of iron because it is more reactive.
- **B** Magnesium prevents oxygen from reaching the iron.
- **C** The iron does not rust because it has a greater tendency to form ions than magnesium.
- **D** This method of rust prevention is called galvanising.

31 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- A $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- C KNO₃ and (NH₄)₂SO₄
- **D** KNO₃ and (NH₄)₃PO₄
- 32 Which processes increase the amount of carbon dioxide in the air?
 - 1 combustion of hydrogen
 - 2 combustion of methane
 - 3 photosynthesis by plants
 - 4 thermal decomposition of limestone
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 33 In the Contact process, sulfur dioxide is converted into sulfur trioxide.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

What is the effect of lowering the pressure on the rate of formation and percentage yield of sulfur trioxide at equilibrium?

	rate of formation	percentage yield
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

- 34 What are the products when limestone (calcium carbonate) is heated strongly?
 - A calcium hydroxide and carbon dioxide
 - B calcium hydroxide and carbon monoxide
 - C calcium oxide and carbon dioxide
 - D calcium oxide and carbon monoxide

35 The structure of ester W is shown.

Which row gives the names of ester W and the carboxylic acid and alcohol from which it is made?

	name of ester W	carboxylic acid	alcohol
Α	ethyl methanoate	ethanoic acid	methanol
В	ethyl methanoate	methanoic acid	ethanol
С	methyl ethanoate	ethanoic acid	methanol
D	methyl ethanoate	methanoic acid	ethanol

36 The equation for the reaction between butane, C_4H_{10} , and chlorine is shown.

$$C_4H_{10} + Cl_2 \rightarrow C_4H_9Cl + HCl$$

Which type of reaction does butane undergo when it reacts with chlorine?

- **A** addition
- **B** reduction
- C acid-base
- **D** substitution
- 37 Butene has three structural isomers which are alkenes.

Which statements about these isomers are correct?

- 1 They have the same molecular formula.
- 2 They have different numbers of bonds in the molecule.
- 3 They have a C=C bond in the structure.
- **A** 1 and 2 **B** 1 and 3 **C** 2 only **D** 3 only

38 The hydrocarbon $C_{12}H_{26}$ is cracked to give X and Y, as shown.

$$C_{12}H_{26} \rightarrow X + Y$$

Which statement is correct?

- **A** If X is C_6H_{12} then Y will react with aqueous bromine.
- **B** If X is $C_{10}H_{22}$ then Y can be used to make a polymer.
- **C** If X is a hydrogen molecule then Y is an alkane.
- **D** X and Y could be structural isomers.
- **39** An ester, $C_4H_8O_2$, is made by reacting 0.06 mol of ethanol, C_2H_6O , and 0.05 mol of ethanoic acid, $C_2H_4O_2$.

$$C_2H_6O + C_2H_4O_2 \rightarrow C_4H_8O_2 + H_2O$$

0.0375 mol of the ester was made.

What is the percentage yield and the M_r of the ester?

	percentage yield/%	M _r
A	62.5	48
В	75.0	48
С	62.5	88
D	75.0	88

- 40 Which type of compound is made when a protein is hydrolysed?
 - A alkene
 - B amino acid
 - C carboxylic acid
 - **D** sugar

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	\	2 -	e L	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	ģ	bromine 80	53	П	iodine 127	85	¥	astatine -			
					8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod	116		livermorium
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	>				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡				2	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	B	cadmium 112	80	Нg	mercury 201	112	S	copernicium
											29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium
Group											28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		-]	Γ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
					-						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						pol	ass				24	ပ်	chromium 52					≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	ОР	dubnium –
						ato	Jel Ne				22	F	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿆	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	S S	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -

Ianthanoids La Ce Pr Nd Pm Smarting Europium Exposition Front Hop (sposition) Fr Title (sposition)		22	58	69	09	61	62	63	64	65	99	29	89	69	70	7.1
lanthanum certum praseodymium promethium promethium samarium europium gadolinium terbium dysprosium holmium erbium erbium terbium disprosium holmium erbium thuil museurium plutonium americum curium berkelium eriffonium eriffonium eriffonium remine remoleevium	lanthanoids	Га	Ce	P	ΡN	Pm	Sm	En	РĠ	q	D	유	Щ	T	Υp	Γn
89 90 91 92 93 94 95 96 97 98 99 100 101 AC Th Pa U Np Pu Am Cm Bk Cf Es Fm Md actinium profactinium putronium putronium putronium berkelium berkelium carifomium fermium mendelevium		lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
Ac Th Pa U Np Pu Am Cm Bk Cf Es Fm Md actinium thorium protectirium uranium neptunium plutonium americium curium berkelium carifomium einsteinium fermium mendelevium curium plutonium plutonium americium curium berkelium carifomium einsteinium fermium mendelevium curium plutonium plutonium americium curium berkelium carifomium einsteinium fermium mendelevium curium plutonium plutonium plutonium plutonium americium curium plutonium americium curium berkelium carifomium einsteinium fermium mendelevium curium plutonium americium curium plutonium americium curium plutonium plutonium americium curium plutonium americium americiu		89	06	91	92	93	94	95	96	97	86	66	100	101	102	103
thorium protactinium uranium neptunium plutonium americium curium berkelium californium einsteinium fermium mendelevium curium protactionium p	actinoids	Ac	H	Ра	\supset	ď	Pu	Am	CB	益	ర	Es	Fn	Md	9 N	۲
231 238		actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
		ı	232	231	238	ı	1	ı	ı	ı	ı	ı	I	ı	ı	ı

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).