

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

*717364861

CHEMISTRY 0620/31

Paper 3 Theory (Core)

May/June 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 Fig. 1.1 shows part of the Periodic Table.

I	Ш						Ш	IV	V	VI	VII	VIII
				Н								Не
								С	N	0		
Na	Mg						Αl				Cl	
K	Ca			Fe		Cu					Br	
											I	

Fig. 1.1

Answer the following questions using only the elements in Fig. 1.1. Each symbol of the element may be used once, more than once or not at all.

Give the symbol of the element that:

forms 78% by volume of clean, dry air	
	[1]
has an atom with a complete outer electron shell	
	[1]
has an atom with five occupied electron shells	
	[1]
forms an ion with a charge of 2–	
	[1]
forms an ion that gives a green precipitate on addition of aqueous sodium hydroxide	
	[1]
is used in food containers because of its resistance to corrosion.	
	[1]
	has an atom with a complete outer electron shell has an atom with five occupied electron shells forms an ion with a charge of 2— forms an ion that gives a green precipitate on addition of aqueous sodium hydroxide is used in food containers because of its resistance to corrosion.

[Total: 6]

2 (a) Table 2.1 shows some properties of the halogens.

Table 2.1

halogen	melting point in °C	boiling point in °C	density at room temperature and pressure in g/cm³
fluorine	-220	-188	0.0016
chlorine	-101	-35	0.0032
bromine		+59	3.1
iodine	+114	+184	

Use the information in Table 2.1 to predict:

US	e the information	n in Table 2.1 to pre	aict:		
(i)	the melting po	int of bromine			
					[1]
(ii)	the density of	iodine at room temp	erature and pressure		
					[1]
(iii)	the physical st	ate of chlorine at –1	0°C. Give a reason f	or your answer.	
	physical state				
	reason				
					[2]
					[-]
(b) The	e equation for th	e reaction of aqueo	us chlorine with aque	ous potassium iodide is	shown.
		Cl_2 + 2h	$XI \rightarrow I_2 + 2KCl$		
(i)		ord which best desc around your chosen	ribes this type of cher answer.	mical reaction.	
	addition	displacement	neutralisation	polymerisation	[1]
(ii)	Explain why a	queous iodine does	not react with aqueo	us potassium chloride.	
					[1]

(c) Complete the diagram in Fig. 2.1 to show the electronic configuration of a chlorine atom.




Fig. 2.1

(d)	Describe	а	test	for	chlorine.
-----	----------	---	------	-----	-----------

test	
observations	
	[2]

[Total: 9]

3 (a) Water from natural sources contains dissolved gases.

> Choose from the list, the gas that is essential for aquatic life. Draw a circle around your chosen answer.

			argon	hydrogen	nitrogen	oxygen	[1]
(b)		uted water in the phosphates	•	harmful substan	ces such as m	etal compounds, plastics, n	itrates
	(i)	Name one	other harmfo	ul substance whic	ch is present in	polluted water.	
							[1]
	(ii)	State why r	nitrates are h	armful to aquatio	: life.		
							[1]

(c) Table 3.1 shows the masses of ions, in mg, present in a 1000 cm³ sample of polluted water.

Table 3.1

name of ion	formula of ion	mass of ion present in mg/1000 cm³ of polluted water
	NH ₄ ⁺	0.5
calcium	Ca ²⁺	2.2
chloride	C <i>l</i> −	2.5
hydrogencarbonate	HCO ₃ -	12.0
magnesium	Mg ²⁺	0.8
nitrate	NO ₃ -	0.4
potassium	K⁺	8.3
silicate	SiO ₃ ²⁻	8.0
sodium	Na⁺	10.2
sulfate	SO ₄ ²⁻	0.2
tin(II)	Sn ²⁺	0.4

Answer these questions using information from Table 3.1.

(i)	Name the negative ion present in the highest concentration.	
		[1]
(ii)	State the name of the NH ₄ ⁺ ion.	
		[1]

(iii) Calculate the mass of calcium ions present in 200 cm³ of polluted water.

		mass = mg	[1]
(d)	Cop	$oper(\mathrm{II})$ sulfate can be used to test for the presence of water.	
		$CuSO_4(s) + 5H_2O(I) \rightleftharpoons CuSO_4 \cdot 5H_2O(s)$	
		anhydrous hydrated copper(II) sulfate copper(II) sulfate	
	(i)	State the meaning of the term hydrated.	
			[1]
	(ii)	Describe how hydrated copper(II) sulfate is changed to anhydrous copper(II) sulfate.	
			[1]

2Na + $H_2O \rightarrow$ 2NaOH +

[2]

[Total: 10]

(e) Complete the symbol equation for the reaction of sodium with water.

4

Thi	s question is about sulfur and compounds of sulfur.	
(a)	Sulfur has several isotopes.	
	Define the term isotopes.	
		[2]
(b)	Deduce the number of protons, neutrons and electrons in the sulfide ion shown.	
	³⁶ ₁₆ S ²⁻	
	number of protons	
	number of neutrons	
	number of electrons	[3]
		[0]
(c)	Sulfur burns in oxygen to produce sulfur dioxide.	
	Fig. 4.1 shows an incomplete reaction pathway diagram for this reaction.	
	energy	
	progress of reaction	
	Fig. 4.1	
	 (i) Complete Fig. 4.1 by writing these formulae on the diagram: S + O₂ SO₂. 	[1]
	(ii) Explain how Fig. 4.1 shows that the reaction is exothermic.	
		[1]
((iii) Complete this sentence about an exothermic reaction using a word from the list.	
	products reactants sulfur surroundings	
	An exothermic reaction transfers thermal energy to the	[1]

(d) Fig. 4.2 shows the apparatus used for the electrolysis of dilute sulfuric acid using graphite electrodes.




Fig. 4.2

(i) Label Fig. 4.2 to show:

the electrolyte.

- the cathode

(ii)	Name the products and state the observations at the positive and negative electrodes.
	product at the positive electrode
	observations at the positive electrode
	product at the negative electrode
	observations at the negative electrode
	observations at the negative electrode

(e) Complete the word equation for the reaction of dilute sulfuric acid with sodium carbonate.



[3]

[4]

[2]

(f) A few drops of thymolphthalein indicator are added to dilute sulfuric acid.

State the colour of the solution.

.....[1]

[Total: 18]

5

This question is about	metals.		
(a) Iron is a transition	element. Potassi	um is an element in Group I o	f the Periodic Table.
State two differen	ces in the physica	al properties of iron compared	to potassium.
			·
2			[2]
(b) Carbon is used to	extract iron from	iron ore in a blast furnace.	
State two uses of	carbon in the ext	raction process.	
1			
2			[2]
(c) Steel is an alloy of	iron.		
(i) State the mea	ning of the term a	alloy.	
			[1]
			[1]
		ul than pure metals.	
(d) Table 5.1 shows th acid of the same of		ade when four different metals	react with dilute hydrochloric
		Table 5.1	
	metal	observations	7
	iron	bubbles form slowly	-
	lead	no bubbles formed	_
	magnesium	bubbles form rapidly	
	nickel	bubbles form very slowly	
Put the four metals Put the least react		reactivity.	
least reactive —			→ most reactive
			[2]

6 (a) A student investigates the reaction of small pieces of zinc of the same mass and size with three different concentrations of dilute hydrochloric acid in the presence of a catalyst.

The three concentrations of dilute hydrochloric acid are:

- 1.0 mol/dm³
- 1.5 mol/dm³
- 2.0 mol/dm³.

All other conditions stay the same.

Table 6.1 shows the time taken for each reaction to finish.

Table 6.1

concentration of hydrochloric acid in mol/dm³	time taken for the reaction to finish in s
	200
	100
	150

	(i)	Complete Table 6.1 by	writing the concentra	ions of hydrochlori	c acid in the	first column. [1]
	(ii)	Describe the effect on hydrochloric acid with n		he zinc to finish re	eacting with	2.0 mol/dm ³
		All other conditions stay	the same.			
						[1]
(1	iii)	Describe the effect on hydrochloric acid when			-	2.0 mol/dm ³
		All other conditions stay	the same.			
						[1]
(b)	Cry	stals of zinc chloride can	be prepared by react	ing excess zinc wit	h dilute hydro	ochloric acid.
	Cho	oose from the list, the met	thod used to separate	the unreacted zinc	from the reac	tion mixture.
	Dra	w a circle around your cl	nosen answer.			
		chromatography	crystallisation	evaporation	filtration	[1]

(c)) Zinc chloride is soluble in water.									
	Choose one other compound that is soluble in wa	ter.								
	Tick (✓) one box.									
	calcium carbonate									
	lead(II) chloride									
	silver chloride									
	sodium nitrate	[1]								
		[Total: 5]								

7 (a) Fig. 7.1 shows the displayed formula of mesaconic acid.




Fig. 7.1

	(i)	On Fig. 7.1 draw a circle around one carboxylic acid functional group.	[1]
	(ii)	Deduce the molecular formula of mesaconic acid.	
			[1]
(iii)	Mesaconic acid is a colourless compound.	
		Describe the colour change when excess mesaconic acid is added to aqueous bromin	e.
		from to	[2]
(b)		anoic acid belongs to the homologous series of carboxylic acids. ine the term homologous series.	
(c)	Cor	mplete the word equation for the reaction of ethanoic acid with magnesium.	

[2]

© UCLES 2023 0620/31/M/J/23

magnesium

ethanoic

acid

(d) Ethanoic acid reacts with ethanol.

The organic product has the molecular formula $\mathrm{C_4H_8O_2}.$

Complete Table 7.1 to calculate the relative molecular mass of $C_4H_8O_2$.

Table 7.1

atom	number of atoms	relative atomic mass	
carbon	4	12	4 × 12 = 48
hydrogen		1	
oxygen		16	

	relative molecular mass =	[2]
(e)	Ethanol can be manufactured by fermentation.	
	Complete the word equation for one other method of manufacturing ethanol.	
	$ o$ ethanol	[2]
	[Total:	12]

8

Th	is qu	estion is about nitrogen and compounds of nitrogen.	
(a)	Nitı	rogen is a non-metal. Nitrogen is a poor electrical conductor.	
	De	scribe two other physical properties which are typical of non-metals.	
	1		
	2		
			[2]
(b)) Oxi	ides of nitrogen are air pollutants which contribute to acid rain.	
	(i)	State one source of oxides of nitrogen in the air.	
			[1]
	(ii)	State one other adverse effect of oxides of nitrogen.	
			[1]
(c)) Am	monia is a simple molecule with covalent bonds.	
	(i)	Describe a covalent bond.	
			[2]
	(ii)	Complete Fig. 8.1 to show the dot-and-cross diagram for a molecule of ammonia.	




Fig. 8.1

[2]

© UCLES 2023 0620/31/M/J/23

Show outer shell electrons only.

(iii) Aqueous ammonia is alkaline.

Choose from the list, the pH value that is alkaline.

Draw a circle around your chosen answer.

pH 1 pH 5 pH 7 pH 10 [1]

(iv) Aqueous ammonia releases ammonia gas.

Ammonia gas turns damp red litmus paper blue.

A long glass tube is set up as shown in Fig. 8.2.




Fig. 8.2

At first, the litmus paper does **not** turn blue. After a short time, the litmus paper turns blue.

Explain these results in terms of the kinetic particle theory.										
[3]										

[Total: 12]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

			2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	Ϋ́	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson
		II/								chlorine 35.5												
		>			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molouinm -	116		livermorium
		^			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium
		2			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	lΗ	flerovium
		≡			2	Ω	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	11	thallium 204	113	R	nihonium
											30	Zu	zinc 65	48	g	cadmium 112	80	Η̈́	mercury 201			copernicium
cilicilis											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium
	Group										28	Ē	nickel 59	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium
	Gr				1						27	ဝိ	cobalt 59	45	돈	rhodium 103	77	'n	indium 192	109	¥	meitnerium
2			- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium
								1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	14	Q Q	niobium 93	73	<u>a</u>	tantalum 181	105	Op	dubnium
						atc	rel				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium
		_	_		8	=	lithium 7	#	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	Cs	caesium 133	87	ᇁ	francium

7.1	Γn	lutetium 175	103	۲	lawrencium	I
20	Υp	ytterbium 173	102	Š	nobelium	ı
69	Tm	thulium 169	101	Md	mendelevium	ı
89	Ē	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	I
99	۵	dysprosium 163	86	ర్	californium	I
65	q	terbium 159	97	BK	berkelium	ı
64	gg	gadolinium 157	96	Cm	curium	I
63	En	europium 152	95	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium	93	N D	neptunium	I
09	PZ	neodymium 144	92	\supset	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	H	thorium	232
22	Гa	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).