

Cambridge IGCSE[™]

CHEMISTRY 0620/13

Paper 1 Multiple Choice (Core)

May/June 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



- 1 Which two processes are required to change ice into steam?
 - A boiling and melting
 - B boiling and freezing
 - **C** condensing and melting
 - **D** condensing and freezing
- **2** Which row describes how the volume of a gas changes when the temperature increases, or when the pressure increases?

| | temperature increases | pressure increases |
|---|-----------------------|--------------------|
| Α | volume decreases | volume decreases |
| В | volume decreases | volume increases |
| С | volume increases | volume decreases |
| D | volume increases | volume increases |

- **3** Four substances in a mixture are listed.
 - calcium nitrate
 - iron(II) sulfate
 - oxygen
 - water

Which statement describes the mixture?

- **A** It contains 6 elements.
- **B** It contains 3 compounds and 1 element.
- **C** It contains 2 compounds and 2 elements.
- **D** It contains 4 compounds.

2 only

D 2 and 3

4 An ion is represented by the symbol ${}^{18}_{8}O^{2-}$.

Which statements about this ion are correct?

- 1 The ion contains 8 electrons.
- 2 The ion contains 10 neutrons.
- 3 The ion contains 8 protons.
- What is the meaning of the term nucleon number?

1 and 2

5

A the number of neutrons in the nucleus of an atom

B 1 and 3

- **B** the number of protons in the nucleus of an atom
- **C** the total number of protons and electrons in the nucleus of an atom
- **D** the total number of protons and neutrons in the nucleus of an atom
- **6** Which row describes the electrical conductivity of covalent and ionic compounds when solid and when molten?

| | covalent compounds | | ionic compounds | | |
|---|----------------------------|--------------------------|-------------------------|-----------------------------|-----------------------|
| | conductivity when solid | conductivity when molten | conductivity when solid | conductivity when molten | |
| Α | × | × | × | 1 | key |
| В | × | ✓ | × | ✓ | ✓ = good conductivity |
| С | ✓ | ✓ | × | × | x = poor conductivity |
| D | × | ✓ | ✓ | ✓ | |

- 7 Which statement about the bonding in sodium chloride is correct?
 - **A** The sodium and chlorine atoms share pairs of electrons.
 - **B** The chlorine atoms give electrons to the sodium atoms to form positive and negative ions.
 - **C** There is covalent bonding between sodium and chlorine.
 - **D** The positive and negative ions have noble gas electronic configurations.

8 The diagram shows the arrangement of carbon atoms in a giant covalent structure.



Which row identifies the substance and describes a use of this substance?

| | substance | use of substance |
|---|-----------|--|
| Α | diamond | It is an electrode because electrons can move. |
| В | diamond | It is used as a cutting tool because atoms are strongly bonded together. |
| С | graphite | It is used as an insulator because electrons cannot move. |
| D | graphite | It is a lubricant because atoms can slide over each other. |

- **9** Which statement is the correct definition for molecular formula?
 - A an atom or group of atoms that determine the chemical properties of a compound
 - B a structure which shows all the atoms and all the bonds in a compound
 - **C** the number and arrangement of different atoms in one gram of a compound
 - **D** the number and type of different atoms in one molecule of a compound
- **10** A compound, T, has the formula CH_3Cl .

Three statements about this compound are listed.

- 1 A molecule of the compound contains five atoms.
- 2 A molecule of the compound contains five different elements.
- 3 The relative molecular mass of the compound is 50.5.

Which statements are correct?

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

11 Iron water taps are often electroplated with a layer of chromium.

Which statements explain why iron water taps are electroplated?

- 1 It improves the appearance of the taps.
- 2 It increases the strength of the taps.
- 3 It prevents the corrosion of the taps.
- 4 It improves the electrical conductivity of the taps.
- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- 2 and 4

12 Molten caesium bromide is electrolysed using inert electrodes.

Which row identifies the product at each electrode?

| | anode | cathode |
|---|----------|----------|
| Α | bromine | caesium |
| В | caesium | bromine |
| С | hydrogen | oxygen |
| D | oxygen | hydrogen |

13 Which equation represents the overall reaction in a hydrogen-oxygen fuel cell?

A 4H +
$$O_2 \rightarrow 2H_2O$$

$$\textbf{B} \quad 2 \text{H}_2 \quad + \quad \text{O}_2 \quad \rightarrow \quad 2 \text{H}_2 \text{O}$$

$$\textbf{C} \quad \textbf{H}_2 \quad \textbf{+} \quad \textbf{O}_2 \quad \rightarrow \quad \textbf{H}_2 \textbf{O}$$

D
$$2H + O \rightarrow H_2O$$

- **14** Which statements about endothermic reactions are correct?
 - 1 The energy of the products is greater than the energy of the reactants.
 - 2 The energy of the reactants is greater than the energy of the products.
 - 3 The temperature of the surroundings increases during the reaction.
 - 4 The temperature of the surroundings decreases during the reaction.
 - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

- 15 Which process is a physical change?
 - A firework exploding
 - B burning wood
 - C chocolate melting
 - **D** iron rusting
- **16** Magnesium reacts with dilute hydrochloric acid, HC*l*, to produce hydrogen gas.

Which row identifies the reaction conditions that give the fastest rate of reaction?

| | temperature in °C | HC <i>l</i> concentration in mol/dm ³ | magnesium solid |
|---|----------------------|--|-----------------|
| Α | 30 | 1.0 | powder |
| В | 40 | 2.0 | powder |
| С | 30 | 1.0 | ribbon |
| D | 40 | 2.0 | ribbon |

- 17 Which reaction produces a white-coloured substance?
 - A adding water to anhydrous cobalt(II) chloride
 - **B** adding water to anhydrous copper(II) sulfate
 - **C** heating hydrated cobalt(II) chloride
 - **D** heating hydrated copper(II) sulfate
- 18 In a blast furnace, iron is extracted when iron(III) oxide reacts with carbon monoxide.

The equation is shown.

$$Fe_2O_3$$
 + 3CO \rightarrow 2Fe + 3CO₂

Which substance is oxidised and which is reduced in this reaction?

| | oxidised | reduced |
|---|--------------------------------|--------------------------------|
| Α | СО | Fe ₂ O ₃ |
| В | CO ₂ | Fe |
| С | Fe | CO ₂ |
| D | Fe ₂ O ₃ | СО |

19 Which row shows the colours of litmus and methyl orange with solutions of acids or bases?

| | solution | litmus | methyl orange |
|---|----------|--------|---------------|
| Α | acid | red | red |
| В | acid | blue | yellow |
| С | base | blue | red |
| D | base | red | yellow |

Which ion causes the resulting mixture to be acidic?

A Na[†]

B H[⁺]

C OH

D C1⁻

21 Universal indicator is added to an aqueous solution of oxide X.

The indicator changes colour from green to red.

What is X?

A MgO

B CaO

 \mathbf{C} $\mathbf{K}_2\mathbf{O}$

 $D NO_2$

22 Which rows identify two aqueous salts which react together to produce a precipitate?

| | salt 1 | salt 2 |
|---|-------------------|------------------|
| 1 | sodium sulfate | barium nitrate |
| 2 | sodium chloride | barium sulfate |
| 3 | barium chloride | lead(II) nitrate |
| 4 | lead(II) chloride | barium nitrate |

A 1 and 4 **B** 1 and 3 **C** 2 and 3

D 2 and 4

- 23 Which statements about elements in the Periodic Table are correct?
 - 1 Elements in the same group have the same number of electrons in their outer shell.
 - 2 Elements in the same period have the same number of occupied electron shells.
 - 3 The elements are arranged in order of their atomic mass.
 - 4 Every period contains eight elements.
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4
- 24 Four mixtures each contain a halogen and an aqueous sodium halide.

Which row describes what happens in the mixtures shown?

| | mixture | description |
|---|---------------------------|--|
| A | iodine + sodium bromide | A displacement reaction occurs because iodine is more reactive than bromine. |
| В | bromine + sodium chloride | A displacement reaction occurs because chlorine is more reactive than bromine. |
| С | chlorine + sodium bromide | A displacement reaction occurs because chlorine is more reactive than bromine. |
| D | bromine + sodium iodide | A displacement reaction occurs because iodine is more reactive than bromine. |

25 Which row describes a transition element?

| | density in g/cm ³ | colour of chloride |
|---|---------------------------------|-----------------------|
| Α | 0.98 | green |
| В | 0.98 | white |
| С | 8.90 | green |
| D | 8.90 | white |

- **26** Which statement about the use of metals is correct?
 - **A** Aluminium has a high strength and high density so is used to make aircraft.
 - **B** Copper has a low melting point so is used in electrical wiring.
 - **C** Aluminium is resistant to corrosion so is used in food containers.
 - **D** Zinc is used to make the alloy stainless steel which is used in cutlery.

| 27 Which s | tatements | explain w | /hv stainle | ess steel is | s used in | cutlery? |
|------------|-----------|-----------|-------------|--------------|-----------|----------|
|------------|-----------|-----------|-------------|--------------|-----------|----------|

- 1 It is resistant to rusting.
- 2 It is a hard material.
- 3 It is a pure metal.
- **A** 1, 2 and 3
- **B** 1 and 2 only
- C 1 and 3 only
- **D** 2 and 3 only

28 Four different metals are separately mixed with an equal volume of dilute hydrochloric acid.

The table shows the rate of effervescence for each metal.

| metal | rate of effervescence |
|-----------|-----------------------|
| calcium | very high |
| copper | none |
| iron | low |
| magnesium | high |

What is the order of reactivity of the four metals starting with the most reactive?


- **A** iron \rightarrow magnesium \rightarrow calcium \rightarrow copper
- **B** magnesium \rightarrow calcium \rightarrow copper \rightarrow iron
- **C** copper \rightarrow iron \rightarrow magnesium \rightarrow calcium
- **D** calcium \rightarrow magnesium \rightarrow iron \rightarrow copper

29 Which statement about the rusting of iron is correct?

- **A** The rusting of iron forms hydrated iron(II) oxide.
- **B** Barrier methods prevent rusting by excluding nitrogen and water.
- **C** A piece of iron submerged in water will **not** rust.
- **D** Coating with plastic is a barrier method that prevents iron rusting.

| 30 | wa | ter is exti | racted from | a river for u | se in a do | omestic wate | er supply. | |
|----|------|--------------|---|----------------|-------------|---------------|------------|---------|
| | Sor | me treatn | nents for do | mestic wate | r are liste | ed. | | |
| | | • | chlorinatio | n | | | | |
| | | • | sedimenta | tion and filtr | ation | | | |
| | | • | treatment | with carbon | | | | |
| | Wh | ich stateı | ment about | these treatn | nents is c | orrect? | | |
| | A | Filtration | n is used to | remove solu | uble subs | stances. | | |
| | В | Treatme | ent with carb | on is used | to remov | e unpleasan | t odours. | |
| | С | Chlorina | ation is used | I to remove | unpleasa | int tastes. | | |
| | D | Sedime | ntation is us | ed to kill mi | crobes. | | | |
| 31 | A fa | armer kno | ows his soil | needs phos | phorus a | nd potassiu | m. | |
| | Не | has a ch | oice of four | fertilisers. | | | | |
| | | 1 | NH ₄ NO ₃ | | | | | |
| | | 2 | (NH ₄) ₃ PO ₄ | | | | | |
| | | 3 | KNO ₃ | | | | | |
| | | 4 | (NH ₂) ₂ CO | | | | | |
| | Wh | ich fertilis | sers should | he use? | | | | |
| | A | 1 and 2 | В | 1 and 4 | С | 2 and 3 | D | 3 and 4 |
| 32 | Wh | ich strate | egies are us | eful in reduc | ing the p | roduction of | acid rain | ? |
| | | 1 | planting tre | ees | | | | |
| | | 2 | using cata | ytic convert | ers in mo | otor vehicles | 1 | |
| | | 3 | reducing li | vestock farn | ning | | | |
| | | 4 | using low- | sulfur fuels | | | | |
| | Α | 1 and 3 | В | 1 and 4 | С | 2 and 3 | D | 2 and 4 |
| | | | | | | | | |

33 The structures of four organic compounds, W, X, Y and Z, are shown.



Which compounds are members of the same homologous series?

- A W and X
- **B** W and Z
- C X and Y
- **D** Y and Z
- 34 Which molecular formula represents an alkene?
 - $A C_2H_6O$
- $\mathbf{B} \quad \mathbf{C}_2\mathbf{H}_6$
- C CH₄
- $D C_3H_6$

35 Which row identifies the petroleum fractions used to reduce the friction between metal parts in engines and as a fuel in cars?

| | fraction used to reduce friction in engines | fraction used as a fuel in cars |
|---|---|---------------------------------|
| Α | gas oil | gasoline |
| В | gas oil | fuel oil |
| С | lubricating oil | fuel oil |
| D | lubricating oil | gasoline |

- 36 Four fuels are listed.
 - 1 ethanol
 - 2 coal
 - 3 hydrogen
 - 4 natural gas

Which fuels are fossil fuels?

A 1, 2 and 3

B 1 and 3 only

C 2 and 4

D 4 only

37 Aqueous bromine is added to two test-tubes.

Excess hexene is added to one test-tube.

Excess hexane is added to the second test-tube.

Which row describes the observation in each test-tube?

| | hexene | hexane |
|---|----------------------|----------------------|
| Α | orange to colourless | orange to colourless |
| В | orange to colourless | remains orange |
| С | colourless to orange | remains colourless |
| D | remains orange | orange to colourless |

38 The structure of a compound, G, is shown.

G is in the same homologous series as ethanoic acid.

Which row describes an aqueous solution of G?

| | produces a gas with magnesium | turns methyl orange yellow |
|---|-------------------------------|----------------------------|
| Α | no | yes |
| В | no | no |
| С | yes | no |
| D | yes | yes |

Which apparatus is needed to investigate the effect of temperature on the rate of this reaction?

- 1 thermometer
- 2 stop-watch
- 3 volumetric pipette
- 4 gas syringe
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- **40** Two tests are carried out on substance Z.
 - test 1 A flame test produces a red flame.
 - test 2 Z is dissolved in water and dilute nitric acid is added, followed by aqueous silver nitrate. A yellow precipitate is produced.

What is substance Z?

- A lithium bromide
- **B** lithium iodide
- **C** sodium bromide
- **D** sodium iodide

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | => | 2 7 | ב בווים | 4 | 10 | Ne | neon 20 | 18 | Ar | argon 40 | 36 | 궃 | krypton 84 | 54 | Xe | xenon 131 | 98 | 牊 | radon | 118 | Og | oganesson | |
|-------|----------|-----|---------|--------|-----|---------------|----------------|--------------|------------------------------|------------------|----|-----------------|-----------------|----|-----------------|------------------|--------|----------------|-----------------|----------|-----------------|--------------------|---------|
| | => | | | | 6 | ட | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ŗ | bromine 80 | 53 | Н | iodine 127 | 85 | ¥ | astatine - | 117 | <u>S</u> | tennessine - | |
| | | | | | 8 | 0 | oxygen 16 | 16 | S | sulfur 32 | 34 | Se | selenium 79 | 52 | Те | tellurium 128 | 84 | Ъ | polonium — | 116 | ^ | livermorium — | |
| | > | | | | 7 | Z | nitrogen 14 | 15 | ₾ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Ξ | bismuth 209 | 115 | Mc | moscovium - | |
| | ≥ | | | | 9 | O | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Ŀ | flerovium - | |
| | Ξ | | | | 2 | В | boron 11 | 13 | Ρl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | 11 | thallium 204 | 113 | R | nihonium | |
| | | | | | | | | | | | 30 | Zn | zinc 65 | 48 | ည | cadmium 112 | 80 | Нg | mercury 201 | 112 | ű | copernicium — | |
| | | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Au | gold 197 | 111 | Rg | roentgenium - | |
| Group | | | | | | | | | | | 28 | Ż | nickel 59 | 46 | Pd | palladium 106 | 78 | 귙 | platinum 195 | 110 | Ds | darmstadtium - | |
| G | | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 格 | rhodium 103 | 77 | ľ | iridium 192 | 109 | Μţ | meitnerium - | |
| | | -] | الم | 1 1 | | | | | | | 26 | Fe | iron 56 | 4 | Ru | ruthenium 101 | 9/ | Os | osmium 190 | 108 | Hs | hassium | |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium — | | |
| | | | | | _ | loq | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium - | |
| | | | 3 | Key | Key | atomic number | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | Q N | niobium 93 | 73 | <u>n</u> | tantalum 181 | 105 | op O |
| | | | | | | atc | rel | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | 茔 | hafnium 178 | 104 | ¥ | rutherfordium - | |
| | | | | | | | | | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57-71 | lanthanoids | | 89–103 | actinoids | | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium - | |
| | _ | | | | က | = | lithium 7 | 11 | Na | sodium 23 | 19 | × | potassium 39 | 37 | & | rubidium 85 | 22 | S | caesium 133 | 87 | Ļ | francium - | |

| r ₂ | lutetium 175 | 103 | ۲ | lawrencium | I |
|-----------------|---------------------|-----|-----------|--------------|-----|
| Vb | | | | | |
| e9 Tm | thulium 169 | 101 | Md | mendelevium | 1 |
| 68 Fr | erbium 167 | 100 | Fm | ferminm | 1 |
| 67 Ho | holmium 165 | 66 | Es | einsteinium | _ |
| 66 Dy | dysprosium 163 | 86 | Ç | californium | _ |
| 65 Tb | terbium 159 | 97 | Ř | berkelium | _ |
| 64 Gd | gadolinium 157 | 96 | Cm | curium | _ |
| 63 Eu | europium 152 | 92 | Am | americium | _ |
| 62 Sm | samarium 150 | 94 | Pu | plutonium | _ |
| Pm | promethium - | 93 | Δ | neptunium | _ |
| 99 Z | neodymium 144 | 92 | \supset | uranium | 238 |
| 59 Pr | praseodymium 141 | 91 | Ра | protactinium | 231 |
| Se Oe | cerium 140 | 06 | Ч | thorium | 232 |
| 57 La | lanthanum 139 | 89 | Ac | actinium | I |

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).