



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME								
CENTRE NUMBER						CANDIDATE NUMBER		
CHEMISTRY								0620/53
Paper 5 Practic	cal Test					Oct	ober/Nove	ember 2014
							1 hour	15 minutes
Candidates ans	swer on t	he Quest	ion Paper					
Additional Mate	erials:	As liste	d in the C	onfidential I	nstructions			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Practical notes are provided on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
Total		

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 7 printed pages and 1 blank page.



1 You are going to investigate the addition of four different solids, **H**, **J**, **K** and **L**, to water. The same mass of solid, 4 g, will be used in each experiment.

Read all the instructions below carefully before starting the experiments.

Instructions

You are going to carry out five experiments.

(a) Experiment 1

Use a measuring cylinder to pour 25 cm³ of distilled water into the polystyrene cup provided. Support the polystyrene cup in the 250 cm³ beaker. Measure the initial temperature of the water and record it in the table below.

Add all of solid **H** to the water in the cup and stir the mixture with the thermometer. Measure the temperature of the liquid mixture after 90 seconds. Record your result in the table. Remove the thermometer and rinse the thermometer and the cup with water.

(b) Experiment 2

Repeat Experiment 1, using solid **J** instead of solid **H**. Measure and record the initial and final temperatures in the table below. **Keep** some of this solution in a test-tube for Experiment 5.

(c) Experiment 3

Repeat Experiment 1, using solid **K**. Record the temperatures in the table.

(d) Experiment 4

Repeat Experiment 1 using solid **L**. Record the temperatures in the table and complete the table. **Keep** this solution for Experiment 5.


experiment	solid	initial temperature /°C	final temperature /°C	temperature difference/°C
1	н			
2	J			
3	K			
4	L			

ı	4	1
		4

(e)	Experiment	5
-----	------------	---

Pour about 3 cm³ of the solution from Experiment 2 into a test-tube. Use a teat pipette to ac about 3 cm³ of the solution from Experiment 4 to the test-tube. Record your observations.	bk
Į.	21

(f) Draw a labelled bar chart of the results for Experiments 1, 2, 3 and 4 on the grid below.



experiment

Use your results and observations to answer the following questions.

(g)	(i)	Which experiment produced the smallest temperature change?
	(ii)	Which solids dissolve in water to produce an endothermic change? Explain your choice.

(h)	Suggest the temperature change that would occur if					
	(i)	Experiment 3 was repeated using 50 cm³ of distilled water,				
		[1]				
	(ii)	2g of solid L were used in Experiment 4.				
		[1]				
((iii)	Explain your answer to (h)(ii).				
		[1]				
(i)	Pre	dict the temperature of the solution in Experiment 2 after one hour. Explain your answer.				
		[2]				
(j)	Sug	gest an explanation for the observations in Experiment 5.				
		[2]				
		[Total: 20]				

You are provided with two aqueous solutions, **M** and **N**.

Carry out the following tests on **M** and **N**, recording all of your observations in the table.

Conclusions must **not** be written in the table.

	tests	observations
test	s on solution M	
1	de solution M into four equal portions in separate -tubes.	
(a)	Describe the appearance of solution M .	
	Test the pH of the first portion of M .	[1]
(b)	Add a spatula measure of calcium carbonate to the second portion of M . Test the gas given off with a splint.	[2]
(c)	To the third portion of M , add magnesium ribbon. Test the gas given off with a splint.	
		[3]
(d)	To the fourth portion of M , add a few drops of dilute nitric acid and about 1 cm ³ of aqueous silver nitrate.	[2]

			tests	observations
<u>test</u>	<u>S 01</u>	n sol	ution N	
			ition N into three equal portions in st-tubes.	
(e)	De	escrib	be the appearance of solution N .	[1]
	Te	st the	e pH of the first portion of solution N.	[1]
(f)	aq N .	ueou Shal	eat pipette to add three to four drops of is zinc sulfate to the second portion of ke the mixture. dd excess aqueous zinc sulfate to the	
			and shake.	[3]
(g)	of	amm	hird portion of N , add a spatula measure nonium chloride. Warm the mixture and gas given off with damp litmus paper.	[2]
	(h)	(i)	Identify the gas given off in test (c).	
		(ii)	Identify the gas given off in test (g).	[1 _]
				[1]
	(i)	lder	ntify solution M .	
				[2]
	(j)	Wha	at conclusion can you draw about solutic	n N ?
				[1]
				[Total: 20]

BLANK PAGE

NOTES FOR USE IN QUALITATIVE ANALYSIS

Test for anions

anion	test	test result
carbonate (CO ₃ ²⁻)	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO ₃ ⁻) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulfate (SO ₄ ²⁻) [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.

Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al³+)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH ₄ +)	ammonia produced on warming	_
calcium (Ca ²⁺)	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

gas	test and test results
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.