

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

0620/22 **CHEMISTRY**

Paper 2 Multiple Choice (Extended)

45 minutes

October/November 2018

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of 16 printed pages.






1 Oxygen and fluorine are gaseous elements next to each other in the Periodic Table.

Under the same conditions of temperature and pressure, oxygen diffuses1..... than fluorine because its2..... is less than that of fluorine.

Which words correctly complete gaps 1 and 2?

	1	2	
A faster molecular m		molecular mass	
В	faster	reactivity	
С	slower	molecular mass	
D	slower	reactivity	

2 The diagrams show four pieces of laboratory equipment.



Which equipment is essential to find out if dissolving a salt in water is an exothermic process?

	balance	pipette	stop-clock	thermometer
Α	X	X	X	✓
В	✓	X	X	✓
С	x	✓	X	✓
D	✓	X	✓	X

3 How many neutrons are present in the atom ${}^{45}_{21}X$?

A 21

B 24

C 45

D 66

4 Two naturally occurring isotopes of oxygen are ¹⁶O and ¹⁷O.

Which statement is correct?

- **A** Both isotopes react with iron to form rust.
- **B** Neither isotope reacts with iron to form rust.
- **C** Only ¹⁶O reacts with iron to form rust.
- **D** Only ¹⁷O reacts with iron to form rust.
- 5 How many electrons are used to form covalent bonds in a molecule of methanol, CH₃OH?
 - **A** 5
- **B** 6
- **C** 8
- **D** 10
- 6 Potassium bromide and methanol are both compounds.

Their melting points are different.

Which row is correct?

	substance with the higher melting point	reason why the melting points are different
A	methanol	the attractive forces between oppositely charged ions is greater than the attractive forces between molecules
В	methanol	the attractive forces between molecules is greater than the attractive forces between oppositely charged ions
С	potassium bromide	the attractive forces between oppositely charged ions is greater than the attractive forces between molecules
D	potassium bromide	the attractive forces between molecules is greater than the attractive forces between oppositely charged ions

- 7 Which gas sample contains the smallest number of molecules?
 - A 4 g of helium
 - **B** 16 g of oxygen
 - C 28 g of carbon monoxide
 - **D** 28 g of nitrogen

8 The equation for the reaction between calcium carbonate and dilute nitric acid is shown.

$$CaCO_3(s) \ + \ 2HNO_3(aq) \ \rightarrow \ Ca(NO_3)_2(aq) \ + \ CO_2(g) \ + \ H_2O(I)$$

25 g of calcium carbonate is reacted with an excess of dilute nitric acid.

Which mass of calcium nitrate and which volume of carbon dioxide is produced at room temperature and pressure?

	mass of calcium nitrate/g	volume of carbon dioxide/dm³	
A 29		6	
В	29	12	
С	41	6	
D	41	12	


The formulae of some ions are shown.

positive ion	negative ion	
Ti ⁴⁺	PO ₄ ³⁻	
A <i>l</i> ³⁺	SO ₄ ²⁻	
Mg ²⁺	NO ₃ ⁻	
K⁺	C <i>l</i> −	

Which formula is **not** correct?

- **A** $Al_3(SO_4)_2$ **B** K_3PO_4 **C** $Mg(NO_3)_2$
- **D** TiC l_4


 $\textbf{10} \quad \text{Concentrated aqueous copper} (II) \text{ chloride is electrolysed using copper electrodes as shown}.$



What happens to the mass of each electrode during this process?

positive electrode		negative electrode	
Α	decreases	decreases	
В	decreases	increases	
C increases		decreases	
D	increases	increases	

11 The diagram shows a circuit used to electrolyse aqueous copper(Π) sulfate.



Which arrows indicate the movement of the copper ions in the electrolyte and of the electrons in the external circuit?

copper ions		electrons	
A 1		3	
В	1	4	
С	2	3	
D	2	4	

12 Hydrogen peroxide, H–O–O–H, decomposes to form water and oxygen.

$$2H_2O_2(g) \rightarrow 2H_2O(g) + O_2(g)$$

The bond energies are shown in the table. The reaction is exothermic.

bond	bond energy in kJ/mol
O–H	+460
0–0	+150
O=O	+496


What is the energy change for the reaction?

A -346 kJ/mol **B** -196 kJ/mol **C** +196 kJ/mol **D** +346 kJ/mol

13 The equation for the formation of ammonia is shown.

$$N_2 + 3H_2 \rightarrow 2NH_3$$

The energy level diagram for the reaction is shown.



What is the energy change for the reaction?

- **A** -592 kJ/mol
- **B** -92 kJ/mol
- C +92 kJ/mol
- **D** +592 kJ/mol
- 14 The rate of reaction between magnesium ribbon and 2 mol/dm³ hydrochloric acid at 25 °C to produce hydrogen gas is measured.

In another experiment, either the concentration of the hydrochloric acid or the temperature is changed. All other conditions are kept the same.

Which conditions increase the rate of reaction?

- A 1 mol/dm³ hydrochloric acid at 25 °C
- B 2 mol/dm³ hydrochloric acid at 10 °C
- C 2 mol/dm³ hydrochloric acid at 20 °C
- **D** 3 mol/dm³ hydrochloric acid at 25 °C

15 Methanol is prepared by the reversible reaction shown.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The forward reaction is exothermic.

Which conditions produce the highest equilibrium yield of methanol?

temperature		pressure	
A high		high	
В	high	low	
C low		high	
D	low	low	

16 The thermite reaction can be used to produce iron from iron(III) oxide.

The equation for the reaction is shown.

$$2Al + Fe_2O_3 \rightarrow 2Fe + Al_2O_3$$

Which statements about this reaction are correct?

- 1 Aluminium is the oxidising agent.
- 2 Aluminium is less reactive than iron.
- 3 Electrons are transferred from aluminium to iron.
- 4 The iron in the iron(III) oxide is reduced.
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 17 In which row are the oxides correctly identified?

	acidic	basic
Α	magnesium oxide, calcium oxide	sulfur dioxide, carbon dioxide
В	magnesium oxide, sulfur dioxide	carbon dioxide, calcium oxide
С	c sulfur dioxide, carbon dioxide calcium oxide, magnesium	
D	sulfur dioxide, magnesium oxide	calcium oxide, carbon dioxide

18 When dilute sulfuric acid is added to solid X, a colourless solution is formed and a gas is produced.

What is X?

- A copper(II) oxide
- B sodium oxide
- **C** copper(II) carbonate
- **D** sodium carbonate
- **19** A few drops of methyl orange are added to a reaction mixture.

During the reaction, a gas is produced and the methyl orange turns from red to orange.

What are the reactants?

- A aqueous sodium hydroxide and ammonium chloride
- **B** aqueous sodium hydroxide and calcium carbonate
- C dilute hydrochloric acid and magnesium
- D dilute hydrochloric acid and aqueous sodium hydroxide
- **20** Some general rules for the solubility of salts in water are listed.
 - Carbonates are insoluble (except ammonium carbonate, potassium carbonate and sodium carbonate).
 - Chlorides are soluble (except lead(II) chloride and silver chloride).
 - Nitrates are soluble.
 - Sulfates are soluble (except barium sulfate, calcium sulfate and lead(II) sulfate).

Which substances produce an insoluble salt when aqueous solutions of them are mixed?

- A barium chloride and magnesium nitrate
- **B** calcium chloride and ammonium nitrate
- C silver nitrate and zinc chloride
- **D** sodium carbonate and potassium sulfate

21 Elements in Group I of the Periodic Table react with water.

Which row describes the products made in the reaction and the trend in reactivity of the elements?

	products	trend in reactivity	
Α	metal hydroxide and hydrogen	less reactive down the group	
В	metal hydroxide and hydrogen	more reactive down the group	
С	c metal oxide and hydrogen less reactive down the		
D	metal oxide and hydrogen more reactive down the gro		

22 The equation shows the reaction between a halogen and aqueous bromide ions.

$$X_2$$
 + 2Br⁻ \rightarrow 2X⁻ + Br₂1.....3......

Which words complete gaps 1, 2 and 3?

	1	2	3
Α	chlorine	brown	colourless
В	chlorine	colourless	brown
С	iodine	brown	colourless
D	iodine	colourless	brown

23 An inert gas R is used to fill weather balloons.

Which descriptions of R are correct?

	number of outer shell electrons in atoms of R	structure of gas R
Α	2	diatomic molecules
В	2	single atoms
С	8	diatomic molecules
D	8	single atoms

24 Heating copper(II) carbonate produces copper(II) oxide and carbon dioxide.

Heating the copper(II) oxide formed with carbon produces copper.

Which processes are involved in this conversion of copper(II) carbonate to copper?

- A sublimation followed by oxidation
- **B** sublimation followed by reduction
- **C** thermal decomposition followed by oxidation
- **D** thermal decomposition followed by reduction
- 25 Four metals, W, X, Y and Z, are separately reacted with water and dilute hydrochloric acid.

The results are shown.

		me	etal	
	W	X	Y	Z
reaction with water	fizzes	no reaction	fizzes vigorously	no reaction
reaction with dilute hydrochloric acid	fizzes	no reaction	fizzes violently	fizzes


What is the order of reactivity of the four metals starting with the least reactive?

	least reacti	ve —	→ mo	ost reactive
Α	X	W	Z	Y
В	X	Z	W	Y
С	Y	W	Z	X
D	Y	Z	W	X

- **26** Which statement about the uses of metals is **not** correct?
 - A Aluminium is used in aircraft because of its strength and good electrical conductivity.
 - **B** Copper is used in electrical wiring because of its good electrical conductivity.
 - **C** Stainless steel resists corrosion and is used to make cutlery.
 - **D** Transition elements are often used as catalysts.

Baı	uxite con	tains alumir	nium oxide.				
Alu	minium i	s extracted	from aluminium	oxide	e by electrolysis		
Wh	y is cryo	lite added to	the electrolytic	cell	used to extract a	alum	inium?
A	Cryolite	prevents th	ne carbon anode	s be	ing burned awa	y.	
В	Cryolite	removes in	npurities from th	e ba	uxite.		
С	Cryolite	increases t	he rate at which	alur	ninium ions are	discl	narged.
D	Molten	cryolite diss	olves the alumir	nium	oxide.		
Wh	ich state	ment about	the Haber proce	ess is	s correct?		
A	The hyd	drogen used	I is obtained fror	n the	e air.		
В	The nitr	rogen used i	is obtained from	nitra	ites in the soil.		
С	Nitroge	n reacts witl	n hydrogen to m	ake	ammonia.		
D	The rea	action takes	place at room te	empe	rature and pres	sure	
Wh	ich state	ments abou	t sulfur dioxide į	oollut	tion are correct?	•	
	1	It increase	s the pH of river	s.			
	2	It damage:	s limestone build	dings	i.		
	3	It causes r	espiratory probl	ems.			
A	1 only	В	2 only	С	1 and 3	D	2 and 3
Arg	jon is a n	noble gas us	ed to fill light bu	lbs.			
Wh	at is the	approximate	e percentage of	argo	n in air?		
A	1%	В	20%	С	79%	D	99%
	Alu Wh	Aluminium i Why is cryo A Cryolite B Cryolite C Cryolite D Molten Which state A The hyd B The nith C Nitroge D The rea Which state 1 2 3 A 1 only Argon is a r What is the	Aluminium is extracted Why is cryolite added to A Cryolite prevents the B Cryolite removes in C Cryolite increases to D Molten cryolite diss Which statement about A The hydrogen used B The nitrogen used in C Nitrogen reacts with D The reaction takes Which statements about 1 It increase 2 It damages 3 It causes r A 1 only B Argon is a noble gas us What is the approximate	Why is cryolite added to the electrolytic A Cryolite prevents the carbon anode B Cryolite removes impurities from the C Cryolite increases the rate at which D Molten cryolite dissolves the alumin Which statement about the Haber proce A The hydrogen used is obtained from C Nitrogen reacts with hydrogen to me D The reaction takes place at room to Which statements about sulfur dioxide parts of the photonic of the photoni	Aluminium is extracted from aluminium oxide Why is cryolite added to the electrolytic cell of A Cryolite prevents the carbon anodes be B Cryolite removes impurities from the bar C Cryolite increases the rate at which alum D Molten cryolite dissolves the aluminium Which statement about the Haber process is A The hydrogen used is obtained from the B The nitrogen used is obtained from nitra C Nitrogen reacts with hydrogen to make a D The reaction takes place at room tempe Which statements about sulfur dioxide pollute 1 It increases the pH of rivers. 2 It damages limestone buildings 3 It causes respiratory problems. A 1 only B 2 only C Argon is a noble gas used to fill light bulbs. What is the approximate percentage of argon	Aluminium is extracted from aluminium oxide by electrolysis Why is cryolite added to the electrolytic cell used to extract a A Cryolite prevents the carbon anodes being burned away B Cryolite removes impurities from the bauxite. C Cryolite increases the rate at which aluminium ions are D Molten cryolite dissolves the aluminium oxide. Which statement about the Haber process is correct? A The hydrogen used is obtained from the air. B The nitrogen used is obtained from nitrates in the soil. C Nitrogen reacts with hydrogen to make ammonia. D The reaction takes place at room temperature and pres Which statements about sulfur dioxide pollution are correct? 1 It increases the pH of rivers. 2 It damages limestone buildings. 3 It causes respiratory problems. A 1 only B 2 only C 1 and 3 Argon is a noble gas used to fill light bulbs. What is the approximate percentage of argon in air?	Aluminium is extracted from aluminium oxide by electrolysis. Why is cryolite added to the electrolytic cell used to extract alum A Cryolite prevents the carbon anodes being burned away. B Cryolite removes impurities from the bauxite. C Cryolite increases the rate at which aluminium ions are discled. D Molten cryolite dissolves the aluminium oxide. Which statement about the Haber process is correct? A The hydrogen used is obtained from the air. B The nitrogen used is obtained from nitrates in the soil. C Nitrogen reacts with hydrogen to make ammonia. D The reaction takes place at room temperature and pressure. Which statements about sulfur dioxide pollution are correct? 1 It increases the pH of rivers. 2 It damages limestone buildings. 3 It causes respiratory problems. A 1 only B 2 only C 1 and 3 D Argon is a noble gas used to fill light bulbs. What is the approximate percentage of argon in air?

31 The diagrams show experiments involving the rusting of iron.



A student predicted the following results.

- 1 In tube P, the iron nails rust.
- 2 In tube Q, the iron nails do not rust.
- 3 In tube R, the iron nails do not rust.

Which predictions are correct?

- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 32 In the carbon cycle, which two processes add carbon dioxide to the atmosphere?
 - **A** combustion and carbonate formation
 - **B** combustion and photosynthesis
 - **C** combustion and respiration
 - **D** respiration and photosynthesis
- 33 Which statement about sulfur or one of its compounds is correct?
 - A Sulfur occurs naturally as the element sulfur.
 - **B** Sulfur dioxide is used to kill bacteria in drinking water.
 - C Sulfuric acid is a weak acid.
 - **D** Dilute sulfuric acid is a dehydrating agent.

- 34 What is not a use of lime?
 - A It is used as a bleach in the manufacture of wood pulp.
 - **B** It is used to desulfurise flue gases.
 - **C** It is used to neutralise acidic industrial waste.
 - **D** It is used to treat acidic soil.
- 35 Which equation representing a reaction of methane is correct?
 - $\textbf{A} \quad \mathsf{CH_4} \,\, + \,\, \mathsf{C} \, l_2 \,\, \rightarrow \,\, \mathsf{CH_3C} \, l \,\, + \,\, \mathsf{HC} \, l$
 - $\mathbf{B} \quad \mathsf{CH_4} \, + \, \mathsf{C}\mathit{l}_2 \, \rightarrow \, \mathsf{CH_4}\mathsf{C}\mathit{l}_2$
 - $C \quad CH_4 + Cl_2 \rightarrow CH_2Cl_2 + H_2$
 - **D** $2CH_4 + 2Cl_2 \rightarrow 2CH_3Cl + Cl_2 + H_2$
- 36 Which two compounds are molecules which both contain a double bond?
 - A ethane and ethanoic acid
 - **B** ethane and ethanol
 - C ethene and ethanoic acid
 - **D** ethene and ethanol
- 37 Ethanol can be formed by:
 - 1 fermentation
 - 2 reaction between steam and ethene.

Which of these processes use a catalyst?

	1	2
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

38 Ethanol is manufactured from ethene.

What is an advantage of this process?

- A It is a continuous process.
- **B** It has high labour costs.
- **C** It needs high temperature and pressure.
- **D** It uses non-renewable materials.
- 39 Which reaction can be used to make ethanoic acid?
 - A oxidation of ethanol
 - **B** oxidation of ethene
 - C reduction of ethanol
 - **D** reduction of ethene
- **40** The structure of an addition polymer is shown.

Which monomer is used to make this polymer?

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	\	5	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116		livermorium –
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	Fl	flerovium
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΊ	thallium 204			
								1			30	Zu	zinc 65	48	р О	cadmium 112	80	БH	mercury 201	112	S	copemicium –
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	格	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		- 1	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>Б</u>	tantalum 181	105	Q D	dubnium
					60	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
								_			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	뇬	francium -

	25	28	26	09	61	62	63	64	65	99	29	89	69	70	71
lanthanoids	Га	Ce	Ā	PΝ	Pm	Sm	Ш	В	Д	Dy	운	Щ	Tm	Ϋ́	ב
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbinm	thulium	ytterbium	lutetium
	139	140	141	144	1	150	152	15/	159	163	165	16/	169	1/3	1/5
	88	06	91	92	93	94	98	96	97	86	66	100	101	102	103
actinoids	Ac	H	Ра	\supset	Δ	Pn	Am	Cm	ă	ರ	Es	Fm	ΡW	8	۲
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
	I	232	231	238	ı	ı	ı	ı	ı	ı	I	I	ı	ı	ı

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).