

## Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

October/November 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 The rate of diffusion of three gases, ammonia, carbon dioxide and methane, is measured.

What is the order of the rate of diffusion of the gases from slowest to fastest?

- $\textbf{A}\quad \mathsf{CO_2}\,\rightarrow\,\mathsf{NH_3}\,\rightarrow\,\mathsf{CH_4}$
- **B**  $CO_2 \rightarrow CH_4 \rightarrow NH_3$
- $\mathbf{C}$   $CH_4 \rightarrow NH_3 \rightarrow CO_2$
- $D ext{NH}_3 o CH_4 o CO_2$
- 2 Which description of Brownian motion is correct?
  - A random movement of particles due to bombardment by larger particles
  - **B** random movement of particles due to bombardment by smaller particles
  - **C** random movement of particles from a high concentration to a low concentration
  - **D** random movement of particles from a low concentration to a high concentration
- **3** The chromatogram obtained using four substances, J, K, L and M, is shown.



Which statement about M is correct?

- **A** It is a mixture of J and K only.
- **B** It is a pure substance.
- **C** It is a mixture of J, K and L.
- **D** It is a mixture of J, K and an unknown substance.

4	Wh	ich stateı	ments abou	ut isotopes of	the san	ne elemen	t are corre	ct?		
		1		atoms which				roperties becaus	se they have	the
		2	•	atoms which		the sam	e number	of electrons a	nd neutrons	but
		3		atoms which of neutrons.	have th	e same nı	ımber of e	lectrons and pro	tons but diffe	erent
	A	1 and 2	В	1 and 3	С	2 only	D	3 only		
5	Wh	ich stateı	ment about	solid magne	sium ox	ide is corre	ect?			
	Α	It is a gi	ant structu	re made up c	of magne	esium and	oxygen ato	oms bonded cova	alently.	
	В	It is an e	electrical co	onductor with	mobile	magnesiu	m ions and	l oxygen ions.		
	С	Magnes	sium loses (	electrons and	these e	electrons m	nove freely	through a lattice	).	
	D	Oxygen	ions and n	nagnesium ic	ns are a	attracted to	each othe	er in a giant lattic	e.	
6	Wh	ich mole	cule contai	ns only three	shared	pairs of ele	ectrons?			
	A	CH₃OH	В	$Cl_2$	С	H <sub>2</sub> O	D	$N_2$		
7	Wh	hich particles are present in the structure of metals?								
		1	positive io	ons						
		2	negative i	ons						
		3	shared pa	irs of electro	ns					
		4	mobile ele	ectrons						
	Α	1 and 2	В	1 and 4	С	2 and 3	D	2 and 4		


8 Caffeine is a stimulant found in coffee.

caffeine

Which formula represents caffeine?

- **A**  $C_7H_{10}N_4O_2$
- **B**  $C_8H_{10}N_3O_2$
- $\mathbf{C} = C_8 H_{10} N_4 O_2$
- $D C_8H_{11}N_4O_2$
- 9 Which sample does **not** contain a number of atoms equal to the Avogadro constant?
  - A 14 g of nitrogen, N<sub>2</sub>
  - **B** 6g of water, H<sub>2</sub>O
  - C 4g of helium, He
  - D 28 g of carbon monoxide, CO

**10** The electrolysis of concentrated aqueous sodium chloride and molten sodium chloride is shown.



What are the products at electrodes 1 and 2?

	electrode 1	electrode 2
A chlorine		chlorine
В	hydrogen	chlorine
<b>C</b> hydrogen		sodium
D	sodium	sodium

11 When an acid is added to an alkali, the temperature of the reaction mixture rises.

Which words describe this reaction?


- A decomposition and endothermic
- **B** decomposition and exothermic
- **C** neutralisation and endothermic
- **D** neutralisation and exothermic

**12** Some properties of four fuels are shown.

Which fuel is a gas at room temperature and makes two products when it burns in a plentiful supply of air?

	fuel	formula	melting point /°C	boiling point /°C
Α	hydrogen	$H_2$	-259	-253
В	methane	CH₄	-182	-164
С	octane	C <sub>8</sub> H <sub>18</sub>	<b>–</b> 57	126
D	wax	C <sub>31</sub> H <sub>64</sub>	60	400

**13** The electrical energy, or voltage, of two simple cells is measured.



statement 1 The voltage of cell 1 is greater than cell 2.

statement 2 Zinc is more reactive than copper.

statement 3 Magnesium is oxidised in both cells.

statement 4 Magnesium atoms lose electrons to form magnesium ions.

Which option is correct?

A All the statements are correct.

**B** Only statements 1 and 3 are correct.

**C** Statement 2 is correct and explains statement 1.

**D** Statement 4 is correct and explains statement 3.


**14** Dilute aqueous sodium chloride is electrolysed using carbon electrodes.

What is the product at the anode?

- A carbon dioxide
- **B** hydrogen
- C oxygen
- **D** sodium

**15** The volume of gas given off in a chemical reaction is measured over time.

The results are shown.



At which time is the rate of reaction greatest?

- **A** 0s
- **B** 4s
- **C** 6s
- **D** 10s

**16** Dinitrogen tetroxide, N<sub>2</sub>O<sub>4</sub>, is converted into nitrogen dioxide, NO<sub>2</sub>, in a reversible reaction.

$$N_2O_4(g) \rightleftharpoons 2NO_2(g)$$

The forward reaction is endothermic.

Which conditions give the highest equilibrium yield of nitrogen dioxide?

	pressure / atmospheres	temperature
Α	2	high
В	2	low
С	50	high
D	50	low

17 When magnesium is heated with zinc oxide a reaction occurs.

The equation is shown.

$$Mg + ZnO \rightarrow MgO + Zn$$

Which substance is oxidised?

- A magnesium
- B magnesium oxide
- **C** zinc
- **D** zinc oxide
- **18** X and Y are oxides of two different elements.
  - X reacts with water to produce aqueous solution Z.
  - Z turns universal indicator paper blue.
  - An aqueous solution of Y reacts with sodium carbonate to produce carbon dioxide gas.

Which statement is correct?

- **A** X and Y are both the oxides of metals.
- **B** X and Y are both the oxides of non-metals.
- **C** X is the oxide of a metal and Y is the oxide of a non-metal.
- **D** X is the oxide of a non-metal and Y is the oxide of a metal.
- **19** Ethanoic acid reacts with water to produce an acidic solution.

Which row describes the roles of ethanoic acid and water in this reaction?

	ethanoic acid	water
Α	accepts a proton	donates a proton
В	accepts an electron	donates an electron
C donates a proton		accepts a proton
D	donates an electron	accepts an electron

**20** Copper(II) sulfate is a soluble salt.

Calcium sulfate is an insoluble salt.

Which row shows suitable reactants for preparing a pure sample of the named salt?

	salt	reactants
Α	calcium sulfate	calcium carbonate + dilute sulfuric acid
В	calcium sulfate	aqueous calcium chloride and aqueous sodium sulfate
С	copper(II) sulfate	copper + dilute sulfuric acid
D	copper(II) sulfate	aqueous copper( $\mathrm{II}$ ) chloride and aqueous sodium sulfate

**21** Strontium displaces magnesium from molten magnesium chloride.

Bromine displaces iodine from aqueous potassium iodide.

Which row describes the change in reactivity down both Group II and Group VII of the Periodic Table?

	reactivity down the group			
	Group II Group VII			
A decreases		decreases		
В	decreases	increases		
<b>C</b> increases		decreases		
D	D increases increases			

**22** Elements J and K are in the same period in the Periodic Table.

J reacts with acids to produce a salt and hydrogen.


K reacts with sodium to form an ionic compound.

Which statement about J and K is correct?

- **A** An atom of J has more electrons than an atom of K.
- **B** J and K are both metals.
- **C** J and K are both non-metals.
- **D** J is to the left of K in the Periodic Table.

23 Part of the Periodic Table is shown.

Which element has a high density, a high melting point and forms a brown oxide?




- 24 The reactions of four metals, W, X, Y and Z, are listed.
  - Metal W displaces metal X from the oxide of metal X.
  - Metal Y has a greater tendency to form positive ions than metal W.
  - Aqueous ions of metal Z are reduced by metal X.

What is the order of reactivity of the metals?

	least reactive			most reactive
Α	Y	W	Х	Z
В	Y	X	W	Z
С	Z	W	X	Y
D	Z	X	W	Υ

25 Three experiments, J, K and L, are set up to investigate rusting.



In which experiments does rusting occur?

	J	K	L	
Α	X	✓	✓	key
В	X	✓	X	✓= yes
С	✓	X	X	<b>x</b> = no
D	✓	X	✓	

26 Silver is below copper in the reactivity series.

Which row describes the reactions of silver?

	reaction with steam	reaction with dilute hydrochloric acid
Α	no reaction	no reaction
В	no reaction	reacts to produce hydrogen gas
С	reacts to produce hydrogen gas	no reaction
D	reacts to produce hydrogen gas	reacts to produce hydrogen gas


27 Iron is galvanised by coating it in zinc.

Brass is made by mixing copper with zinc.

Which row gives the reasons for each of these uses of zinc?

	reason for galvanising iron	reason for making brass
Α	prevents corrosion	produces a softer metal
В	prevents corrosion	produces a harder metal
С	produces a harder metal	produces a softer metal
D	produces a harder metal	produces a harder metal

28 The diagram shows a stage in the purification of dirty water.



Which process does this apparatus show?

- **A** chlorination
- **B** condensation
- **C** distillation
- **D** filtration

- 29 Which substance in polluted air damages stonework and kills trees?
  - A carbon dioxide
  - B carbon monoxide
  - C lead compounds
  - **D** sulfur dioxide
- **30** Ammonium nitrate, NH<sub>4</sub>NO<sub>3</sub>, is a fertiliser and is added to fields to help crops grow.


Slaked lime, Ca(OH)<sub>2</sub>, is an alkali and is added to fields to reduce the acidity of the soil.

Ammonium nitrate and slaked lime should not be added to a field at the same time because they react with each other to form a gas, Z.

What is Z?

- A ammonia
- **B** hydrogen
- C nitrogen
- **D** oxygen
- 31 The scheme shows four stages in the conversion of sulfur to sulfuric acid.


In which stage is a catalyst used?



- 32 Which element has an oxide that is used as a food preservative?
  - **A** helium
  - B hydrogen
  - C iron
  - **D** sulfur

- 33 Which substance gives off carbon dioxide on heating?
  - A lime
  - **B** limestone
  - **C** limewater
  - **D** slaked lime
- 34 Which compound has the most –CH<sub>2</sub>– groups in one molecule?
  - A butane
  - B butanoic acid
  - C butan-1-ol
  - D but-1-ene
- **35** Methane reacts with chlorine in the presence of ultraviolet light.

Which substance is **not** produced in this reaction?




**36** Ethene reacts with both hydrogen and steam.

Which row about these reactions is correct?

	reactant with ethene	type of reaction	catalyst used
Α	hydrogen	substitution	phosphoric acid
В	hydrogen	addition	nickel
С	steam	substitution	phosphoric acid
D	steam	addition	nickel

- 37 Which type of reaction occurs when ethanol is converted to ethanoic acid?
  - A combustion
  - **B** decomposition
  - **C** neutralisation
  - **D** oxidation

**38** Hydrolysis of polymer P produces the three compounds shown.



What is the structure of polymer P?

- 39 Which statement about unsaturated hydrocarbons is correct?
  - **A** CH<sub>3</sub>CH<sub>2</sub>CH=CHCH<sub>3</sub> is an unsaturated hydrocarbon.
  - **B** Ethene has more hydrogen atoms per molecule than ethane.
  - **C** Unsaturated hydrocarbons have double bonds between carbon and hydrogen atoms.
  - **D** Unsaturated hydrocarbons turn aqueous bromine from colourless to brown.

**40** The equation shows the formation of a polymer called *Kevlar*.

$$n \text{ HOOC} \longrightarrow \text{COOH} + n \text{ H}_2\text{N} \longrightarrow \text{NH}_2$$

$$\downarrow -\text{H}_2\text{O}$$

$$\downarrow -\text{C} \longrightarrow \text{C} \longrightarrow \text{N} \longrightarrow \text{N} \longrightarrow \text{N}$$

$$\downarrow -\text{H}_2\text{N} \longrightarrow \text{N} \longrightarrow \text{N}$$

## Which row describes Kevlar?

	how the polymer is formed	type of polymer
Α	addition polymerisation	polyamide
В	addition polymerisation	polyester
С	condensation polymerisation	polyamide
D	condensation polymerisation	polyester

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	\	5	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	polonium –	116		livermorium –
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Εl	flerovium –
	=				2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	П	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	В	cadmium 112	80	ВH	mercury 201	112	ű	copernicium —
											29	D C	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	ïZ	nickel 59	46	Pq	palladium 106	78	丘	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- ;	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium –
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>Б</u>	tantalum 181	105	Q D	dubnium -
					60	ato	rela				22	ï	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
								_			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	뇬	francium -

	25	28	26	09	61	62	63	64	65	99	29	89	69	70	71
lanthanoids	Га	Ce	Ā	PΝ	Pm	Sm	Ш	В	Д	Dy	운	ш	Tm	Ϋ́	ח
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbinm	thulium	ytterbium	lutetium
	139	140	141	144	ı	150	152	157	159	163	165	167	169	173	175
	88	06	91	92	93	94	98	96	97	86	66	100	101	102	103
actinoids	Ac	H	Ра	$\supset$	Δ	Pn	Am	Cm	ă	ರ	Es	Fm	ΡW	8	۲
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
	I	232	231	238	ı	ı	ı	ı	ı	ı	I	I	ı	ı	ı

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).