

# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/23

Paper 2 Multiple Choice (Extended)

October/November 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



**1** A sample of ethanol is left in an open beaker at room temperature.

After 24 hours, no ethanol remains in the beaker.

What has happened to the ethanol?

- A It has boiled.
- **B** It has condensed.
- **C** It has evaporated.
- **D** It has frozen.
- **2** A gas is in a sealed container with a fixed volume.

Which statements describe what happens to the molecules in the gas when the temperature is increased?

- 1 They move more slowly.
- 2 They collide with the walls of the container more frequently.
- 3 They collide with the walls of the container with less force.
- 4 They have greater kinetic energy.
- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 3 What happens when sodium atoms combine with chlorine atoms to form sodium chloride?
  - A Sodium atoms each gain one electron, and chlorine atoms each lose one electron.
  - **B** Sodium atoms each lose one electron, and chlorine atoms each gain one electron.
  - **C** Sodium atoms and chlorine atoms share one electron with each other.
  - **D** Sodium atoms and chlorine atoms share two electrons with each other.
- **4** The table shows some properties of four substances.

substance	melting point	electrical conductivity when molten	
1	high	poor	poor
2	high	poor	good
3	low	poor	poor
4	high	good	good

Which substances are ionic?

**A** 1, 3 and 4

**B** 1 and 3 only

**C** 2 and 4

**D** 2 only

- **5** Which statement about methane is correct?
  - A In methane, positive hydrogen ions are attracted to negative carbon ions.
  - **B** In methane, electrons are shared between carbon atoms and hydrogen atoms.
  - **C** Methane has a high boiling point.
  - D Methane is a good conductor of electricity.
- **6** A sample of iridium has a relative atomic mass of 192.29.

The sample contains two isotopes only.

64.50% of the sample is <sup>193</sup>Ir.

What is the other isotope in the sample?

- **A** 189 Ir
- **B** 190 Ir
- **C** 191 Ir
- **D** 192 I r
- 7 Ammonium iron(III) citrate contains in its formula:
  - more than one ammonium ion
  - one iron ion
  - two  $C_6H_4O_7^{4-}$  ions.

What is the formula of ammonium iron(III) citrate?

- **A**  $(NH_4)_4Fe(C_6H_4O_7)_2$
- **B**  $(NH_4)_5Fe(C_6H_4O_7)_2$
- **C**  $(NH_4)_6Fe(C_6H_4O_7)_2$
- **D**  $(NH_4)_7Fe(C_6H_4O_7)_2$
- 8 Silicon(IV) oxide reacts with chlorine and carbon to form liquid silicon(IV) chloride, SiC $l_4$ , and carbon dioxide gas.

If the reaction is carried out at r.t.p., which symbol equation represents this reaction?

A 
$$SiO_2(I) + 2Cl_2(g) + C(s) \rightarrow SiCl_4(I) + CO_2(g)$$

**B** 
$$SiO_2(I) + 2Cl_2(g) + C(g) \rightarrow SiCl_4(I) + CO_2(g)$$

C SiO<sub>2</sub>(s) + 2C
$$l_2$$
(g) + C(s)  $\rightarrow$  SiC $l_4$ (g) + CO<sub>2</sub>(g)

**D** 
$$SiO_2(s) + 2Cl_2(g) + C(s) \rightarrow SiCl_4(l) + CO_2(g)$$

**9** The structure of ethene is shown.

How many hydrogen atoms and how many carbon atoms are in one mole of ethene?

	hydrogen atoms	carbon atoms
Α	$2.4\times10^{24}$	$1.2\times10^{24}$
В	$2.4\times10^{24}$	$6.0\times10^{23}$
С	$6.0\times10^{23}$	$1.2\times10^{22}$
D	$6.0\times10^{23}$	$6.0\times10^{23}$

**10** A known volume and concentration of aqueous sodium hydroxide is titrated against dilute hydrochloric acid.

The volume of dilute hydrochloric acid needed to exactly neutralise the sodium hydroxide is measured.

Five calculation steps are shown.

- 1 Calculate the amount of hydrochloric acid in moles.
- 2 Calculate the relative formula mass of hydrochloric acid.
- 3 Calculate the concentration of hydrochloric acid in g/dm<sup>3</sup>.
- 4 Calculate the amount of sodium hydroxide in moles.
- 5 Calculate the concentration of hydrochloric acid in mol/dm<sup>3</sup>.

What is the order of these steps to calculate the concentration of the hydrochloric acid in g/dm<sup>3</sup>?

**A** 
$$1 \rightarrow 4 \rightarrow 3 \rightarrow 5 \rightarrow 2$$

**B** 
$$1 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 3$$

$$\textbf{C} \quad 4 \rightarrow 1 \rightarrow 5 \rightarrow 2 \rightarrow 3$$

$$\textbf{D} \quad 4 \rightarrow 2 \rightarrow 1 \rightarrow 3 \rightarrow 5$$

11 Two different substances are electrolysed using inert electrodes in two separate experiments.

Hydrogen is produced in both experiments.

Which row identifies the two substances and the electrode at which hydrogen is produced?


	substance 1	substance 2	electrode
Α	molten sodium chloride	aqueous sodium chloride	anode
В	molten sodium chloride	aqueous sodium chloride	cathode
С	dilute sulfuric acid	concentrated hydrochloric acid	anode
D	dilute sulfuric acid	concentrated hydrochloric acid	cathode

**12** Aqueous copper( $\mathrm{II}$ ) sulfate can be electrolysed using either carbon electrodes or copper electrodes.

Which statement describes what happens at the positive electrode?

- A Copper is deposited if the electrode is made from carbon.
- **B** Copper is deposited if the electrode is made from copper.
- **C** Oxygen gas is produced if the electrode is made from carbon.
- **D** Oxygen gas is produced if the electrode is made from copper.
- **13** Which statement about a hydrogen–oxygen fuel cell is **not** correct?
  - **A** Chemical energy is converted into electrical energy.
  - **B** Hydrogen is oxidised.
  - **C** The reaction that takes place is endothermic.
  - **D** Water is the only chemical product.

14 Which reaction pathway diagram is correctly labelled?



15 Which row describes a reaction where the overall energy change is exothermic?

	energy needed for breaking bonds/kJ	energy released by forming bonds/kJ	temperature of the surroundings
Α	600	300	decreases
В	600	1200	decreases
С	900	300	increases
D	900	1200	increases

**16** Which process involves a physical change only?

- A heating calcium carbonate strongly
- **B** burning wood
- C melting an ice cube
- **D** mixing an acid and a base


17 In the Haber process, an equilibrium is established.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which change to the reaction conditions will move the position of equilibrium to the left?

- A decreasing the pressure by 100 atm
- **B** decreasing the temperature by 100 °C
- **C** adding more nitrogen gas to the mixture
- **D** removing the iron catalyst
- **18** The flow chart shows some properties of a metal oxide.



What is the metal oxide?

- A aluminium oxide
- B copper(II) oxide
- C iron(III) oxide
- D zinc oxide
- 19 Which statement about reactants in redox reactions is correct?
  - **A** An oxidising agent donates electrons, and a reducing agent accepts electrons.
  - **B** When one element gains electrons, the oxidation number of a different element increases.
  - **C** When the oxidation number of one element increases, a different element gains oxygen.
  - **D** When the oxidation number of one element increases, a different element loses electrons.

**20** Aluminium is extracted from aluminium oxide by electrolysis. The ionic half-equation for the reaction at one of the electrodes is shown.

$$Al^{3+} + 3e^{-} \rightarrow Al$$

Which row describes the change in oxidation number of the aluminium and the type of reaction at this electrode?

	change in oxidation number of aluminium	type of reaction
Α	decrease	reduction
В	decrease	oxidation
С	increase	reduction
D	increase	oxidation

- 21 Which statement about dilute hydrochloric acid is correct?
  - A It is a strong acid as it fully dissociates.
  - **B** It is a strong acid as it partially dissociates.
  - C It is a weak acid as it fully dissociates.
  - **D** It is a weak acid as it partially dissociates.
- 22 Which row describes and gives the formula of hydrated copper(II) sulfate?

	description of hydrated copper(II) sulfate	formula of hydrated copper(II) sulfate
Α	aqueous copper(II) sulfate	CuSO₄•5H₂O
В	aqueous copper(II) sulfate	CuSO₄(aq)
С	copper(II) sulfate chemically combined with water molecules	CuSO₄(aq)
D	copper( $\mathrm{II}$ ) sulfate chemically combined with water molecules	CuSO₄•5H₂O

- **23** The equations for three reactions are shown.
  - 1  $Pb(NO_3)_2(aq) + 2KI(aq) \rightarrow PbI_2(s) + 2KNO_3(aq)$
  - 2  $2AgNO_3(aq) + CuI_2(aq) \rightarrow Cu(NO_3)_2(aq) + 2AgI(s)$
  - 3 CuO(s) +  $H_2SO_4(aq) \rightarrow CuSO_4(aq) + H_2O(l)$

Which reactions are suitable for making a salt by precipitation?

**A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

**24** Acidified potassium dichromate(VI), K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub>, is used to oxidise ethanol, C<sub>2</sub>H<sub>5</sub>OH.

The ionic equation for the reaction is shown.

$$3C_2H_5OH + 2Cr_2O_7^{2-} + 16H^+ \rightarrow 3CH_3COOH + 4Cr^{3+} + 11H_2O$$

Which properties of transition elements are shown by chromium in this reaction?

	acts as a catalyst	variable oxidation number
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

- 25 Which statements describe the Periodic Table?
  - 1 The elements are arranged in order of their nucleon number.
  - 2 The elements are arranged in order of their proton number.
  - 3 It is used to predict the properties of elements.
  - **A** 1 and 3
- **B** 1 only
- **C** 2 and 3
- **D** 2 only
- 26 Which row shows the correct order of reactivity of the four named metals?

	most reactive			least reactive
Α	magnesium	copper	zinc	silver
В	magnesium	zinc	copper	silver
С	silver	copper	zinc	magnesium
D	silver	zinc	copper	magnesium

27 Four iron nails are added to four different metal sulfate solutions.

In which solution does a displacement reaction occur?

- A copper(II) sulfate
- B magnesium sulfate
- C sodium sulfate
- **D** zinc sulfate

**28** A fertiliser contains ammonium nitrate and potassium phosphate.

Why is the fertiliser described as an NPK fertiliser?

- **A** It provides nitrogen, which is an essential element for improved plant growth.
- **B** It contains the element oxygen, which neutralises acidic soil.
- **C** It contains the elements nitrogen and phosphorus.
- **D** It provides the three main elements needed for improved plant growth.
- 29 What are the approximate percentages of oxygen and nitrogen in clean, dry air?

	percentage of oxygen	percentage of nitrogen
Α	19	80
В	21	78
С	80	19
D	78	21

- **30** Which compounds have similar chemical properties?
  - A butanol and butanoic acid
  - B ethane and ethene
  - **C** methane and butane
  - **D** propene and propanol
- **31** Four statements about organic compounds P, Q, R and S are listed.

P is a saturated hydrocarbon.

The formula of Q is CH<sub>3</sub>CH<sub>3</sub>.

A molecule of R contains only one oxygen atom.

Compound S is a carboxylic acid.

Which statement about these compounds is correct?

- A P and Q are members of different homologous series.
- **B** P and S are members of the same homologous series.
- **C** Q and S are members of the same homologous series.
- **D** Q, R and S are all members of different homologous series.

32 The structure of an organic compound is shown.

What is the name of the compound?

- A chloroethane
- **B** chloroethene
- C chloroethanol
- **D** chloroethanoic acid

33 Which statement about the manufacture of ethene from larger alkane molecules is correct?

- **A** A low temperature is required.
- B The process is called cracking.
- **C** The process requires an excess of oxygen.
- **D** Water is also a product.

34 Which processes are used to make ethanoic acid?

- 1 heating ethanol with acidified aqueous potassium manganate(VII)
- 2 bacterial oxidation of ethanol
- 3 distilling ethanol using a fractionating column
- **A** 1 and 2 **B** 1 only **C** 2 and 3 **D** 3 only


**35** Which statement about propene, C<sub>3</sub>H<sub>6</sub>, is correct?

- A Propene reacts with bromine in the dark in a substitution reaction.
- **B** Propene reacts with steam in the presence of an alkaline catalyst, forming an alcohol.
- **C** Propene undergoes addition polymerisation, forming poly(ethene).
- **D** Propene undergoes an addition reaction to form an alkane.

36 How many of each type of bond are present in ethanoic acid, CH<sub>3</sub>COOH?


	type of bond									
	C–H	C-H C-C C=O								
Α	3	1	1							
В	3	0	2							
С	4	0	2							
D	4	1	2							

**37** Which diagram represents the structure of a protein?



**38** The chromatogram of substance S is shown.

Some distances, W, X, Y and Z, are labelled on the diagram.



How is the  $R_f$  value of substance S calculated?

- $\mathbf{A} \quad \frac{\mathbf{X}}{\mathbf{v}}$
- $\mathbf{B} = \frac{\mathbf{W}}{\mathbf{Z}}$
- $c = \frac{Y}{X}$
- $\mathbf{D} = \frac{\mathsf{Y}}{\mathsf{W}}$

39 Some information about solid silver chloride and solid sodium chloride is shown.

- Silver chloride and sodium chloride do **not** dissolve in kerosene.
- Silver chloride is insoluble in water, but sodium chloride is soluble in water.
- The boiling point of silver chloride is 1547 °C and the boiling point of sodium chloride is 1413 °C.

Which processes are used to separate a mixture of solid silver chloride and solid sodium chloride?

- A add kerosene, stir and then filter
- B add water, stir and then filter
- C add water, stir and then leave to crystallise
- **D** add water, stir and then perform fractional distillation

40 Which statement describes how a flame test is done?

- A The tip of a clean wire is dipped into the substance and the wire is placed in a blue Bunsen burner flame.
- **B** The tip of a clean wire is dipped into the substance and the wire is placed in a yellow Bunsen burner flame.
- **C** A wooden splint is lit and is placed above a test-tube containing the gas being tested.
- D A wooden splint is lit, blown out and the glowing splint put into a test-tube of the gas being tested.

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		IIIA	<sup>2</sup> He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -
		IIΛ			6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	ā	bromine 80	53	Н	iodine 127	85	At	astatine -	117	<u>R</u>	tennessine -
		IN			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molonium –	116	_	livermorium –
		^			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209	115	Mc	moscovium
		//			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Ŀ	flerovium -
		≡			2	Ф	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204	113	Z	nihonium –
											30	Zu	zinc 65	48	ပ	cadmium 112	80	ΡĜ	mercury 201	112	S	copernicium
3											29	D O	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
	Group										28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
	Gro										27	ပိ	cobalt 59	45	몬	rhodium 103	77	ľ	iridium 192	109	Μţ	meitnerium -
			- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	В	dubnium —
						ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
								•			21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
		_			3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ā	francium -

Lu Lu	lutetium 175	103	۲	lawrencium -
o <sub>y</sub> Y				
e9 Tm	thulium 169	101	Md	mendelevium –
68 <b>Er</b>	erbium 167	100	Fm	fermium -
67 Ho	holmium 165	66	Es	einsteinium –
66 Dy	dysprosium 163	98	ŭ	californium -
65 Tb	terbium 159	26	Ř	berkelium -
64 Gd	gadolinium 157	96	Cm	curium
e3 Eu	europium 152	92	Am	americium -
62 Sm	samarium 150	94	Pn	plutonium –
e1 Pm	promethium -	93	ď	neptunium -
	neodymium 144			
59 Pr	praseodymium 141	91	Ра	protactinium 231
Ce Ce	cerium 140	06	드	thorium 232
57 <b>La</b>	lanthanum 139	88	Ac	actinium -

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm^3}$  at room temperature and pressure (r.t.p.).