

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

265350644

BIOLOGY 0610/42

Paper 4 Theory (Extended)

May/June 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].

This document has 20 pages. Any blank pages are indicated.

1 Fig. 1.1 is a diagram of part of a cross-section of a leaf.




Fig. 1.1

(a)	Explain why a leaf is considered to be an organ.
	[2]

(b)	Explain how layer B and layer C in Fig. 1.1 are adapted for their functions.
	[6]

(c) A student placed a plant in a very hot room for 12 hours. There was a bright light in the room and the plant was not given any water during the 12-hour period.

Fig. 1.2 shows a series of sketches that the student made of the stomata during the investigation.

6

7

8

9

10

11

12

stomata D

5

2

time/hours

3

Fig. 1.2

	(i)	Identify the cell labelled D on Fig. 1.2.	
			[1]
	(ii)	State the main function of the stomata.	
			[1]
	(iii)	State the advantage to the plant of the change to the stomata shown in Fig. 1.2.	
			[1]
(d)	The	e student increased the humidity in the room and repeated the investigation.	
	Pre	dict and explain the effect of high humidity on the stomata.	
	•••••		
			[၁]

[Total: 14]

BLANK PAGE

2 Fig. 2.1 is a diagram of part of a DNA molecule.




Fig. 2.1

(a) Draw a circle on Fig. 2.1 to identify one pair of bases. [1]
(b) The percentage of T bases in the DNA of a species is 29%.
Calculate the percentage of bases that would be base G in the DNA of this species.
Space for working.

G% [1]

(c)	(i)	State the name given to a length of DNA that codes for a protein.	
			[1]
	(ii)	Explain how proteins are made by a cell.	
			[5]
	(iii)	DNA controls cell function by controlling the production of proteins.	
		State two types of cell membrane proteins.	
		1	
		2	
			[2]

3 (a) Antibiotic resistance is an increasing problem worldwide.

Erythromycin is an antibiotic.

Fig. 3.1 shows the daily doses of erythromycin per 1000 people over a 13-year period.

The number of bacterial infections resistant to erythromycin per 1000 people is also shown.




Fig. 3.1

(i) Calculate the percentage change in the number of bacterial infections resistant to erythromycin per 1000 people between 1993 and 1995.

Give your answer to **two** significant figures.

Space for working.

 	 	 	 			 										 			9	6	
																		ı	3	3]	

(ii)	Describe the data shown in Fig. 3.1.
	[3]
(iii)	Suggest reasons for the change in the number of bacterial infections resistant to erythromycin from 1993 to 1995 shown in Fig. 3.1.
(iv)	Explain how bacteria become resistant to antibiotics.
(14)	Explain now bactoria become resistant to untiblotics.

(b) (i)	Bacteria are prokaryotes.
	State two features of all prokaryotes.
	1
	2
	[2]
(ii)	Some bacteria have a flagellum.
	State the function of a flagellum.
	[1]
	[Total: 16]

BLANK PAGE

4 (a) A student recorded the information about an aquatic habitat.

Fig. 4.1 shows the student's notes.



Aquatic plants provide food for freshwater shrimps and midges.

Mayflies also feed on aquatic plants.

The mayflies provide food for salmon.

Stoneflies feed on midges and are eaten by salmon. Salmon also eat freshwater shrimps.

Herons feed on salmon.

Fig. 4.1

(i) Construct a food web to show the feeding relationships described in Fig. 4.1.

Do **not** draw the organisms.

(ii) Complete Table 4.1 using the information in Fig. 4.1 by identifying the names of the missing trophic levels and **one** organism at each different trophic level.

Table 4.1

name of the trophic level	organism in Fig. 4.1
name of the depine level	organiem in rig
producer	aquatic plants
primary consumer	
secondary consumer	
	[3]
Outline how the energy in the primary consproduce biomass in the secondary consumer	·
•	

	[3]
(iii)	Outline how the energy in the primary consumers in this aquatic food web is used to produce biomass in the secondary consumers.
	[3]
(iv)	Humans also eat salmon.
	Predict the impact on the feeding relationships shown in Fig. 4.1 of overharvesting of salmon.
	[3]

(b)	Describe what is meant by the term decomposer.
	[1]
(c)	Animals such as salmon can be farmed for meat.
	Explain why it is more energy efficient for humans to eat crop plants than to eat livestock that have been fed on crop plants.
	[4]

[Total: 18]

BLANK PAGE

5 Fig. 5.1 is a photomicrograph of a structure found in animal and plant cells.



Fig. 5.1

(a)	State the name and function of the cell structure labelled A in Fig. 5.1.
	name
	function
	[2
(b)	State the two pieces of information needed to calculate the actual length of cell structure A in Fig. 5.1.
	1
	2
	[1

(c)	The actual length of cell structure A is 0.00075 mm.
	Convert this value to micrometres (μm).
	μm [1]
	[Total: 4]

- **6** (a) A student investigated plant growth responses in roots and shoots. They used this method:
 - Damp cotton wool was placed in two Petri dishes.
 - Three bean seedlings were attached to the cotton wool in each Petri dish.
 - Each seedling was orientated so that the roots pointed in a different direction in each Petri dish.
 - Petri dish 1 was kept on its side in a fixed position.
 - Petri dish 2 was kept on its side and rotated constantly.
 - Both Petri dishes were kept in the dark.
 - Both Petri dishes were kept in these conditions for two days.
 - After two days the seedlings were observed.

Fig. 6.1 is a diagram of the apparatus.





Fig. 6.1

Fig. 6.2 shows the seedlings after two days.



	(1)	Fig. 6.2.
		[1]
	(ii)	State the name of the growth responses observed in the bean roots and shoots.
		[1]
	(iii)	Explain how auxin causes the difference in the pattern of growth shown by the shoots of seedlings B and E shown in Fig. 6.2.
		[5]
(b)	See	eds require oxygen and water to germinate.
	(i)	State one other environmental condition that affects germination.
		[1]
	(ii)	Suggest why oxygen and water are required for germination.
		[2]

Complete the sentences about enzymes by writing a suitable word or phrase in each of the spaces

7

provided.
Enzymes are involved in chemical digestion which produces small
molecules that can be absorbed into the blood.
Two examples of protease enzymes are pepsin and trypsin. Pepsin is produced by the
and requires acidic conditions. These conditions are created by
the release of, which provides the optimum pH for pepsin activity
and also kills harmful
The produces trypsin which breaks down protein in
pH conditions. These conditions are created by a substance called
, which neutralises the gastric juices and also has an important role
in the of fats and oils.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.