

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
BIOLOGY			0610/52
Paper 5 Praction	cal Test	Oct	ober/November 2018
			1 hour 15 minutes

**READ THESE INSTRUCTIONS FIRST** 

Candidates answer on the Question Paper.

Write your Centre number, candidate number and name on all the work you hand in.

As listed in the Confidential Instructions.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Additional Materials:

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 10 printed pages and 2 blank pages.



1 Fruit juice can be produced by crushing and squeezing fresh fruit. The juice produced in this way is often cloudy.

The enzyme pectinase is used to produce clear fruit juice. This process is called clarification.

Fig. 1.1 shows fruit juice before and after clarification.




Fig. 1.1

You are going to investigate the effect of pectinase concentration on the clarification of apple juice.

You are provided with freshly prepared apple juice in a beaker labelled **A**, water in a beaker labelled **W**, and a 5% pectinase solution in a beaker labelled **E**.

Read all the instructions but DO NOT CARRY THEM OUT until you have drawn a table for your results in the space provided in 1(b).

You should use the gloves and eye protection provided while you are carrying out the practical work.

- Step 1 Label four test-tubes P1, P2, P3 and P4.
- Step 2 Make up the different concentrations of pectinase by using the syringes provided to add water and pectinase solution to the test-tubes as shown in Table 1.1.

Table 1.1

test-tube	volume of water <b>W</b> /cm <sup>3</sup>	volume of 5% pectinase solution <b>E</b> /cm <sup>3</sup>	final percentage concentration of pectinase solution
P1	0.00	1.00	5.0
P2	0.50	0.50	2.5
Р3	0.75	0.25	
P4	1.00	0.00	0.0

(a) Calculate the final concentration of the pectinase solution in test-tube P3.

Show your working and write your answer, to one decimal place, in Table 1.1.


[2]

- Step 3 Raise your hand when you are ready for hot water to be added to the **water-bath**.
- Step 4 Add 5 cm<sup>3</sup> of apple juice **A** to each of test-tubes **P1**, **P2**, **P3** and **P4**.

Carefully mix the contents of each test-tube by shaking them gently and place all four test-tubes into the **water-bath**.

- Step 5 Immediately start the timer and leave for five minutes. Do **not** shake the test-tubes again.
- Step 6 After five minutes, use a ruler to measure the height of the precipitate formed in each of the four test-tubes, as shown in Fig. 1.2. If no precipitate has formed record this as '0' in your table. Return the test-tubes to the water-bath.

Record the measurements in your table in 1(b).



not to scale

Fig. 1.2

- Step 7 Leave the four test-tubes in the water-bath for a further five minutes.
- Step 8 After five minutes repeat the measurement of the height of any precipitate in each of test-tubes **P1**, **P2**, **P3** and **P4**. Record the measurements in your table in **1(b)**.
- Step 9 Return the test-tubes to the water-bath and repeat step 7 and step 8 to take a final set of measurements.

(b)	Prepare a	a table	to r	ecord	your	results
-----	-----------	---------	------	-------	------	---------

			[4]
(c)	Stat	te a conclusion for your results.	
(d)	(i)	State the variable that was changed (independent variable) in this investigation.	[-]
			[1]
	(ii)	State <b>two</b> variables that were kept constant in this investigation.	
		1	
		2	[2]
	(iii)	Identify <b>one</b> possible error in step 6 and suggest an improvement.	[4]
	(,	error	
		Improvement	

(e)	Explain the purpose of test-tube <b>P4</b> .
	[2]
(f)	A student stated the hypothesis:
	"Treating fruit juice with pectinase reduces the vitamin C content of the fruit juice".
	Plan an investigation to test this hypothesis.
	[6]
(g)	A student wanted to find out if fruit juice contained starch.
	State the result you would expect for a positive test for starch.
	[1]

(h) Fig. 1.3 shows a cross-section of a tomato fruit.



Fig. 1.3

Make a large drawing of the cross-section of tomato fruit.

- 2 A student investigated the number of petals on the flowers of two species of daisy, species A and species B.
  - (a) Fig. 2.1 shows one daisy flower of species A.



Fig. 2.1

The actual length of petal **XY** of the daisy in Fig. 2.1 was measured by the student as 5 mm.

Measure the length of petal **XY** on Fig. 2.1. Include the units.

length of XY on Fig. 2.1 .....

Use the formula to calculate the magnification of the photograph.

magnification =  $\frac{\text{length of XY on Fig. 2.1}}{\text{actual length of petal XY}}$ 

Show your working.

	[2]

The student collected 10 flowers from species **A** and 10 flowers from species **B**. They counted the number of petals on each flower.

Fig. 2.2 shows some of the daisy flowers of species A.




Fig. 2.2

(b) (i) Count the number of petals on flowers 9 and 10 in Fig. 2.2 and record the number of petals in Table 2.1.

Table 2.1

	number	of petals
flower number	species A	species <b>B</b>
1	16	7
2	15	5
3	13	5
4	20	6
5	20	6
6	15	7
7	17	5
8	15	6
9		6
10		5
average number of petals	17	


(	ii)	Calculate the a	average number	of petals	for species B.

Write your answer in Table 2.1. Give your answer to the nearest whole number. Space for working.

[1]

(iii)	Suggest one method that copetals is accurate.	uld be used to	ensure that the	counting of the	number of
					[41]

(c) Plot a bar chart on the grid of the average number of petals for species **A** and species **B** from Table 2.1.



[3]

(d)	Stat	re <b>two</b> reasons why the student should have repeated the investigation.
	1	
	2	
		[2]
(e)	The	student noticed that insects fed on the nectar produced by the flowers.
	(i)	Describe the test that the student would use to find out if the nectar contains reducing sugars.
		[3]
	(ii)	State <b>one</b> safety precaution that should be taken when carrying out the test for reducing sugars.
		[1]
		[Total: 14]

## **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.