

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

0620/21 **CHEMISTRY** 

May/June 2018 Paper 2 Multiple Choice (Extended)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 13 printed pages and 3 blank pages.




© UCLES 2018





**1** A student investigated the diffusion of ammonia gas, NH<sub>3</sub>, and hydrogen chloride gas, HC*l*.

Two sets of apparatus were set up as shown at room temperature and pressure.




The damp red litmus paper in apparatus 1 changed colour after 30 seconds.


How long does it take for the damp blue litmus paper to change colour in apparatus 2?

- A 64 seconds
- B 30 seconds
- C 21 seconds
- **D** The blue litmus paper would not change colour.
- 2 Chromatography is a technique used to separate coloured dyes.


Which dye has an  $R_f$  value of 0.7?



3 Which piece of apparatus is used to measure exactly 26.3 cm<sup>3</sup> of a liquid?



4 The 'lead' in a pencil is made of a mixture of graphite and clay.



When the percentage of graphite is increased, the pencil slides across the paper more easily.

Which statement explains this observation?

- **A** Graphite has a high melting point.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a non-metal.

Chlorine exists as two common isotopes, <sup>35</sup>C*l* and <sup>37</sup>C*l*. 5

Information about these two isotopes is shown.

	number of protons	number of neutrons	number of electron shells
<sup>35</sup> C <i>l</i>	17	18	3
<sup>37</sup> C <i>l</i>	17	20	3

Which statement explains why the two isotopes are of the same element?

- Both have the same number of electron shells. Α
- В Both have the same number of protons.
- C Both have 7 outer shell electrons.
- <sup>37</sup>C*l* has 2 more neutrons than <sup>35</sup>C*l*.
- Which substance is **not** a macromolecule?
  - A diamond
  - **B** graphite
  - silicon(IV) oxide
  - **D** sulfur
- 7 Copper is a metallic element.

Which statements about copper are correct?

- Copper is malleable because layers of ions are in fixed positions and cannot move. 1
- 2 The structure of copper consists of negative ions in a lattice.
- 3 Copper conducts electricity because electrons can move through the metal.
- Electrons hold copper ions together in a lattice by electrostatic attraction.
- **A** 1 and 2
- **B** 2, 3 and 4
- С
- 2 and 3 only **D** 3 and 4 only
- The equation for the combustion of ethane is shown. 8

$$2C_2H_6 \ + \ 7O_2 \ \rightarrow \ 4CO_2 \ + \ 6H_2O$$

Which volume of carbon dioxide, at room temperature and pressure, is formed when 0.5 moles of ethane burn?

- **A** 48 dm<sup>3</sup>
- **B** 24 dm<sup>3</sup>
- **C** 12 dm<sup>3</sup>
- $\mathbf{D}$  6 dm<sup>3</sup>

© UCLES 2018

**9** A solution of ethanoic acid, CH<sub>3</sub>COOH, has a concentration of 2 mol/dm<sup>3</sup>.

Which statement about this solution is correct?

- A 20 g of ethanoic acid is dissolved in 10 cm<sup>3</sup> of water.
- **B** 30 g of ethanoic acid is dissolved in 250 cm<sup>3</sup> of water.
- **C** 60 g of ethanoic acid is dissolved in 1 dm<sup>3</sup> of water.
- **D** 120 g of ethanoic acid is dissolved in 2 dm<sup>3</sup> of water.
- **10** Aqueous copper(II) sulfate is electrolysed using copper electrodes.

Which statement is correct?

- **A** A reduction reaction occurs at the positive electrode.
- **B** The blue colour of the solution becomes darker.
- **C** The concentration of copper ions in the solution decreases.
- **D** The mass of the negative electrode increases.
- **11** Dilute sulfuric acid is electrolysed using inert electrodes.

What are the ionic half-equations for the reactions that take place at each electrode?

	positive electrode	negative electrode
Α	$2H^{+} + 2e^{-} \rightarrow H_{2}$	$4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$
В	$2H^{+} + 2e^{-} \rightarrow H_{2}$	$4\text{OH}^- + 4\text{H}^+ \rightarrow 4\text{H}_2\text{O}$
С	$4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$	$2H^+ + 2e^- \rightarrow H_2$
D	$4OH^- + 4H^+ \rightarrow 4H_2O$	$2H^+ + 2e^- \rightarrow H_2$

12 Plant cells use energy from sunlight for photosynthesis.

Which row describes and explains the energy change that occurs?

	type of energy change	explanation
Α	endothermic	less energy is released making bonds than is absorbed to break bonds
В	endothermic	more energy is released making bonds than is absorbed to break bonds
С	exothermic	less energy is released making bonds than is absorbed to break bonds
D	exothermic	more energy is released making bonds than is absorbed to break bonds

**13** Hydrogen bromide decomposes to form hydrogen and bromine. The equation is shown.

$$2HBr(g) \rightarrow H_2(g) + Br_2(g)$$

The bond energies are shown in the table. The reaction is endothermic.

bond	bond energy in kJ/mol
Br–Br	+193
H–Br	+366
H–H	+436

What is the energy change for the reaction?

**A** +263 kJ/mol **B** +103 kJ/mol **C** -103 kJ/mol **D** -263 kJ/mol

14 Which row describes the effects of increasing both concentration and temperature on the collisions between reacting particles?

	increasing concentration	increasing temperature
Α	more collisions per second only	more collisions per second only
В	more collisions per second and more collisions with sufficient energy to react	more collisions per second only
С	more collisions per second only	more collisions per second and more collisions with sufficient energy to react
D	more collisions per second and more collisions with sufficient energy to react	more collisions per second and more collisions with sufficient energy to react

**15** The formation of sulfur trioxide is a reversible reaction.

The equation is shown.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

The forward reaction is exothermic.

Which conditions produce the highest equilibrium yield of sulfur trioxide?

	pressure	temperature
Α	high	high
В	high	low
С	low	high
D	low	low

16 Chlorine displaces iodide ions from potassium iodide.

$$Cl_2 + 2I^- \rightarrow I_2 + 2Cl^-$$

What is the oxidising agent?

- A chloride ions
- **B** chlorine
- C iodide ions
- **D** iodine
- 17 Which statement about oxides is correct?
  - A A solution of magnesium oxide has a pH less than pH 7.
  - **B** A solution of sulfur dioxide has a pH greater than pH 7.
  - C Magnesium oxide reacts with nitric acid to make a salt.
  - **D** Sulfur dioxide reacts with hydrochloric acid to make a salt.
- 18 Which solution has the lowest pH?
  - A 0.1 mol/dm<sup>3</sup> ammonia solution
  - **B** 0.1 mol/dm<sup>3</sup> ethanoic acid
  - C 0.1 mol/dm<sup>3</sup> lithium hydroxide
  - **D** 0.1 mol/dm<sup>3</sup> nitric acid
- **19** A student mixes silver nitrate and barium chloride to form a white precipitate of silver chloride.

The equation is shown.

$$2AgNO_3 + BaCl_2 \rightarrow 2AgCl + Ba(NO_3)_2$$

Which row describes the solubility of the salts?

	soluble	insoluble
Α	silver nitrate	barium chloride, barium nitrate and silver chloride
В	silver nitrate and barium chloride	barium nitrate and silver chloride
С	silver nitrate, barium chloride and barium nitrate	silver chloride
D	silver nitrate, barium chloride and silver chloride	barium nitrate

<b>20</b> Which methods are suitable for preparing <b>both</b> zinc sulfate and copper(II) sul
--

- 1 reacting the metal oxide with warm dilute aqueous sulfuric acid
- 2 reacting the metal with dilute aqueous sulfuric acid
- 3 reacting the metal carbonate with dilute aqueous sulfuric acid
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 21 Which element is in the same period of the Periodic Table as silicon?
  - **A** germanium
  - **B** scandium
  - C sodium
  - **D** strontium
- **22** Which statement about the halogens is correct?
  - **A** A sample of bromine reacts with potassium chloride solution.
  - **B** A sample of bromine reacts with potassium iodide solution.
  - **C** A sample of chlorine has a higher density than a sample of bromine.
  - **D** A sample of chlorine is a darker colour than a sample of bromine.
- 23 Which row shows the catalytic activity of transition elements and their compounds?

	catalytic activity of transition elements	catalytic activity of compounds of transition elements
Α	good	good
В	good	poor
С	poor	good
D	poor	poor

- 24 The following statements are made about the metals copper, iron, magnesium and zinc.
  - 1 Their oxides are acidic.
  - 2 They all conduct electricity in the solid state.
  - 3 They all have high melting points.
  - 4 They all react with dilute acids to form hydrogen.

Which statements are correct?

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

25 Silver is a less reactive metal than cadmium.


Cadmium is a less reactive metal than barium.

Which statement is correct?

- A Barium does not react when heated with silver oxide.
- **B** Cadmium displaces barium from a solution of barium chloride.
- **C** Cadmium displaces silver from a solution of silver nitrate.
- **D** Cadmium reacts when heated with barium oxide.
- **26** Aluminium metal is extracted from aluminium oxide using electrolysis.

Which statement about the extraction process is **not** correct?

- A A large amount of electricity is required.
- **B** Molten cryolite is used to dissolve the aluminium oxide.
- **C** Oxygen gas is released which reacts to form carbon dioxide.
- **D** The negative electrodes burn away and have to be replaced.
- 27 Which statement explains why aluminium is used in the manufacture of aircraft?
  - A It conducts heat well.
  - **B** It has a low density.
  - **C** It is a good conductor of electricity.
  - **D** It is easy to recycle.
- **28** Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm<sup>3</sup>.

What is the starting volume of dry air?

- **A** 132 cm<sup>3</sup>
- **B** 152 cm<sup>3</sup>
- **C** 180 cm<sup>3</sup>
- **D** 570 cm<sup>3</sup>

29 A steel bicycle which had been left outdoors for several months was starting to rust.

What would **not** reduce the rate of corrosion?

- A Remove the rust and paint the bicycle.
- **B** Remove the rust and store the bicycle in a dry shed.
- **C** Remove the rust and wipe the bicycle with a clean, damp cloth.
- **D** Remove the rust and wipe the bicycle with an oily cloth.
- **30** Which statements about water are correct?
  - 1 Household water contains dissolved salts.
  - 2 Water for household use is filtered to remove soluble impurities.
  - 3 Water is treated with chlorine to kill bacteria.
  - 4 Water is used in industry for cooling.
  - **A** 1, 2, 3 and 4
  - **B** 1, 2 and 3 only
  - C 1, 3 and 4 only
  - **D** 2, 3 and 4 only
- 31 Ammonia is manufactured by reacting hydrogen with nitrogen in the Haber process.

Which row describes the sources of hydrogen and nitrogen and the conditions used in the manufacture of ammonia in the Haber process?

	source of hydrogen	source of nitrogen	temperature of reaction/°C	pressure of reaction / atm
Α	air	natural gas	250	2
В	air	natural gas	250	200
С	natural gas	air	450	2
D	natural gas	air	450	200

- **32** Which statements about the carbon cycle are correct?
  - 1 Carbon dioxide is added to the atmosphere by respiration.
  - 2 Carbon dioxide is added to the atmosphere by combustion of coal.
  - 3 Carbon dioxide is removed from the atmosphere by photosynthesis.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 33 Which statement about sulfur and its compounds is not correct?
  - A Sulfur dioxide is used as a food preservative.
  - **B** Sulfur dioxide turns acidified aqueous potassium manganate(VII) from purple to colourless.
  - C Sulfur forms a basic oxide.
  - **D** Sulfur is used in the manufacture of sulfuric acid.
- 34 Which process is used to convert limestone (calcium carbonate) into lime?
  - A electrolysis
  - **B** fractional distillation
  - **C** incomplete combustion
  - **D** thermal decomposition
- **35** What is **not** the correct use of the fraction named?

	name of fraction	use
Α	fuel oil	making waxes
В	gas oil	fuel in diesel engines
С	kerosene	jet fuel
D	naphtha	making chemicals

- 36 Which reaction is **not** a reaction which alkenes undergo?
  - **A** bromination
  - **B** hydration
  - **C** hydrogenation
  - **D** hydrolysis
- **37** Which substances can be obtained by cracking hydrocarbons?
  - A ethanol and ethene
  - B ethanol and hydrogen
  - C ethene and hydrogen
  - **D** ethene and poly(ethene)

**38** Ethanol is produced by fermentation or from ethene.

What is a disadvantage of producing ethanol by fermentation?

- A Distillation is needed to purify the ethanol produced.
- **B** Fermentation uses glucose from plants.
- **C** Fermentation is catalysed by enzymes in yeast.
- **D** Fermentation occurs at a low temperature and pressure.
- **39** Which structural formula represents methyl propanoate?
  - A CH<sub>3</sub>CH<sub>2</sub>COOCH<sub>3</sub>
  - B CH<sub>3</sub>COOCH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
  - C CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>COOCH<sub>3</sub>
  - **D** HCOOCH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- **40** Which row describes addition polymerisation and condensation polymerisation?

	addition polymerisation	condensation polymerisation
A	monomers have a C=C double bond and the polymer is the only product	monomers have a C=C double bond and the polymer is the only product
В	monomers have a C=C double bond and the polymer is the only product	the monomers react to form the polymer and a small molecule
С	the monomers react to form the polymer and a small molecule	monomers have a C=C double bond and the polymer is the only product
D	the monomers react to form the polymer and a small molecule	the monomers react to form the polymer and a small molecule

# **BLANK PAGE**

# **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	<b>■</b>	<sup>2</sup> He	helium 4	10	Ne	neon 20	18	Αľ	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	<b>=</b>			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Ą	astatine _			
	>			∞ (	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъо	molod –	116	^	livermorium -
	>			7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥			9 (	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Ρl	flerovium
	≡			5	മ	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204			
										30	Zu	zinc 65	48	B	cadmium 112	80	Ŗ	mercury 201	112	ű	copernicium -
Group										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium
	-									28	z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
			hydrogen 1							27	ပိ	cobalt 59	45	R	rhodium 103	22	Ir	iridium 192	109	Mt	meitnerium -
		- I												Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium –
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					lod	ass						chromium 52		Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	gN	niobium 93	73	<u>a</u>	tantalum 181	105	Ор	dubnium —
				,		rela				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium -
										21	သွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_			ε :	<u></u>	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	Cs	caesium 133	87	Ā	francium -

71	LU	175	103	۲	lawrencium	I
	YD					
69 <b>F</b>	thulium	169	101	Md	mendelevium	1
89 L	erbium	167	100	Fm	fermium	I
29	OL Holminm	165	66	Es	einsteinium	I
99	dysprosium	163	86	ర్	califomium	I
65 <b>F</b>	terbium	159	67	番	berkelium	I
64	gadolinium	157	96	Cm	curium	I
63	europium	152	92	Am	americium	I
62	Samarium	150	94	Pn	plutonium	I
19	Promethium	1	93	N	neptunium	1
09	NG	144	92	$\supset$	uranium	238
59	praseodymium	141	91	Ра	protactinium	231
288	Serium Ce	140	06	모	thorium	232
57	lanthanum	139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).