



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

May/June 2018

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

© UCLES 2018

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1

Giv	e the name of the process that is used:	
(a)	to obtain water from aqueous sodium chloride	
		[1]
(b)	to produce lead from molten lead(II) bromide	
		[1]
(c)	to separate an insoluble solid from a liquid	
		[1]
(d)	to separate the components of petroleum	
		[1]
(e)	to separate a mixture of coloured dyes.	
		[1]
	[Total	l: 5]

2 This question is about the elements in Period 3 of the Periodic Table.

Na Mg Al Si P S Cl A

For each of the following, identify a Period 3 element which matches the description. Each element may be used once, more than once or not at all.

State which Period 3 element:

(a)	forms an oxide with a macromolecular structure	
		[1]
(b)	is extracted from the ore bauxite	
(5)	is soft motallic and stored in all	[1]
(6)	is soft, metallic and stored in oil	[1]
(d)	is a green gas at room temperature and pressure	
		[1]
(e)	provides an inert atmosphere in lamps	
(6)		[1]
(т)	forms two different oxides during the Contact process	[1 ⁻
(g)	is non-metallic and an important component of fertilisers.	
		[1]

3 Complete the following table.

particle	number of protons	number of electrons	number of neutrons	number of nucleons
²³ Na	11	11		23
³⁷ C <i>l</i> ⁻			20	
56 26	26	24	30	56

[6]

[Total: 6]

[Total: 7]

Pot	assı	um reacts with bromine at room temperature to form potassium bromide.	
(a)	Wri	te a chemical equation for this reaction. Include state symbols.	
			[3]
(b)	Pot	assium bromide exists as an ionic lattice. assium bromide does not conduct electricity when solid but does conduct electricity wl Iten.	nen
	(i)	What is meant by the term ionic lattice?	
	(ii)	Explain why potassium bromide does not conduct electricity when solid but does conduct electricity when molten.	
(c)	Coi	ncentrated aqueous potassium bromide is an electrolyte.	
	(i)	What is meant by the term <i>electrolyte</i> ?	
	(ii)	Describe the electrolysis of concentrated aqueous potassium bromide.	[2
		Include: an ionic half-equation for the reaction at the cathode the name of the product at the anode the name of the potassium compound formed.	
			[4]
	(iii)	When molten potassium bromide is electrolysed, the product at the cathode is different	ıt.
		Name the product at the cathode when molten potassium bromide is electrolysed.	
			[1]


(d)	lodi	lodine reacts with chlorine to form iodine monochloride, ICl, as the only product.					
	(i)	Write a chemical equation for this reaction.					
		[2]					
	(ii)	Draw a dot-and-cross diagram to show the electron arrangement in a molecule of iodine monochloride. Show outer shell electrons only.					
		[2]					
(e)		assium bromide has a melting point of 734 °C. ine monochloride has a melting point of 27 °C.					
	In t poir	erms of attractive forces, explain why there is a large difference between these melting nts.					
		[3]					
(f)		en chlorine gas is passed through aqueous potassium bromide, a redox reaction occurs. e ionic equation is shown.					
		Cl_2 + $2Br^- \rightarrow 2Cl^-$ + Br_2					
	(i)	Write an ionic half-equation showing what happens to the chlorine molecules, $\mathrm{C}l_2$, in this reaction.					
		[1]					
	(ii)	Explain why the bromide ions, Br ⁻ , act as reducing agents in this reaction.					
		[1]					
		[Total: 23]					

5 Hydrogen and iodine react together in a reversible reaction. Hydrogen iodide is formed.

$$H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$$
 colourless purple colourless gas gas

The forward reaction is exothermic.

A gas syringe containing an equilibrium mixture of hydrogen, iodine and hydrogen iodide gases was sealed and heated to 250 °C. The equilibrium mixture was a pale purple colour.



(a)	Wha	at is meant by the term <i>equilibrium</i> ?
		[2]
(b)	The This	plunger of the gas syringe was pressed in while the end of the gas syringe was blocked. s increased the pressure. The position of the equilibrium did not change. The colour of the eous mixture turned darker purple.
		Give a reason why the position of the equilibrium did not change.
		[1]
	(ii)	Suggest why the gaseous mixture turned darker purple, even though the position of the equilibrium did not change.
		[1]
(c)	The	temperature of the gas syringe was increased to 300 °C.
	(i)	What happened to the position of the equilibrium when the temperature of the gas syringe was increased from 250 $^{\circ}$ C to 300 $^{\circ}$ C?
		[1]
	(ii)	What happened to the rate of the forward reaction and the rate of the backward reaction when the temperature of the gas syringe was increased from 250 °C to 300 °C?
		rate of the forward reaction
		rate of the backward reaction
		[2]

[Total: 7]

(a)	All sodium salts are soluble in water. All nitrates are soluble in water. Barium carbonate is insoluble in water.
	Describe how you would make a pure, dry sample of barium carbonate by precipitation. Include: the names of the starting materials full practical details a chemical equation.
	[5]
(b)	Nitrates decompose when heated.
	(i) Write a chemical equation for the decomposition of sodium nitrate when it is heated. [2]
	(ii) The unbalanced chemical equation for the decomposition of hydrated copper(II) nitrate crystals is shown.
	Balance the chemical equation for this reaction.
	$2Cu(NO_3)_2.3H_2O(s) \rightarrowCuO(s) +NO_2(g) + O_2(g) +H_2O(g)$ [2]
((iii) When the hydrated copper(II) nitrate crystals are heated, steam is produced. When the steam condenses on a cool surface, it turns into a colourless liquid.
	Anhydrous $cobalt(II)$ chloride is used to show that the colourless liquid contains water.
	How does the colour of the anhydrous $cobalt(II)$ chloride change?
	from to
	[2]
((iv) How would the student test to determine if the water produced in (b)(iii) is pure?
	[1]
	[Total: 12]

7		ny organic compounds, such as alcohols, carboxylic acids and esters, contain the elements bon, hydrogen and oxygen only.
	(a)	Compound R has the following composition by mass: C, 60.00%; H, 13.33%; O, 26.67%.
		Calculate the empirical formula of compound R .
		empirical formula = [2]
	(b)	Compound S has the empirical formula C_2H_4O and a relative molecular mass of 88.
		Calculate the molecular formula of compound S .
		molecular formula = [2]

(c)	Cor	mpounds T and V both have the molecular formula $C_3H_6O_2$.
	•	Compound ${\bf T}$ produces bubbles of carbon dioxide gas when it is added to aqueous sodium carbonate. Compound ${\bf V}$ is an ester.
	(i)	What is the name given to compounds with the same molecular formula but different structures?
		[1]
	(ii)	Draw the structures of compounds ${\bf T}$ and ${\bf V}$. Show all of the atoms and all of the bonds.
		compound T
		compound V
		[2]
((iii)	All compounds with the molecular formula ${\rm C_3H_6O_2}$ can undergo complete combustion in an excess of oxygen.
		Complete the chemical equation for this reaction.
		$C_3H_6O_2 + \dots + \dots$ [2]
(d)		mpound ${\bf W}$ has the molecular formula ${\rm C_2H_6O}$. Compound ${\bf W}$ reacts when heated with anoic acid and a catalyst to produce a sweet-smelling liquid.
	(i)	Give the name of the homologous series to which compound ${\bf W}$ belongs.
		[1]
	(ii)	Draw the structure of compound W . Show all of the atoms and all of the bonds.

(e)	Alka	Alkanes and alkenes are hydrocarbons.				
	(i)	What is meant by the term <i>hydrocarbon</i> ?				
			[2]			
	(ii)	State the general formula of:				
		alkanes				
		alkenes				
			[2]			
(f)	Eth	anol can be produced from long-chain alkanes as shown.				
		long-chain alkane step 1 ethene step 2 ethanol				
		scribe the two-stage manufacture of ethanol from the long-chain alkane octane, C_8H_{18} . ude: the names of the types of chemical reactions that occur reaction equations reaction conditions.				
	ste	p 1				
	ste	p 2				
			[5]			
		[Total: 2	20]			

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	\parallel	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ъ	promine 80	53	н	iodine 127	85	At	astatine -			
	 >								sulfur c										116		morium -
																				_	liver
	>			7	Z	nitroge 14	15	<u>С</u>	phosphorus 31	33	As	arseni 75	51	Sb	antimo 122	83	Ξ	bismut 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group	,									28	ï	nickel 59	46	Pq	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Ö										27	ပိ	cobalt 59	45	格	rhodium 103	77	占	iridium 192	109	₹	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
		Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>⊾</u>	tantalum 181	105	В	dubnium —	
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Έ	hafnium 178	104	꿉	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	<u>г</u>	francium —

7.1	Γn	lutetium 175	103	۲	lawrencium	Ι
70	Υp	ytterbium 173	102	%	nobelium	_
69	Tm	thulium 169	101	Md	mendelevium	1
89	Ē	erbium 167	100	Fm	ferminm	I
29	웃	holmium 165	66	Es	einsteinium	-
99	Dy	dysprosium 163	86	ŭ	californium	1
99	Д	terbium 159	26	Ř	berkelium	I
64	Gd	gadolinium 157	96	Cm	curium	_
63	Еn	europium 152	92	Am	americium	_
62	Sm	samarium 150	94	Pn	plutonium	1
61	Pm	promethium -	93	ď	neptunium	1
09	PN	neodymium 144	92	\supset	uranium	238
59	Ā	praseodymium 141	91	Ра	protactinium	231
28	Se	cerium 140	06	드	thorium	232
22	Га	lanthanum 139	68	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).