



Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			NDIDATE JMBER		

CHEMISTRY 0620/31

Paper 3 Theory (Core)

May/June 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The diagrams show part of the structures of five substances, A, B, C, D and E.




(a) Answer the following questions about these structures. Each structure may be used once, more than once or not at all.



(b)	Substance B is an element.
	What is meant by the term <i>element</i> ?
	[1]
	[Total: 8]

ınıs	s question is about iron and iron compounds.
(a)	Name the main ore of iron.
	[1]
(b)	In a blast furnace used for the extraction of iron, carbon reacts with oxygen from the air to form carbon monoxide.
	Complete the chemical equation for this reaction.
	C + \rightarrow 2CO [2]
(c)	In the hotter parts of the furnace, carbon reacts with the iron(III) oxide present in the iron ore.
	$3C + Fe_2O_3 \rightarrow 3CO + 2Fe$
	How does this equation show that carbon is oxidised?
	[1]
(d)	Limestone is added to the blast furnace. The limestone is converted into calcium oxide and carbon dioxide. The reaction is endothermic.
	$CaCO_3 \xrightarrow{heat} CaO + CO_2$
	(i) What type of chemical reaction is this?
	[1]
	(ii) What type of oxide is calcium oxide? Give a reason for your answer.
	[2]
(a)	Iron is a metal.
(6)	
	Give three physical properties that are characteristic of metals.
	1
	2
	3

(f) The structure of a compound of iron is shown.



Deduce the molecular formula of this compound to show the number of iron, carbon and oxygen atoms.

.....[1]

[Total: 11]


3 (a) The table shows the percentage by mass of the elements on Earth and in the Universe.

element	percentage by mass on Earth	percentage by mass in the Universe
helium	0.0	21.0
hydrogen	0.1	76.0
iron	35.0	1.0
magnesium	14.0	0.1
oxygen	29.0	0.8
silicon	14.0	0.1
sulfur	2.9	0.1
other elements		0.9
total	100.0	100.0

Answer these questions using only the information in the table.

(i)	Deduce the percentage by mass of other elements present on Earth.
	% [1]
(ii)	Which non-metallic element is present on Earth in the greatest percentage by mass?
	[1]
iii)	Give two major differences in the percentage by mass of the elements on Earth and in the Universe.
	1
	2
	[2]

(b) Complete the diagram to show the electron arrangement in an oxygen atom.



[1]

(c)	Hel	Helium, neon and argon are noble gases.					
	(i)	Explain, in terms of the electronic structure, why neon is unreactive.					
		[1]					
	(ii)	State one use of argon.					
		[1]					
		[Total: 7					

4	This qu	uestion	is abou	t iodine	and	comp	pounds	of iodine.
---	---------	---------	---------	----------	-----	------	--------	------------


(a)	Use the kinetic particle model to describe the separation between the molecules and the type
	of motion of the molecules in:

Solid louine

iodine gas.


[4]

(b) The graph shows how the volume of iodine gas changes with pressure. The temperature is kept constant.



Describe how the volume of iodine gas changes with pressure.

(c) (i) Complete the word equation to show the halogen and halide compound which react to form the products iodine and potassium bromide.



[2]


(ii) Explain, in terms of the reactivity of the halogens, why aqueous iodine does **not** react with aqueous potassium chloride.

_______[1]

- (d) Iodine reacts with aqueous sodium thiosulfate, $\mathrm{Na_2S_2O_3}$.
 - (i) Balance the chemical equation for this reaction.

.....
$$Na_2S_2O_3 + I_2 \rightarrow Na_2S_4O_6 +NaI$$
 [2]

(ii) The energy level diagram for this reaction is shown.



	Explain how this diagram shows that the reaction is exothermic.	
(e)	Describe a test for iodide ions.	
	test	
	observations	 [2]
		[4]
(f)	Molten sodium iodide is electrolysed.	
	Predict the product at the positive electrode.	

[Total: 14]

5 Coal gas is made by heating coal in the absence of air. The list shows the main gases present in coal gas.

carbon dioxide
carbon monoxide
ethene
hydrogen
methane
nitrogen

	introgen
(a) (i)	Which one of these gases is an alkane?
	[1]
(ii)	Draw the structure of a molecule of ethene. Show all of the atoms and all of the bonds.
	[1]
	•
(iii)	Describe how aqueous bromine can be used to tell the difference between methane and ethene.
	[2]

(b)	Eth	ene molecules react with each other to form poly(ethene).	
	(i)	What is the name given to this type of chemical reaction?	
			. [1]
	(ii)	Which one of the following words describes the ethene molecules in this reaction? Draw a circle around the correct answer.	
		elements mixtures monomers polymers	[1]
	(iii)	Poly(ethene) is a non-biodegradable plastic.	[.]
		What is meant by the term <i>non-biodegradable</i> ?	
			[1]
	(iv)	Describe one pollution problem caused by non-biodegradable plastics.	
			. [1]
(c)	Eth	anol can be made from ethene and one other reactant.	
	•	Name the other reactant.	
	•	State the conditions needed to make ethanol from ethene.	
			[3]
		lTotal	· 111

	•			compounds.		
(a)		e sulfuric acid ar	nd an excess of c	copper(II) oxide.	stals of hydrated copper(II	
						[3]
(b)	Anhy	drous copper(II) sulfate is used	to test for water.		
			CuSO ₄ + 5 anhydrous per(II) sulfate	-	drated	
	(i) \	What is meant b	y the symbol ←	?		
						[1]
	(ii) l					
((How can hydrate	ed copper(II) sulf	fate be changed	into anhydrous copper(II)	sulfate?
		How can hydrate		_	into anhydrous copper(II)	
	Com	plete the table	to calculate the			[1]
	Com	plete the table O_4 .	to calculate the			[1]
	Com	plete the table O₄. your Periodic Ta	to calculate the ble to help you.	relative formula		[1]

relative formula mass =	
	[2

© UCLES 2019 0620/31/M/J/19

oxygen

(d) Complete the table to show the number of electrons, protons and neutrons in the sulfur atom and copper ion shown.

	number of electrons	number of neutrons	number of protons
³⁴ S			
⁶³ Cu ²⁺			29

[4

(e)	Allo	bys of copper are used to make coins.	
	(i)	What is meant by the term alloy?	
			[1]
	(ii)	Suggest why an alloy of copper is used to make coins instead of using pure copper.	
			[1]
		[Total:	: 13]


7	A student investigates the rate of reaction of small pieces of calcium carbonate with an excess of
	hydrochloric acid of concentration 1 mol/dm ³ .

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + CO_2(g) + H_2O(I)$$

(a) Name the salt formed when calcium carbonate reacts with hydrochloric acid.

.....[1]

(b) The graph shows how the mass of the reaction mixture changes with time.



(i) State why the reaction mixture decreases in mass.

.....[1]

(ii) Calculate the loss in mass during the first 40 seconds of the experiment.

..... g [1]

(iii) The experiment is repeated using hydrochloric acid of concentration 2 mol/dm³. All other conditions are kept the same.

Draw a line **on the grid** for the experiment using hydrochloric acid of concentration 2 mol/dm³. [2]

(iv) In the experiment, when 2.00 g of calcium carbonate is used, the loss in mass of the reaction mixture is 0.88 g.

All other conditions are kept the same.

Calculate the loss in mass when 0.50 g of calcium carbonate is used.

loss in mass = g [1]

(v) The experiment is repeated using the same mass of different sized pieces of calcium carbonate.

All other conditions are kept the same.

The sizes of the pieces of calcium carbonate are:

- powder
- small pieces
- large pieces.

Complete the table by writing the sizes of the pieces of calcium carbonate in the first column.

size of pieces of calcium carbonate	initial rate of loss in mass in g/s
	0.005
	0.030
	0.100

[1]

[Total: 7]

(a) Sul	fur dioxide is a pollutant in the air.	
(i)	State one source of sulfur dioxide in the air.	
/!!\	Cultur diavide is evidiced to cultur trievide in the cir	[1]
(ii)	Sulfur dioxide is oxidised to sulfur trioxide in the air. Oxides of nitrogen act as catalysts for this reaction.	
	What is meant by the term <i>catalyst</i> ?	
		[1]
(iii)	Sulfur trioxide dissolves in rainwater to form acid rain.	
	Which one of the following pH values could be the pH of acid rain? Draw a circle around the correct answer.	
	pH 4 pH 7 pH 9 pH 13	[1]
(iv)	State one adverse effect of acid rain on buildings.	
		[1]
(b) Sul	fur dioxide melts at –73°C and boils at –10°C.	
	eat is the physical state of sulfur dioxide at -20°C? blain your answer.	

(c)	Excess sulfuric	acid reacts with	ammonia to make a salt which can be	pe used as a fertiliser.
	State the name	of the salt form	ed when excess sulfuric acid reacts v	vith ammonia.
				[1]
(d)	The table shows	s some observa	tions about the reactivity of four meta	ls with dilute sulfuric acid.
		metal	reaction with sulfuric acid	
		iron	a slow stream of bubbles is seen	
		magnesium	a rapid stream of bubbles is seen	
		nickel	a few bubbles slowly form	
		tungsten	no bubbles are seen	
	Use the informa Put the least rea least reactive		to put the four metals in order of the t.	ir reactivity most reactive

[2]

[Total: 9]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	\equiv	² He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -			
	5			8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъо	polonium –	116		livermorium -
	>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	B	bismuth 209			
	≥			9	ပ	carbon 12	14	SS	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	=			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> 1	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	D C	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
dn										28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	indium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	ΗS	hassium
				J						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Вb	dubnium –
				10	ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿆	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			8	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	Ţ.	francium -

71 .	ב	lutetium	175	103	Ļ	lawrencium	I
70	γ	ytterbium	173	102	2	nobelium	ı
69	Ξ	thulium	169	101	Md	mendelevium	ı
89	Ľ U	erbium	167	100	Fm	ferminm	ı
29	유	holmium	165	66	Es	einsteinium	ı
99	Dy	dysprosium	163	86	ర	californium	ı
65	q	terbium	159	26	æ	berkelium	ı
64	р Э	gadolinium	157	96	CB	curium	ı
e3	П	europium	152	96	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	F	promethium	I	93	ď	neptunium	ı
09	D Z	neodymium	144	92	\supset	uranium	238
69	Ā	praseodymium	141	91	Ра	protactinium	231
28	Çe	cerium	140	06	۲	thorium	232
22	Б	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).