

Cambridge IGCSE[™]

CHEMISTRY 0620/11

Paper 1 Multiple Choice (Core)

May/June 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 Which row describes the arrangement and movement of particles in a liquid?

	arrangement of particles	movement of particles
Α	touching and regular	vibrating
В	touching and random	moving around each other
С	touching and regular	moving around each other
D	touching and random	moving very fast

2 A mixture is separated using the apparatus shown.



What is the mixture?

- A aqueous copper(II) sulfate and aqueous sodium chloride
- **B** aqueous copper(II) sulfate and copper
- C copper and sulfur
- D ethanol and ethanoic acid
- **3** Which statement about paper chromatography is correct?
 - A A solvent is needed to dissolve the paper.
 - **B** Paper chromatography separates mixtures of solvents.
 - **C** The solvent should cover the baseline.
 - **D** The baseline should be drawn in pencil.

4 Element X has 7 protons.

Element Y has 8 more protons than X.

Which statement about element Y is correct?


- A Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.
- **5** A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH₃
- **B** chlorine, Cl_2
- C methane, CH₄
- **D** water, H₂O
- 6 Which row describes how an ionic bond forms between a sodium atom and a chlorine atom?


	sodium atom	chlorine atom
Α	two electrons are lost	two electrons are gained
В	one electron is gained	one electron is lost
С	two electrons are gained	two electrons are lost
D	one electron is lost	one electron is gained

7 Which diagram shows the structure of an alloy?





В



C



D

8 Methane burns in oxygen to produce carbon dioxide and water.

What is the balanced equation for this reaction?

A
$$CH_4 + 2O_2 \rightarrow 2CO_2 + 2H_2O$$

$$\mathbf{B}\quad \mathsf{CH_4} \,+\, 2\mathsf{O}_2 \,\rightarrow\, \mathsf{CO}_2 \,+\, 2\mathsf{H}_2\mathsf{O}$$

$$\mathbf{C}$$
 $CH_4 + 2O_2 \rightarrow CO_2 + H_2O$

$$\mathbf{D} \quad \mathsf{CH_4} \, + \, \mathsf{O_2} \, \rightarrow \, \mathsf{CO_2} \, + \, \mathsf{2H_2O}$$

- **9** What is the relative formula mass of magnesium nitrate, Mg(NO₃)₂?
 - **A** 74
- **B** 86
- **C** 134
- **D** 148
- 10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead (II) bromide.

What would happen in **both** experiments?

- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.
- 11 Steel core aluminium cables are used for overhead electricity cables.

Which statement explains why these cables are used?


- **A** Aluminium conducts electricity only when it surrounds a steel core.
- **B** Aluminium conducts electricity and the steel core makes the cable stronger.
- **C** Steel conducts electricity and is surrounded by aluminium because aluminium is an insulator.
- **D** Steel conducts electricity and is surrounded by aluminium to stop the steel from corroding.

12 The complete combustion of propane is exothermic.

The equation for this reaction is shown.

$$C_3H_8$$
 + $5O_2$ \rightarrow $3CO_2$ + $4H_2O$

Which energy level diagram represents the complete combustion of propane?



13 Which changes occur when hydrogen is burned in oxygen?

	energy change	product
Α	endothermic	H₂O only
В	endothermic	H ₂ O and CO ₂
С	exothermic	H₂O only
D	exothermic	H₂O and CO₂

14 When sulfur is heated it undergoes a1..... change as it melts.

Further heating causes the sulfur to undergo a2..... change and form sulfur dioxide.


Which words complete gaps 1 and 2?

	1	2
Α	chemical	chemical
В	chemical	physical
С	physical	chemical
D	physical	physical

15 Zinc reacts with an acid to form a gas. The volume of gas produced is measured at intervals. The results are shown as curve Z.

The reaction is repeated in the presence of a catalyst.

Which curve shows the results for the catalysed reaction?



- **16** Which statement is correct?
 - **A** When anhydrous copper(II) sulfate is heated its colour changes to a deeper blue.
 - **B** When hydrated copper(II) sulfate is heated its colour changes to a deeper blue.
 - **C** When water is added to blue cobalt(II) chloride paper it turns pink.
 - **D** When water is added to pink cobalt(II) chloride paper it turns blue.

17 Three separate experiments are carried out on an aqueous solution of S.

The results are shown.

- 1 Magnesium does not react with the solution.
- 2 A gas is given off when ammonium sulfate is heated with the solution.
- 3 Methyl orange turns yellow when added to the solution.

What is S?

- A hydrochloric acid
- **B** sodium hydroxide
- C sodium chloride
- **D** sulfur dioxide
- **18** Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?


	element X	nature of oxide, XO
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

19 Copper(II) sulfate is prepared by adding excess copper(II) oxide to warm dilute sulfuric acid.

Which purification methods are used to obtain pure solid copper(II) sulfate from the reaction mixture?

- 1 crystallisation
- 2 filtration
- 3 chromatography
- 4 distillation
- **A** 1 and 4 **B** 1 and 2 **C** 2 and 3 **D** 3 and 4

20 Some reactions of element M are shown.



What is element M?

- A carbon
- **B** iron
- **C** magnesium
- **D** sulfur
- **21** Element X is in Group II of the Periodic Table.

Which statements about X are correct?


- 1 X is a metal.
- 2 X has two electrons in its outer shell.
- 3 X is a liquid at room temperature.
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- 22 Why is helium used to fill balloons?
 - A Helium is monoatomic.
 - **B** Helium is in Group VIII of the Periodic Table.
 - C Helium has a full outer electron shell.
 - **D** Helium is less dense than air.

23 Which row describes the trend in properties of the elements in Group I as the group is descended?

	melting point	reactivity with water
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

24 An element melts at 1455 $^{\circ}$ C, has a density of 8.90 g/cm³ and forms a green chloride.

Where in the Periodic Table is this element found?



- 25 Some properties of metal J are listed.
 - J does not react with cold water.
 - J reacts with dilute hydrochloric acid.
 - No reaction occurs when the oxide of J is heated with carbon.

What is J?

- A copper
- **B** iron
- **C** magnesium
- **D** sodium

26 Iron from a blast furnace is treated with oxygen and with calcium oxide to make steel.


Which substances in the iron are removed?

	oxygen removes	calcium oxide removes
Α	carbon	acidic oxides
В	carbon	basic oxides
С	iron	acidic oxides
D	iron	basic oxides

27 Which row describes a use of the metal and explains why it is used?

	metal	use	reason
Α	aluminium	food containers	good conductor of electricity
В	aluminium	aircraft wings	high density
С	copper	cooking utensils	good conductor of heat
D	copper	electricity cables	good electrical insulator

28 Ammonium chloride is heated with aqueous sodium hydroxide.



A gas is produced which turns damp universal indicator paper blue.

Which gas has been produced?

- A ammonia
- **B** hydrogen
- **C** oxygen
- **D** sulfur dioxide

- 29 Which two gases make up approximately 99% of clean, dry air?
 - A carbon dioxide and nitrogen
 - B carbon dioxide and oxygen
 - C nitrogen and oxygen
 - **D** argon and nitrogen
- 30 A student writes three statements about potassium nitrate, KNO₃.
 - 1 The relative formula mass of KNO₃ is 101.
 - 2 Potassium nitrate contains the three essential elements for plant growth.
 - 3 Potassium nitrate could be used as a fertiliser.

Which statements are correct?

- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- 31 Which row describes the uses of sulfur and sulfur dioxide?

	sulfur	sulfur dioxide
Α	extraction of aluminium	food preservative
В	extraction of aluminium	manufacture of cement
С	manufacture of sulfuric acid	food preservative
D	manufacture of sulfuric acid	manufacture of cement

32 A white solid Z reacts with dilute hydrochloric acid to produce a gas.

The same gas is produced when compound Z is heated strongly.

What is Z?

- A calcium
- **B** calcium carbonate
- C calcium hydroxide
- D calcium oxide

33 Some information about compound L is listed.

1 L is an organic compound which contains four hydrogen atoms.

2 L is soluble in water.

3 An aqueous solution of L reacts with copper(II) carbonate to produce a gas.

What is L?

A methane

B ethene

C ethanoic acid

D ethanol

34 The structure of an organic molecule is shown.

Which functional groups does this molecule contain?

	alcohol	alkene	carboxylic acid
Α	no	no	no
В	no	yes	yes
С	yes	no	yes
D	yes	yes	yes

35 Which compounds belong to the same homologous series?


A ethane and propane

B ethanoic acid and ethanol

C methane and ethene

D propene and ethanoic acid

- 36 Which statement about alkanes is correct?
 - A They burn in oxygen.
 - **B** They contain carbon, hydrogen and oxygen atoms.
 - **C** They contain double bonds.
 - **D** They contain ionic bonds.
- 37 Which structure represents poly(ethene)?



38 P, Q, R and S are four organic compounds.

P is an unsaturated hydrocarbon.

Q burns but otherwise is unreactive.

R contains a C–C single bond and a C=C double bond.

S undergoes addition polymerisation.

Which compounds are alkenes?

- A P and R only B P, R and S C P, Q and S D Q, R and S
- 39 Which statement about petroleum fractions is correct?
 - A All petroleum fractions are used as fuels.
 - **B** Gas oil is used to make bottled gas for heating.
 - **C** Hydrocarbons in diesel have higher boiling points than hydrocarbons in gasoline.
 - **D** Molecules in kerosene are larger than molecules in fuel oil.
- **40** Which substance is a natural polymer?
 - A ethene
 - **B** Terylene
 - **C** nylon
 - **D** protein

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	\	2	Ц	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	moloulum —	116		livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	Fl	flerovium
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	lΊ	thallium 204			
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	БH	mercury 201	112	S	copemicium –
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- ;	I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>Б</u>	tantalum 181	105	Q D	dubnium
					to	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	뇬	francium -

	57	28	59	09	61	62	63	64	65	99	29	89	69	70	71
lanthanoids	Га	Ce	Ą	PN	Pm	Sm	En	рg	Д	۵	웃	ш	Tm	Υp	Γn
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	06	91	92	93	94	92	96	26	86	66	100	101	102	103
actinoids	Ac	T	Ра	\supset	Δ	Pu	Am	CB	益	ŭ	Es	Fm	Md	%	۲
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
	ı	232	231	238	ı	ı	ı	ı	ı	ı	I	ı	ı	ı	ı

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).