

# Cambridge IGCSE<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/31

Paper 3 Theory (Core)

May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

1 (	(a)	Αli	ist	of	symbol	ls ai	nd f	formu	lae	is	shown	١.
-----	-----	-----	-----	----	--------	-------	------	-------	-----	----	-------	----

 $\begin{array}{c} \text{CaO} \\ \text{CH}_4 \\ \text{C}_2\text{H}_4 \\ \text{C}_2\text{H}_6 \\ \text{C} \textit{I}^- \\ \text{Cu}^{2^+} \\ \text{H}_2 \\ \text{He} \\ \text{K}^+ \\ \text{N}_2 \\ \text{Na}^+ \\ \text{SO}_2 \end{array}$ 

Answer the following questions using these symbols or formulae. Each symbol or formula may be used once, more than once or not at all.

State which symbol or formula represents:

(i)	a compound produced by the thermal decomposition of calcium carbonate	
		[1]
(ii)	a positive ion that gives a blue-green colour in a flame test	
		[1]
(iii)	an element used as a fuel	
		[1]
(iv)	the monomer used to produce poly(ethene)	
		[1]
(v)	an ion formed when an atom gains an electron.	
		[1]

**(b)** Complete the table to show the relative charges of a proton, a neutron and an electron.

type of particle	relative charge
proton	+1
neutron	
electron	

[2]


(c)	Choose the two correct statements about nitrogen. Tick (✓) <b>two</b> boxes.	
	Nitrogen molecules are monoatomic.	
	All nitrogen atoms have seven protons.	
	Nitrogen atoms cannot be split into simpler substances by chemical means.	
	All nitrogen atoms have 14 neutrons.	
	Nitrogen is 21% of clean, dry air.	
		[2]
		[Total: 9]

2 The table shows the masses of some ions in a 1000 cm<sup>3</sup> sample of toothpaste.

name of ion	formula of ion	mass of ion in 1000 cm <sup>3</sup> of toothpaste/g
	NH <sub>4</sub> <sup>+</sup>	0.2
calcium	Ca <sup>2+</sup>	1.2
	C1-	0.9
fluoride	F-	1.4
magnesium	Mg <sup>2+</sup>	2.0
phosphate	PO <sub>4</sub> <sup>3-</sup>	24.4
sodium	Na⁺	28.1
sulfate	SO <sub>4</sub> <sup>2-</sup>	9.2
tin(II)	Sn <sup>2+</sup>	0.2
zinc	Zn <sup>2+</sup>	0.1

(a)	Ans	swer these questions using only the information in the table.	
	(i)	State which negative ion has the lowest mass in 1000 cm³ of toothpaste.	
			[1]
	(ii)	Name the compound that contains $NH_4^+$ and $Cl^-$ ions.	
			[1]
(	(iii)	Calculate the mass of phosphate ions in 250 cm³ of toothpaste.	
		mass = g	[1]
(b)	Des	scribe a test for sulfate ions.	
	test		
	obs	ervations	 [2]

**(c)** Toothpaste also contains cinnamal. The structure of cinnamal is shown.



Deduce the formula of cinnamal to show the number	of atoms o	f carbon, hydroge	en and oxygen.
---------------------------------------------------	------------	-------------------	----------------


.....[1]

- (d) Cinnamal can be oxidised to a carboxylic acid.
  - (i) Draw the structure of a carboxylic acid functional group to show all of the atoms and all of the bonds.

[1]

(ii) Ethanoic acid is a carboxylic acid. Ethanoic acid reacts like a typical acid.

Complete the word equation for the reaction of ethanoic acid with sodium carbonate.



[2]

[Total: 9]

111	is qui	estion is about halogens and halogen compounds.	
(a)		duce the number of electrons, neutrons and protons in one atom of the isotope of chlor wn.	rine
		<sup>37</sup> C <i>l</i>	
	nur	nber of electrons	
	nur	nber of neutrons	
	nur	nber of protons	 [3
(b)	Sta	te why chlorine is used in water treatment.	<b>[4</b>
			[1
(c)	Aqı	ueous chlorine reacts with aqueous potassium iodide.	
	(i)	Complete the chemical equation for this reaction.	
		$Cl_2$ + $KI \rightarrow$ $KCl$ + $I_2$	[2
	(ii)	Explain in terms of the reactivity of the halogens why aqueous iodine does <b>not</b> react vaqueous potassium chloride.	vith

(d) The table shows some properties of four halogens.


halogen	melting point /°C	boiling point /°C	density of liquid at boiling point in g/cm³
fluorine	-220		1.51
chlorine	-101	-35	
bromine	-7	59	3.12
iodine	114	184	4.93

		l .		<u> </u>	_
(i)	the boiling p	ble by predicting: point of fluorine of liquid chlorine a	at its boiling point	<u>:</u>	[2]
(ii)	Predict the phys Give a reason for	ical state of chlor or your answer.	ine at −105°C.		
					[2]

Thi	s question is about acids and bases.	
(a)	Describe the colour of methyl orange in acidic and alkaline solutions.	
	in acidic solution	
	in alkaline solution	
		[2]
(b)	Complete the word equation for the reaction of hydrochloric acid with calcium oxide.	
	hydrochloric acid + calcium oxide → +	
		[2]
(c)	Calcium oxide is lime.	
	Give <b>one</b> use of lime.	
		[1]
(d)	The reaction of hydrochloric acid with calcium oxide is exothermic.  (i) State the meaning of the term <i>exothermic</i> .	
		[1]
	(ii) The energy level diagram for the reaction of hydrochloric acid with calcium oxide is show	٧n.
	energy	
	progress of reaction	
	Explain how the energy level diagram shows that this reaction is exothermic.	
		[1]
	[Total:	: 7]

5	This c	uestion	is about	Group	IV	elements	and	their	compour	nds.

(a) The changes of state of lead are sho
------------------------------------------



Name the changes of state represented by  ${\bf A}$  and  ${\bf B}$ .

A	
В	
_	ſ2

(b)	Use the kinetic	particle	model to	describe	the	differences	between	liquid	lead	and	lead	gas	in
	terms of:												

•	the separation of the particles
•	the motion of the particles.


(c) Lead is extracted from lead(  $\!\operatorname{II}\!$  ) oxide by heating with carbon.

$$PbO + C \rightarrow Pb + CO$$

Describe how this equation shows that lead(II) oxide is reduced.

(d)	Lea	d is a pollutant of the ai	r.			
	(i)	State one source of lea	ad in the air.			
	(ii)	State <b>one</b> adverse effe	ct of lead on	health.		
(e)		mond is a form of carbo s structure of diamond is		•		
	(i)	Choose the word which	n best describ	bes the structure	of diamond.	
		Draw a circle around yo	our chosen a	nswer.		
		giant	ionic	metallic	simple	[1]
	(ii)	Name the type of bond	ing in diamoı	nd.		
(	(iii)	Give <b>one</b> use of diamo				[1]
						[1]
(	(iv)	Deduce the electronic s	structure of c	arbon.		
		Use the Periodic Table	to help you.			
						[1]
						[Total: 13]

**6** (a) The structures of four organic compounds, **C**, **D**, **E** and **F**, are shown.



Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.

State which compound, C, D, E or F:

- (i) decolourises aqueous bromine [1]

  (ii) is an alcohol [1]

  (iii) is unsaturated [1]

  (iv) is in the same homologous series as ethane [1]

  (b) Petroleum is a mixture of hydrocarbons which can be separated into fractions with different boiling points.

  Name the method used to separate these fractions.

  [1]
- (c) Complete the table to show the name and uses of some petroleum fractions.

name of fraction	use of fraction
refinery gas	
gasoline	
	waxes and polishes

[3]

(d) Some hydrocarbons are formed by the process of cracking.

(i)	State the meaning of the term <i>cracking</i> .
	[2]
(ii)	Describe the conditions needed for cracking.
	[2]
	[Total: 12]

- 7 This question is about zinc and compounds of zinc.
  - (a) Zinc is a metal.

Give three physical properties of metals.


1	
2	
3	
	[3]

**(b)** Zinc reacts with phosphorus to form zinc phosphide, Zn<sub>3</sub>P<sub>2</sub>.

Complete the equation for this reaction.

....Zn + ....P 
$$\rightarrow$$
 Zn<sub>3</sub>P<sub>2</sub> [2]

**(c)** Molten zinc chloride is electrolysed. The incomplete apparatus is shown.



- (i) Complete the diagram by:
  - completing the circuit to show the wires and power pack
  - labelling the anode.

[2]

(ii) Name the products formed at each electrode.

$$ZnCl_2 + 2H_2O \rightleftharpoons Zn(OH)_2 + 2HCl$$

(i) State the meaning of the symbol  $\rightleftharpoons$ .

r.	4 7
17	1.3

(ii) Choose the pH value which is acidic.

Draw a circle around your chosen answer.

(e) A compound of zinc has the formula  $ZnC_4H_{10}$ .

Complete the table to calculate the relative molecular mass of  $ZnC_4H_{10}$ .

atom	number of atoms	relative atomic mass	
zinc	1	65	1 × 65 = 65
carbon		12	
hydrogen		1	

relative molecular mass = ..... [2]


[Total: 13]

**8** A student investigates the reaction of large pieces of copper(II) carbonate with dilute hydrochloric acid. The hydrochloric acid is in excess.

$$CuCO_3 + 2HCl \rightarrow CuCl_2 + CO_2 + H_2O$$

The rate of reaction is found by measuring the mass of the reaction mixture as time increases.

The results are shown on the graph.



(a) Deduce the mass of the reaction mixture at 30 s.

**(b)** The experiment is repeated using smaller pieces of copper(II) carbonate.

All other conditions stay the same.

Draw a line **on the grid** to show how the mass of the reaction mixture changes as time increases. [2]

(c)	Describe the effect each of the following has on the rate of reaction of copper(II) carbonate with dilute hydrochloric acid.
	All other conditions stay the same.
	The reaction is carried out in the presence of a catalyst.
	The reaction is carried out using a lower concentration of hydrochloric acid.
	[2]
(d)	When 0.2g of copper(II) carbonate is used, 38 cm³ of carbon dioxide gas is produced.
	Calculate the volume of carbon dioxide gas produced when 0.50 g of copper(II) carbonate is used.
	volume of carbon dioxide gas =cm³ [1]
	[Total: 6]

## **BLANK PAGE**

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

								Gro	Group								
=													≥	>		₹	₹
							- I										2 He
Key	Key	Key	Key				hydrogen 1										helium 4
4 atomic number	atomic number	atomic number	tomic number									2	9	7	8	6	10
Be atomic symbol	atomic symbol	atomic symbol	mic symbol	loc								В	ပ	z	0	ட	Ne
beryllium name 9 relative atomic mass	name relative atomic mass	name relative atomic mass	name live atomic mass	SS								boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
12												13	14	15	16	17	18
Mg												Αl	Si	₾	ഗ	Cl	Ā
magnesium 24												aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
21 22 23 24	22 23 24	23 24	24			55	26	27	28	29	30	31	32	33	34	35	36
Sc Ti Cr	, C	ပ် >	ပ်		2	Mn	Fe	ပိ	Z	Cn	Zu	Ga	Ge	As	Se	Ā	궃
calcium scandium titanium vanadium chromium mang 40 45 48 51 52 5	titanium vanadium chromium r 48 51 52	vanadium chromium r 51 52	chromium r		mang	nanganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
39 40 41 42	40 41 42	41 42	42			43	44	45	46	47	48	49	50	51	52	53	54
Y Zr Nb Mo	Zr Nb Mo	Nb Mo	Mo			ان.	Ru	뫈	Pd	Ag	ည	In	Sn	Sb	Те	Н	Xe
zirconium niobium molybdenum 91 93 96	zirconium niobium molybdenum 91 93 96	niobium molybdenum 93 96	molybdenum 96		techr	netium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
57–71 72 73 74	72 73 74	73 74	74			75	92	77	78	62	80	81	82	83	84	85	98
lanthanoids Hf Ta W	Hf Ta W	Ta W	>		ш	Şe	Os	Ľ	풉	Αn	БĤ	11	Pb	<u>B</u>	Ъо	¥	R
tantalum tungsten 181 184	tantalum tungsten 181 184	tantalum tungsten 181 184	tungsten 184		£.	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	molonium –	astatine	radon
89–103 104 105 106	104 105 106	105 106	106			107	108	109	110	111	112		114		116		
actinoids Rf Db Sg	Rf Db Sg	Db Sg	Sg			Bh	Hs	¥	Ds		ű		Εl		_		
	dubnium seaborgium	dubnium seaborgium	seaborgium			oohrium	hassium	meitnerium	damstadtium	9	copernicium		flerovium		livermorium		
		1	_	$\dashv$				ı	-		ı		ı		ı		

rı Lu	lutetium 175	103	۲	lawrencium	ı
vo Yb	ytterbium 173	102	8	nobelium	ı
ee Tm	thulium 169	101	Md	mendelevium	ı
68 Er	erbium 167	100	Fm	fermium	ı
67 H0	holmium 165	66	Es	einsteinium	ı
°° Dy	dysprosium 163	86	ŭ	californium	ı
e5 Tb	terbium 159	97	BK	berkelium	ı
Gd Gd	gadolinium 157	96	Cm	curium	ı
63 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pn	plutonium	ı
e1 Pm	promethium -	93	ď	neptunium	I
	neodymium 144	92	$\supset$	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Se Ce	cerium 140	06	Ч	thorium	737
57 La	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).