



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY		0620/43
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

Paper 4 Theory (Extended)

0020/43

October/November 2017

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Substances can be classified as elements, compounds or mixtures.

1


Sta	te whether each of the following is an element, a compound or a mixture.	
(a)	brass	[1]
(b)	gold	[1]
(c)	butane	[1]
(d)	air	[1]
	[Total	: 4]

2

(i)	Define the term	molecu	ule.				
(ii)	Define the term	elemer	nt.				
The	e table shows the	compo	sition of fou	r atoms or	ions, A, B, C	and D .	
			number of protons	numbe			
		Α	10	10	10		
		В	10	12	10		
		С	12	10	10		
		D	13	14	10		
(iii)							
,							
iv)	Which of A , B ,	C and C	are atoms?	•			
(v)	Which of A , B ,	 C and C	are positive				
Coi	mplete the table.						
	, 112 112 100.01					7	
				umber of protons	number of electrons		
			Na				
		(S ²⁻				
			2.1.			-	

[3]

3 Iron is extracted from its ore using coke in a blast furnace.



(a)	Name the ore of iron which is mainly iron(III) oxide.
	[1]
(b)	Describe the reactions occurring in the blast furnace.
	 In your answer, include two reasons for using coke in the blast furnace, a chemical equation for the reduction of iron(III) oxide, an explanation for using limestone in the blast furnace.

(c) (i) Describe the bonding in iron. Include a diagram in your answer.

(ii)	Use your diagram in (c)(i) to explain why iron is malleable.
	[2]
(iii)	Iron containing a small amount of carbon is known as steel.
	Explain why steel is less malleable than iron.
	[2]
d) (i)	When iron is added to dilute sulfuric acid, an aqueous solution of iron(II) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
	[1]
(ii)	When iron(III) oxide is added to dilute sulfuric acid, an aqueous solution of iron(III) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
	[3]

- (e) Aqueous sodium hydroxide, aqueous potassium iodide and aqueous acidified potassium manganate(VII) are added to aqueous solutions of iron(II) sulfate and iron(III) sulfate.
 - Iron(II) ions, Fe²⁺, are reducing agents in aqueous solution.
 - Iron(III) ions, Fe³⁺, are oxidising agents in aqueous solution.


Complete the table.

reagent	observations with aqueous iron(Π) sulfate	observations with aqueous iron(III) sulfate
aqueous sodium hydroxide	green precipitate	
aqueous potassium iodide		
aqueous acidified potassium manganate(VII)		no change

[4]

[Total: 22]

4 Hydrogen and oxygen react together in a hydrogen fuel cell. A hydrogen fuel cell is shown in the diagram.



(a) Name the process by which oxygen is obtained from air.

......[1]

(b)	(i)	In a hydrogen fuel cell, the hydrogen molecules are converted into hydrogen ions, had according to the ionic half-equation shown.	ł ⁺,
		$H_2 \rightarrow 2H^+ + 2e^-$	
		What type of reaction does this ionic half-equation represent?	
	(ii)	What type of substance reacts by donating hydrogen ions, H ⁺ ?	1]
	(,		[1]
(c)	Wr	ite a chemical equation for the overall reaction that occurs in a hydrogen fuel cell.	[1]
(d)	Ну	drogen fuel cells are being developed as alternatives to petrol engines in cars.	
	(i)	Give one advantage of hydrogen fuel cells compared to petrol engines.	·11
	(ii)	Give one disadvantage of hydrogen fuel cells compared to petrol engines.	
			. 1]
(e)		me fuel cells use ethanol, $\rm C_2H_5OH$, instead of hydrogen. Carbon dioxide and water a ducts of the reaction in an ethanol fuel cell.	re
	(i)	Write a chemical equation for the overall reaction occurring in an ethanol fuel cell.	
			2]
	(ii)	State an environmental problem caused by the release of carbon dioxide into the atmosphere.	ıе
			1]
	(iii)	Name the process by which ethanol can be manufactured from a renewable resource.	
			[1]
(f)	Na	me the process occurring when electrical energy is used to break down an ionic compoun	d.
			[1]
		[Total: 1	1]

5

(a) (i)	Name the products formed when sodium nitrate is heated.
(ii)	When copper(II) nitrate, $Cu(NO_3)_2$, undergoes thermal decomposition, three products are formed. One of the products is nitrogen dioxide, NO_2 .
	Write a chemical equation for the thermal decomposition of copper(II) nitrate.
	[2]
	e chemical equation shows the equilibrium between dinitrogen tetroxide (N_2O_4 , a colourless and nitrogen dioxide (NO_2 , a brown gas).
	$N_2O_4(g) \rightleftharpoons 2NO_2(g)$ colourless brown
	nixture of dinitrogen tetroxide and nitrogen dioxide is allowed to reach equilibrium in a sed gas syringe.
(i)	In chemistry, what is meant by the term equilibrium?
(ii)	If the equilibrium mixture is heated at constant pressure, a darker brown colour is seen inside the gas syringe.
	What does this information indicate about the decomposition of dinitrogen tetroxide? Explain your answer in terms of the position of the equilibrium.
	[2]
(iii)	Suggest what you would see if the pressure on the equilibrium mixture were increased at constant temperature. Explain your answer in terms of the position of the equilibrium.
	[2]

6

(a)	Alkanes and alkenes are two homologous series of hydrocarbons.						
	(i)	What is meant by the term hydrocarbon?					
		[1]					
	(ii)	What is the general formula of the homologous series of					
		alkanes,					
		alkenes?[2]					
(iii)	Other than having a general formula, state two characteristics of a homologous series.					
		1					
		2[2]					
(iv)	The structure of an alkene molecule with the molecular formula $\rm C_4H_8$ is shown.					
		H H H H 					
		Draw the structure of a different alkene molecule with the molecular formula C_4H_8 . Show all of the atoms and all of the bonds.					
		[1]					
	(v)	What term describes molecules with the same molecular formula but different structural formulae?					
		[1]					

(b)	25 cm ³ of a gaseous hydrocarbon,	$C_x H_v$	were	burnt in	150 cm ³	of oxygen.	This w	as ar	n excess
	of oxygen.	,							

After cooling, the volume of the gases remaining was 100 cm³. This consisted of 75 cm³ of carbon dioxide and 25 cm³ of unreacted oxygen. The water that was produced in the reaction was liquid.

All volumes were measured at the same temperature and pressure.

(i) V	Nhat is meant by ar	excess of oxygen?
-------	---------------------	-------------------

[1]

(ii) What was the volume of oxygen that reacted with the hydrocarbon?

..... cm³ [1]

(iii) Complete the table to show the smallest whole number ratio of volumes.

	volume of hydrocarbon reacted		volume of oxygen reacted	:	volume of carbon dioxide produced
smallest whole number ratio of volumes		:		:	

[1]

(iv) Use your answer to (b)(iii) to balance the chemical equation. Deduce the formula of the hydrocarbon.

$$C_xH_v(g) +O_2(g) \rightarrowCO_2(g) +H_2O(I)$$

formula of the hydrocarbon = [2]

[Total: 12]

(a) Carbon and silicon are elements in Group IV of the Periodic Table.

Ca	rbon dioxide from the air moves into green plants and is converted into carbohydrates.
(i)	Name the process by which carbon dioxide molecules move through the air into green plants.
	[1]
(ii)	Explain why silicon(IV) oxide cannot move through the air in the same way that carbon dioxide can.
	[1]
(iii)	Name the process by which carbon dioxide is converted into glucose, $C_6H_{12}O_6$, in green plants. Give two conditions required for this process to occur. Write a chemical equation for the reaction which occurs.
	name of process
	condition 1
	condition 2
	chemical equation
	[5]
(b) Sta	rch is a natural polymer made from glucose.
(i)	What type of polymerisation occurs when glucose is converted into starch?
	[1]
(ii)	What type of reaction occurs when starch is converted into glucose?
	[1]
(iii)	Starch can be represented as shown.
	-000-
	Complete the diagram below to represent the structure of the glucose monomer.
	[1]

© UCLES 2017 0620/43/O/N/17

[Total: 10]

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

The Periodic Table of Elements

	\parallel	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ъ	promine 80	53	н	iodine 127	85	At	astatine -			
	 >								sulfur c										116		morium -
																				_	liver
	>			7	Z	nitroge 14	15	<u>С</u>	phosphorus 31	33	As	arseni 75	51	Sb	antimo 122	83	Ξ	bismut 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium -
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group	,									28	ï	nickel 59	46	Pq	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Ö										27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	₹	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
			Key	atomic number	atomic symbol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
						name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>Б</u>	tantalum 181	105	В	dubnium —
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Έ	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	<u>г</u>	francium -

			_				
7.1	Pn	lutetium	175	103	۲	lawrencium	ı
70	Υp	ytterbium	173	102	%	nobelium	ı
69	Tm	thulium	169	101	Md	mendelevium	ı
89	Щ	erbinm	167	100	Fm	fermium	1
29	웃	holmium	165	66	Es	einsteinium	ı
99	D	dysprosium	163	86	ర	californium	ı
65	Tp	terbium	159	26	BK	berkelium	ı
64	gg	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	Pm	promethium	ı	93	Δ	neptunium	ı
09	pN	neodymium	144	92	\supset	uranium	238
69	Ā	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	Т	thorium	232
22	Га	lanthanum	139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).