



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/32
Paper 3 Theor	y (Core)	Oc	tober/November 2018
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional M	Naterials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 (a) The electronic structures of five atoms, A, B, C, D and E, are shown.



Answer the following questions about these structures. Each structure may be used once, more than once or not at all. State which structure, **A**, **B**, **C**, **D** or **E**, represents:

(i)	an atom in Group VIII of the Periodic Table	[1]
(ii)	an atom of a reactive non-metal	[1]
(iii)	an atom with a proton number of 11	[1]
(iv)	an atom with only three shells of electrons	[1]
(v)	an atom which forms a stable ion with a single positive charge.	[1]

(b) Complete the table to show the number of electrons, neutrons and protons in the nitrogen atom and chromium ion shown.

	number of electrons	number of neutrons	number of protons
¹⁵ ₇ N	7		
⁵² ₂₄ Cr ²⁺		28	

[3]

[Total: 8]

2 (a) The table shows the concentrations of the ions present in a solution obtained from cells in the body.

ion present	formula of ion	concentration in mg/1000 cm ³
sodium	Na⁺	273
potassium	K ⁺	540
calcium	Ca ²⁺	3
magnesium	Mg ²⁺	20
chloride	Cl-	140
hydrogencarbonate	HCO ₃ -	730
phosphate	PO ₄ ³⁻	1

Answer these questions using only information from the table. (i) Which negative ion is present in the highest concentration?[1] (ii) Calculate the mass of potassium ions present in 250 cm³ of this solution. mass of potassium ions = mg [1] (iii) Calculate the total mass of positive ions present in 1000 cm³ of this solution. total mass of positive ions = mg [1] (iv) Give the name of the compound formed from Na⁺ and HCO₃⁻ ions.[1] (b) Describe what is observed in these two reactions. An excess of aqueous sodium hydroxide is added to a solution containing Ca²⁺ ions. An excess of aqueous ammonia is added to a solution containing Ca²⁺ ions.

[2]

(c) Lactic acid can build up in muscle cells during exercise. The structure of lactic acid is shown.

(i)	On the structure, draw a circle around the carboxylic acid functional group.	[1]
(ii)	Deduce the molecular formula of lactic acid showing the number of carbon, hydrogen oxygen atoms.	and
		[1]

(d) Lactic acid can form a polymer.

Complete the sentence about polymers using words from the list.

atomic	large	molecular	monomers	polymers	small	
During polymeris	ation		molecules called	I	join togeth	ner to
form long-chain r	molecules	with a very hi	gh relative	r	nass.	[3]

[Total: 11]

3 (a) The table gives information about the solubility of copper and selenium in an organic solvent and in water. The organic solvent boils at $30\,^{\circ}$ C.

element	solubility in organic solvent	solubility in water
copper	insoluble	insoluble
selenium	soluble	insoluble

(i)	Use the information in the table to suggest how you could obtain pure, dry sample copper and selenium from a mixture of copper powder and selenium powder.	s of
		[4]
(ii)	Ethanol is an organic solvent.	
	Draw the structure of ethanol. Show all of the atoms and all of the bonds.	
		[2]
(iii)	Selenium reacts with fluorine to form selenium(VI) fluoride.	[ک]
(111)		
	Balance the chemical equation for this reaction.	
	Se + $F_2 \rightarrow SeF_6$	[1]
		٢,1

(b) The chemical equation for the reaction of copper with hot concentrated sulfuric acid is shown.

$$\mathrm{Cu} \ + \ 2\mathrm{H}_2\mathrm{SO}_4 \ \rightarrow \ \mathrm{CuSO}_4 \ + \ \mathrm{SO}_2 \ + \ 2\mathrm{H}_2\mathrm{O}$$

(i) Complete the word equation for this reaction.

Is this an endothermic or an exothermic reaction?



(ii) One of the compounds in this equation is a pollutant gas which contributes to acid rain.

Identify the pollutant gas and state a common source of it.

pollutant gas	
source	
	[2]

(c) Solid hydrated copper(II) sulfate decomposes to anhydrous copper(II) sulfate when it is continuously heated.

Explain your answer.	
	111

[Total: 12]


4	This	question	is	about	acids
_	11110	question	10	about	acias

(a) The structure of fumaric acid is shown.

Fumaric acid is an unsaturated compound.

(i)	What feature of the structure of fumaric acid shows that it is unsaturated?	
		[1]
(ii)	Describe a test for an unsaturated compound.	
	test	
	result	 [2]
		[-]
(b) H	ydroiodic acid can be used for the reduction of some carboxylic acids.	
(i)	What is meant by the term reduction?	
		[1]
(ii)	Hydroiodic acid is oxidised by oxygen.	
	Balance the chemical equation for this reaction.	
	HI + $O_2 \rightarrow 2H_2O$ + I_2	[2]
/i:::	What paraentage of close, dry air is eyygen?	[2]
(iii)		[4]
		[1]

(c) The concentration of a dilute acid can be found by reacting it with aqueous sodium hydroxide using the apparatus shown.



(i)	What piece of apparatus should be used to add exactly 25.0 cm ³ of dilute acid to conical flask?	the
		[1]
(ii)	A few drops of litmus solution are added to the conical flask.	
	Explain why litmus solution is added to the conical flask.	
		[1]
(iii)	Aqueous sodium hydroxide is then added to the dilute acid until it is in excess.	
	Describe the change in the colour of the litmus solution in the conical flask.	
	from to	
		[2]

[Total: 11]

			9							
5	Bro	mine	e is a volatile liquid. Potassium bromide is a compound made from bromine.							
	(a)) Use the kinetic particle model to describe the arrangement and motion of the particle bromine when it is:								
		•	a liquid							
		•	a gas							
				[4]						
	(b)	Mol	Iten potassium bromide can be electrolysed using the apparatus shown.							
			power supply							
			+							
		(i)	On the diagram, label: the anode							
			the electrolyte	[2]						
		(ii)	Predict the products of this electrolysis at:							
			the positive electrode							
			the negative electrode.	[2]						
		(iii)	Give one observation that is made at the positive electrode.							

(iv) Suggest why the electrodes are made of graphite and **not** of magnesium.

(c)	Αqι	ieous pota	ssiu	m bromide rea	cts w	ith aqueous chlorine.			
	(i)	Complete	the	word equation	for th	nis reaction.			
		otassium oromide	+	chlorine	\rightarrow		+		
]		[2]
	(ii)	•		bout the reactivet with aqueous	•	•	า wh	y aqueous potassium	bromide
									[1]
(iii)	Describe potassium		•	obser	ve when aqueous si	lver	nitrate is added to a	aqueous
									[2]

[Total: 15]

6 (a) The diagrams show the structures of four substances, R, S, T and U.

R	S
Т	U
$\begin{array}{c c} & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ &$	Ti Ti Ti Ti Ti Ti Ti Ti Ti Ti Ti Ti

State which **one** of these substances, **R**, **S**, **T** or **U**:

(i)	is an element	[1]
(ii)	contains ionic bonds	[1]
(iii)	is a gas at room temperature	[1]
(iv)	is a polymer.	[1]


(b) Ammonium chloride is present in some fertilisers.

Which **two** of the following compounds are also present in many fertilisers? Tick **two** boxes.

hydrogen sulfide	
calcium phosphate	
copper(II) fluoride	
nickel(II) oxide	
potassium nitrate	

[2]


(c) A mixture of ammonium chloride and aqueous sodium hydroxide is heated as shown.



The filter paper changes colour from red to yellow.

Explain why	' .			
		 	 	[2]
				[Total: 8]

7 (a) The graph shows the effect of temperature on the rate of reaction of dilute hydrochloric acid with zinc powder.



(i) Determine the rate of reaction at 40 °C.

rate of reaction = cm³ gas/minute [1]

(ii) The experiments were repeated using small lumps of zinc instead of zinc powder. All other conditions were kept the same.

On the grid, draw a graph to show how the rate of reaction changes with temperature when small lumps of zinc are used instead of zinc powder. [2]

- **(b)** What effects do these factors have on the rate of a chemical reaction?
 - (i) decreasing the concentration of a reactant

[1]

(ii) adding a catalyst

......[1]

(c)	Zino	c and iron are both metals.
	Giv	e two physical properties which are characteristic of metals.
	1	
	2	
		[2]
(d)	Stai	inless steel is an alloy of iron.
	(i)	What is meant by the term alloy?
		[1]
	(ii)	Give one common use of stainless steel.
		[1]
		[Total: 9]

8 The table shows the properties of some Group I elements.

element	density in g/cm³	melting point in °C	relative hardness
sodium	0.97	98	4.9
potassium	0.86	63	2.6
rubidium	1.53		1.6
caesium		29	1.0

(a) (i)	Describe the trend in the relative hardness of the Group I elements.
	[1]
(ii)	Predict the melting point of rubidium.
	[1]
(iii)	Explain why it is difficult to predict the density of caesium.
	[1]
(b) \\	/hon notaccium roacts with water it floats and molts into a hall. A flame is observed
(D) V	hen potassium reacts with water, it floats and melts into a ball. A flame is observed.
(i)	What colour does potassium give to the flame?
	[1]
(ii)	Use the information in the table to suggest why potassium floats on water.
	[1]
(iii)	Hydrogen is produced when potassium reacts with water.
	Complete the dot-and-cross diagram to show the electron arrangement in a molecule of hydrogen.

[1]

[Total: 6]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the line promised to a complete series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	=	² He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	₹			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	П	iodine 127	85	¥	astatine _			
	5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium	116	^	livermorium -
	>			7	z	nitrogen 14	15	ட	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	B	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium -
ģ				,						27	ဝိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	₩	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≷	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Б	tantalum 181	105	Op	dubnium -
					atc	ler 				22	F	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ъ́	francium —

71 Lu	lutetium 175	103	۲	lawrencium	I
°2 Vp	ytterbium 173	102	8	nobelium	ı
69 Tm	thulium 169	101	Md	mendelevium	ı
68 Fr	erbium 167	100	Fm	fermium	ı
67 Ho	holmium 165	66	Es	einsteinium	ı
% Dv	dysprosium 163	86	ŭ	californium	ı
65 Tb	terbium 159	97	Ř	berkelium	ı
Gd g4	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	92	Am	americium	ı
ss Sm	samarium 150	94	Pn	plutonium	ı
Pm	promethium -	93	δ	neptunium	I
⁹ Z	neodymium 144	92	\supset	uranium	238
ي ت	praseodymium 141	91	Ра	protactinium	231
Se Se	cerium 140	06	H	thorium	232
57 La	lanthanum 139	88	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm^3}$ at room temperature and pressure (r.t.p.).