



#### Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	
		2000/00

**CHEMISTRY** 

0620/33

Paper 3 Theory (Core)

October/November 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



- 1 This question is about solids and gases.
  - (a) The list gives the names of eight substances which are gases at room temperature.

ammonia
butane
carbon dioxide
carbon monoxide
chlorine
methane
propene
sulfur dioxide

Answer the following questions about these gases. Each gas may be used once, more than once or not at all.

### State which gas:

(i)	is a poisonous product formed by the incomplete combustion of carbon	
		[1]
(ii)	is an alkene	
		[1]
iii)	is formed when limestone is thermally decomposed	
		[1]
iv)	is an element	
		[1]
(v)	causes acid rain.	
		[4]

(b)	Wh	en a piece of solid carbon dioxide is placed in a warm room, it undergoes sublimation.
	(i)	What is meant by the term sublimation?
		[2]
	(ii)	Use the kinetic particle model to describe the motion <b>and</b> separation of the particles in:
		solid carbon dioxide
		carbon dioxide gas.
		[4]
		[Total: 11]


**2** Biogas is made by fermenting animal and vegetable waste.

(a) The table shows the percentage composition of the gases present in a sample of biogas.

substance present	percentage present in biogas
carbon dioxide	36.8
hydrogen	0.6
methane	54.5
nitrogen	6.5
water vapour	
other substances	0.1
total	100.0

1)	Deduce the percentage of wa	vater vapour present in this sample of biogas.	

(ii)	Complete the dot-and-cross diagram to show the electron arrangement in a molecule of
	water. Show outer shell electrons only.



[2]

[2]

(iii) Describe a chemical test for water.

test .....

observation .....

(b) (i) Balance the chemical equation for the oxidation of methane to form hydrogen.

....
$$CH_4 + O_2 \rightarrow 2CO + ....H_2$$
 [2]


[2]

(ii) Which **one** of these compounds belongs to the same homologous series as methane?

Draw a circle around the correct answer.

butane butene methanoic acid methanol [1]

- (c) Methane is present in the refinery gas fraction produced by the fractional distillation of petroleum.
  - (i) Match the fractions on the left with their uses on the right. The first one has been done for you.



(ii) Describe the fractional distillation of petroleum. In your answer:

• state the physical property on which the separation of the fractions depends

•	describe how the distillation is done to separate the fractions	3.

 •	 •	 	
			[3]

(d) The biogas fermentation mixture contains a small amount of compound M.

The structure of compound **M** is shown.

(i) On the structure shown, draw a circle around the carboxylic acid functional group. [1](ii) How many different types of atoms are present in compound M?


[Total: 15]

**3** A student investigated the reaction of magnesium carbonate with an excess of dilute hydrochloric acid.

$$\mathrm{MgCO_3}$$
 + 2HC $l$   $\rightarrow$  MgC $l_2$  + CO $_2$  + H $_2$ O

The rate of reaction can be found by measuring the decrease in the mass of the reaction mixture over time.

The results are shown on the graph.



(a)	Determine	tha	mace	of the	reaction	mivtura	after 58	epronde

.....[1]

**(b)** At which point on the graph, **A**, **B**, **C** or **D**, was the rate of reaction the fastest? Use the graph to explain your answer.

[2]

(c)	When 0.42 g of magnesium carbonate is used, 120 cm³ of carbon dioxide is formed.
	Determine the volume of carbon dioxide produced when 1.26 g of magnesium carbonate reacts completely.
	volume of carbon dioxide = cm <sup>3</sup> [1]
(d)	What effect do the following have on the rate of this reaction?
	Decreasing the concentration of the acid. All other conditions are kept the same.
	Using smaller pieces of magnesium carbonate.     All other conditions are kept the same.
	[2]
	[Total: 6]

(c) The table shows some observations made when four metals are heated with liquid sulfur.    Metal   Observations	This question is about sulfu	_			
(a) Deduce the number of protons, electrons and neutrons in this isotope of sulfur.  number of protons  number of electrons  number of neutrons  [3]  (b) Draw the electronic structure of a sulfur atom.  [4]  (c) The table shows some observations made when four metals are heated with liquid sulfur.    metal   observations     copper   turns black very slowly     gold   no reaction     sodium   reacts explosively     tin   turns black slowly    Use this information to put the four metals in order of their reactivity. Put the least reactive metal first.	An isotope of sulfur is writte	en as shown.			
number of protons  number of electrons  number of neutrons  [3]  (b) Draw the electronic structure of a sulfur atom.  [6]  (c) The table shows some observations made when four metals are heated with liquid sulfur.  [7]  [8]  [9]  (c) The table shows some observations made when four metals are heated with liquid sulfur.  [9]  [10]  [11]  [12]  [12]  [13]  [14]  [15]  [16]  [17]  [17]  [18			<sup>33</sup> S		
number of neutrons	(a) Deduce the number of	protons, elec	ctrons and neutrons in this	isotope of sulfur.	
number of neutrons	number of protons				
(b) Draw the electronic structure of a sulfur atom.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (d) The table shows some observations metals are heated with liquid sulfur.  (e) The table shows some observations made when four metals are heated with liquid sulfur.  (f) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.	number of electrons				
(b) Draw the electronic structure of a sulfur atom.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (c) The table shows some observations made when four metals are heated with liquid sulfur.  (d) The table shows some observations metals are heated with liquid sulfur.  (e) The table shows some observations made when four metals are heated with liquid sulfur.  (f) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.  (g) The table shows some observations made when four metals are heated with liquid sulfur.  (g) The table shows some observations metals are heated with liquid sulfur.	number of neutrons				
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal	namber of fleations				
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal   observations     copper   turns black very slowly     gold   no reaction     sodium   reacts explosively     tin   turns black slowly    Use this information to put the <b>four</b> metals in order of their reactivity. Put the least reactive metal first.					
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal	<b>(b)</b> Draw the electronic str	ucture of a s	ulfur atom.		
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal					
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal					
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal					
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal					
(c) The table shows some observations made when four metals are heated with liquid sulfur.    metal					
metal observations  copper turns black very slowly  gold no reaction  sodium reacts explosively  tin turns black slowly  Use this information to put the <b>four</b> metals in order of their reactivity.  Put the least reactive metal first.					[2
copper turns black very slowly  gold no reaction  sodium reacts explosively  tin turns black slowly  Use this information to put the <b>four</b> metals in order of their reactivity.  Put the least reactive metal first.	(c) The table shows some	observations	s made when four metals a	re heated with liquid sulfur.	
gold no reaction sodium reacts explosively tin turns black slowly  Use this information to put the <b>four</b> metals in order of their reactivity. Put the least reactive metal first.		metal	observations		
sodium reacts explosively tin turns black slowly  Use this information to put the <b>four</b> metals in order of their reactivity. Put the least reactive metal first.		copper	turns black very slowly		
tin turns black slowly  Use this information to put the <b>four</b> metals in order of their reactivity.  Put the least reactive metal first.	_			-	
Use this information to put the <b>four</b> metals in order of their reactivity. Put the least reactive metal first.	-			-	
Put the least reactive metal first.	L	tin	turns black slowly		
			metals in order of their rea	ctivity.	
least reactive most reactive	least reactive ———			— → most reactive	
[2					[2

(d)	Name one	source	e of sulfur.					
								. [1]
(e)	Sulfur is use	ed in t	he manufacture	of sul	fur dioxide and sulfuri	c acid		
	(i) Give or	ne diffe	erent use of sulf	ur dio	xide.			
								. [1]
	(ii) Comple	ete the	word equation	for the	e reaction of dilute sul	furic a	cid with magnesium.	
,	sulfuric acid	+	magnesium	$\rightarrow$		+		

[Total: 11]

[2]

- 5 This question is about Group I elements.
  - (a) The properties of some Group I elements are shown in the table.

element	melting point in °C	boiling point in °C	relative thermal conductivity	atomic radius/pm
lithium		1342	84	152
sodium	97	883	142	186
potassium	63	760	102	
rubidium	39	686	58	248

	(i)	Complete	the	table	to	estimate:
--	-----	----------	-----	-------	----	-----------

•	the melting point of lithium
_	the etemie radius of notoccium

•	the atomic radius of potassium.

(ii)	Describe the trend in the boiling points of the Group I elements down the group.
	[1]
(iii)	Caesium is below rubidium in Group I.
	Use the information in the table to suggest why it is difficult to predict the thermal conductivity of caesium.
	[1]
(iv)	Predict the physical state of rubidium at 45 °C. Give a reason for your answer.
	[2]

[2]

(b)	Lithium	reacts	with	oxygen	to	form	lithium	oxide.
-----	---------	--------	------	--------	----	------	---------	--------

(i)	Balance	the	chemical	equation	for	this	reaction.
-----	---------	-----	----------	----------	-----	------	-----------

Li +	$O_2 \rightarrow$	Li <sub>2</sub> O	[2]

(ii)	Is lithium oxide an acidic oxide or a basic oxide? Give a reason for your answer.
	[1]
(iii)	State the name of the particle which is lost from a lithium atom when it forms a lithium ion.
	[1]
(iv)	A compound of lithium has the formula C <sub>2</sub> H <sub>5</sub> Li.
	Complete the table to calculate the relative molecular mass of C <sub>2</sub> H <sub>5</sub> Li.

Complete the table to calculate the	relative molecular mass of C <sub>2</sub> H <sub>5</sub> Li.
Use your Periodic Table to help you	i.

type of atom	number of atoms	relative atomic mass	
carbon			
hydrogen	5	1	5 × 1 = 5
lithium			

relative molecula	r mass	=	
			[2

[Total: 12]

- 6 Sodium hydroxide and ammonia are both bases. They both turn red litmus blue.
  - (a) The chemical equation shows a reaction that produces sodium hydroxide.

$$Na_2CO_3 + Ca(OH)_2 \rightarrow 2NaOH + CaCO_3$$

Complete the word equation for this reaction.



[2]


**(b)** Aqueous sodium hydroxide can be used to test for chromium(III) ions and iron(II) ions.

Complete the table to show the expected observations.

ion	observation on adding a small volume of aqueous sodium hydroxide	observation on adding an excess of aqueous sodium hydroxide
chromium(III) (Cr <sup>3+</sup> )		
iron(II) (Fe <sup>2+</sup> )		

[3]

(c) A student set up a long glass tube as shown.



At first, the litmus paper remained red.

After a short time the litmus paper was completely blue.

Explain these observations using the kinetic particle model.

(d)		des of nitrogen are formed when ammonia is heated with oxygen in the presence of alyst.	а
	(i)	Suggest why a catalyst is used.	
		[	[1]
	(ii)	State <b>one</b> other process which puts oxides of nitrogen into the atmosphere.	
		[	[1]
	(iii)	State <b>one</b> adverse effect of oxides of nitrogen on health.	
		[	[1]
(e)	Am	monium nitrate is present in many fertilisers.	
		ich <b>one</b> of these compounds is also present in many fertilisers? k <b>one</b> box.	
		barium hydroxide	
		potassium phosphate	
		sodium chloride	
		tin(II) sulfate	[1]
		·	
(f)	Wh	en ammonium chloride dissolves in water, the temperature of the solution decreases.	
	Wh	at is the name for a reaction where the temperature of the solution decreases?	
		[	[1]
		[Total: 1	3]


7

Alu	minium is manufactured by the electrolysis of molten aluminium oxide.
(a)	Predict the products of the electrolysis of molten aluminium oxide at:
	the positive electrode
	the negative electrode. [2]
(b)	Complete these sentences about the uses of aluminium using words from the list.
	conductivity corrosion density heavy
	malleability reduction strong weak
	Aluminium is used in the manufacture of aircraft because it is relatively and
	has a low Aluminium is used for food containers because of its
	resistance to
	[3]
(c)	The following statements are about the procedure for making crystals of hydrated aluminium sulfate from aluminium hydroxide and sulfuric acid.
	A Filter off the excess aluminium hydroxide.
	<ul><li>B Filter off the crystals and dry between filter papers.</li><li>C Warm the filtrate to the point of crystallisation.</li></ul>
	D Add aluminium hydroxide to warm dilute sulfuric acid and stir.
	<b>E</b> Leave the mixture at room temperature to form more crystals.
	<b>F</b> Add more aluminium hydroxide to the sulfuric acid until the aluminium hydroxide is in excess.
	Put the statements <b>A</b> , <b>B</b> , <b>C</b> , <b>D</b> , <b>E</b> and <b>F</b> in the correct order. The first one has been done for you.
	[Total: 7]

- 8 This question is about dyes.
  - (a) Chromatography can be used to separate a mixture of dyes.
    - S, T, U and W are four different mixtures of dyes.
    - S, T, U and W were placed on a piece of chromatography paper.

Two pure dyes, **X** and **Y**, were also placed on the same piece of chromatography paper.

The results of the chromatography are shown.



	decomposition	fermentation	oxidation	polymerisation	[1]						
	Draw a circle around	the correct answe	r.								
	What type of chemical reaction occurs?										
(ii)	A piece of white cloth When the cloth is left										
(i)	What is meant by the				[1]						
Wh	en an alkaline solution	of indigo undergo	es reduction, it tur	ns colourless.							
<b>(b)</b> Ind	igo is a blue dye.										
					[1]						
(iii)	Which mixture, <b>S</b> , <b>T</b> ,										
(ii)	Which mixture, <b>S</b> , <b>T</b> ,			er of dyes?	[1]						
					[1]						
(1)	vvnich mixture, <b>5</b> , <b>1</b> ,	or w, contains o	ye X but <b>not</b> dye	<b>Y</b> ?							

[Total: 5]

# **BLANK PAGE**

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	\	2 :	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	R	radon			
					6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αŧ	astatine -			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	molod –	116		livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium -
	=				5	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- :	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
					,						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	188				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbol	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Ор	dubnium –
						ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
								-			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	& S	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium -

71 Lu	lutetium 175	103	۲	lawrencium	I
° A	ytterbium 173	102	%	nobelium	I
ee Tm	thulium 169	101	Md	mendelevium	I
<sub>88</sub> <u>п</u>	erbium 167	100	Fm	fermium	I
67 Ho	holmium 165	66	Es	einsteinium	I
66 Dy	dysprosium 163	86	ŭ	californium	ı
e5 Tb	terbium 159	97	BK	berkelium	ı
Gd Gd	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
e1 Pm	promethium —	93	dN	neptunium	I
9 <b>PN</b>	neodymium 144	92	$\supset$	uranium	238
59 <b>P</b>	praseodymium 141	91	Ра	protactinium	731
Se Ce	cerium 140	06	H	thorium	797
57 <b>La</b>	lanthanum 139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).