

Cambridge IGCSE[™]

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




1 Part of a cooling curve for water is shown.



What is occurring between points X and Y?

- A Steam is condensing into water.
- **B** The temperature of the water is decreasing.
- C Ice is melting.
- **D** Particles are losing heat to the surroundings.
- 2 Which statements about clean, dry air are correct?
 - 1 It is a mixture of elements only.
 - 2 It is a mixture of elements and compounds.
 - 3 It contains only non-metals.
 - **A** 1 and 3
- **B** 1 only
- **C** 2 and 3
- D 2 only

3 A representation of an atom is shown.



What is the nucleon number of this atom?

- **A** 6
- **B** 7
- **C** 12
- **D** 13

The percentage abundances of three isotopes in a sample of neon are shown. 4

isotope	percentage abundance/%
²⁰ ₁₀ Ne	90.48
²¹ ₁₀ Ne	0.27
²² ₁₀ Ne	9.25

What is the relative atomic mass, A_r , of this sample of neon?

- **A** 10.19
- **B** 20.19
- С 21.00
- 30.19

Potassium reacts with iodine to form potassium iodide. 5

Which statement about potassium iodide is correct?

- Each potassium atom shares a pair of electrons with an iodine atom.
- В In potassium iodide, the particles of potassium have more protons than electrons.
- C Potassium iodide has a high melting point because it is a covalent compound.
- D Potassium iodide has a low melting point because it is an ionic compound.
- Which substance has the lowest melting point? 6
 - A graphite
 - В methanol
 - silicon(IV) oxide C
 - sodium chloride
- 7 The diagram shows the structure of a molecule of ethyl ethanoate.

What is the molecular formula of a molecule of ethyl ethanoate?

- A CHO
- **B** $C_4H_8O_2$ **C** $C_4(H_2)_2(O_2)$ **D** C_2H_4O

8	A h	ydrocarbon	contains	85.7%	of c	arbon	by	mass.
---	-----	------------	----------	-------	------	-------	----	-------

What is the empirical formula of the hydrocarbon?

A CH₂

B CH₄

 \mathbf{C} C_2H_5

D C_3H_6

9 The formula of a compound containing element X is $Na_2X_2O_3$.

The relative formula mass of the compound is 158.

What is the relative atomic mass of X?

A 32

B 59.5

C 64


D 119

10 Dilute aqueous potassium chloride is electrolysed using platinum electrodes.

Which row identifies the product at each electrode?

	anode	cathode
Α	chlorine	hydrogen
В	chlorine	potassium
С	oxygen	hydrogen
D	oxygen	potassium

11 Concentrated aqueous copper(II) chloride is electrolysed using copper electrodes, as shown.



What happens to the mass of each electrode during this process?

	positive electrode	negative electrode
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

12 The initial and final temperatures of four different reactions are measured.

Which reaction is the least exothermic?

	initial temperature /°C	final temperature /°C
Α	19	25
В	21	18
С	22	17
D	22	26

13 Which equation represents an endothermic reaction?

A
$$Cl_2(g) \rightarrow 2Cl(g)$$

$$\label{eq:B-cond} \textbf{B} \quad CH_4(g) \ + \ 2O_2(g) \ \to \ CO_2(g) \ + \ 2H_2O(I)$$

C
$$H(g) + H(g) \rightarrow H_2(g)$$

D
$$2K(s) + 2H_2O(l) \rightarrow 2KOH(aq) + H_2(g)$$

14 Methane burns in oxygen to form carbon dioxide and water.

$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(I)$$

The bond energies are shown.

bond	bond energy in kJ/mol
C–H	410
C-O	360
C=O	805
O–H	460
0–0	146
O=O	496


What is the energy change for this reaction?

- **A** $-818 \, kJ/mol$ **B** $-102 \, kJ/mol$ **C** $+102 \, kJ/mol$ **D** $+818 \, kJ/mol$

15 Hydrochloric acid is added to excess calcium carbonate in two separate experiments.

Two different concentrations of hydrochloric acid are used but the temperature is the same in both experiments.

The graph of the results shows the volume of carbon dioxide gas given off over time.



Which row is correct?

	particles in 2.0 mol/dm ³ compared to 1.0 mol/dm ³		
	collision rate collision energy		
Α	higher	no change	
В	higher higher		
С	lower no chang		
D	lower	higher	

16 The decomposition of dinitrogen tetroxide, N_2O_4 , into nitrogen dioxide, NO_2 , is a reversible reaction.

The equation for the reaction is shown.

$$N_2O_4(g) \rightleftharpoons 2NO_2(g)$$

The forward reaction is endothermic.

Which row shows the effect on the position of equilibrium and the rate of the reverse reaction when the temperature is increased?

	position of equilibrium	rate of the reverse reaction
A	shifts to the left	decreases
В	shifts to the left	increases
С	shifts to the right	decreases
D	shifts to the right	increases

17 In a blast furnace, iron(III) oxide is converted to iron and carbon monoxide is converted to carbon dioxide.

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

What happens to each of these reactants?

- **A** Both iron(III) oxide and carbon monoxide are oxidised.
- **B** Both iron(III) oxide and carbon monoxide are reduced.
- **C** Iron(III) oxide is oxidised and carbon monoxide is reduced.
- **D** Iron(III) oxide is reduced and carbon monoxide is oxidised.
- **18** Which row describes what happens to Fe²⁺ ions when they are oxidised?

	electron movement	oxidation number of iron
Α	they gain electrons	decreases
В	they gain electrons	increases
С	they lose electrons	decreases
D	they lose electrons	increases

- 19 In which reaction does an acid react with a base?
 - **A** Dilute sulfuric acid is added to a piece of magnesium ribbon producing hydrogen.
 - **B** Dilute sulfuric acid is added to aqueous barium chloride producing a white precipitate of barium sulfate.
 - f C Aqueous sodium hydroxide is added to aqueous copper(II) sulfate producing a blue precipitate of copper(II) hydroxide.
 - **D** Aqueous sodium hydroxide is added to solid ammonium sulfate producing gaseous ammonia.
- 20 Which element forms an oxide that reacts with an aqueous solution of a base?
 - **A** argon
 - **B** sulfur
 - **C** magnesium
 - **D** copper

- 21 Which method is used to produce insoluble salts?
 - A addition of excess insoluble base to an acid
 - B addition of excess metal to an acid
 - **C** precipitation using two aqueous solutions
 - **D** titration using an acid and an alkali
- 22 The noble gases are in Group VIII of the Periodic Table.

Some properties of the first four noble gases are shown.

noble gas	boiling point in °C	density in g/dm³
helium	-267	0.179
neon	-246	0.900
argon	-186	1.782
krypton	-152	3.708

Which row identifies the trends in boiling point and in density as Group VIII is descended?

	boiling point	density
Α	decreasing	increasing
В	increasing	increasing
С	decreasing	decreasing
D	increasing	decreasing

23 Some properties of element R are shown.

melting point in °C	98
boiling point in °C	883
reaction with cold water	gives off H ₂ gas
reaction when heated with oxygen	burns to give a white solid

In which part of the Periodic Table is R found?

- A Group I
- **B** Group VII
- C Group VIII
- **D** transition elements

24	Wh	ich pair of comp	ound	s shows that t	ransit	ion eler	nents hav	ve va	ariable oxidation states?
	Α	Cr ₂ O ₃ and CrBi	3						
	В	CuSO ₄ and Cu	Cl_2						
	С	Fe ₂ O ₃ and FeC	l_2						
	D	NiO and NiC l_2							
25	The	list gives the or	der o	f some metals	s and	hydroge	en in the	reac	tivity series.
	Me	al X is also inclu	ıded.						
				m	ost re	active	K		
							Mg		
							Zn		
							Н		
							Χ		
				le	ast re	active	Cu		
	Wh	ich row shows th	ne pro	operties of me	etal X?)			
		reacts wit		oxide redu					
		dilute acid	IS	by carbo	n				
	A			no					
	В			yes					
	C			no					
		yes		yes					
26	\//h	en zinc is addec	l to ai	n aqueous so	lution	contain	ina maan	esiu	m ions, there is no reaction.
								iooia	m iono, moro io no rododon.
		ich species has	_		-		ections?	_	7 2+
	Α	Mg	В	Mg ²⁺	С	Zn		D	Zn ²⁺
27	Wh	ich gas in the ai	r is ne	eeded for iron	to rus	st?			
	Α	argon							
	В	carbon dioxide							
	С	nitrogen							
	D	oxygen							

- 28 Which coating prevents iron from rusting even when the coating is damaged?
 - A grease
 - **B** paint
 - **C** plastic
 - **D** zinc
- 29 Why is limestone added to the blast furnace?
 - **A** It neutralises the molten slag produced.
 - **B** It reacts with impurities to form slag.
 - **C** It releases carbon dioxide which reduces the iron(III) oxide.
 - **D** It removes acidic gases such as carbon dioxide.
- **30** The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages J and K?

	J	К
Α	distillation	chlorination
В	distillation	filtration
С	filtration	chlorination
D	filtration	distillation

31 Carbon dioxide acts as a greenhouse gas by interacting with a particular type of energy that radiates from the Earth's surface into the atmosphere.

Which type of energy is involved and what happens when this energy interacts with carbon dioxide molecules?

	type of energy involved	what happens
Α	thermal	carbon dioxide molecules increase the Earth's energy loss to space
В	thermal	carbon dioxide molecules absorb the energy
С	light	carbon dioxide molecules increase the Earth's energy loss to space
D	light	carbon dioxide molecules absorb the energy


32 Oxides of nitrogen, such as NO and NO₂, are formed in the petrol engines of cars.

They are removed from the exhaust gases by reactions in the car's catalytic converter.

Which row describes how oxides of nitrogen are formed in a petrol engine and a reaction that happens in the catalytic converter?

	how oxides of nitrogen are formed	a reaction that happens in the catalytic converter
A	by the reaction between nitrogen and oxygen from the air	$2NO + 2CO \rightarrow N_2 + 2CO_2$
В	by the reaction between nitrogen and oxygen from the air	$2NO + 2H_2 \rightarrow N_2 + 2H_2O$
С	by the reaction between nitrogen compounds in petrol and oxygen from the air	$2NO + 2CO \rightarrow N_2 + 2CO_2$
D	by the reaction between nitrogen compounds in petrol and oxygen from the air	$2NO + 2H_2 \rightarrow N_2 + 2H_2O$

33 Which diagram shows the displayed formula for the named organic compound?



- 34 What is the total number of covalent bonds in a molecule of butane, C₄H₁₀?
 - Α 3
- В 10
- C 13
- D 14
- **35** Propane reacts with chlorine in a substitution reaction.

Which reaction condition is required for the reaction to occur?


- acid catalyst
- В iron catalyst
- C temperature of 400 °C
- D ultraviolet light
- 36 The structure of an organic compound is shown.

Which structure represents a molecule that reacts with steam to produce this product?


Α



В



C




D

- 37 Which term describes nylon?
 - addition polymer Α
 - natural polymer В
 - C polyamide
 - polyester

38 Ethene can be polymerised.

Which diagram represents the structure of the product formed?



39 An acid-base titration is described.


- 25.0 cm³ of dilute aqueous alkali is put into a conical flask.
- Indicator is added to the flask.
- Dilute acid is added to the aqueous alkali until the indicator changes colour.
- The volume of acid used is then recorded.

Which use of apparatus is correct?

- **A** The 25.0 cm³ of aqueous alkali is measured using a volumetric pipette.
- **B** The 25.0 cm³ of aqueous alkali is measured using the lines on the conical flask.
- **C** The volume of acid is measured using a measuring cylinder.
- **D** The volume of acid is measured using a volumetric pipette.

40 Substance Q is investigated using chromatography.

The chromatogram is shown. The diagram is not drawn to scale.



What is the R_f value of Q?

A 0.60

B 0.64

C 0.69

D 0.72

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		2	В	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -	
	=>				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	Н	iodine 127	85	Ą	astatine	117	<u>S</u>	tennessine -	
	5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	moloum —	116	^	livermorium -	
	>					2	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -
	≥				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -	
	≡				5	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	84	lΤ	thallium 204	113	R	nihonium –	
											30	Zu	zinc 65	48	ည	cadmium 112	80	Нg	mercury 201	112	S	copernicium –	
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -	
Group											28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium –	
9 9											27	ပိ	cobalt 59	45	格	rhodium 103	77	Ir	iridium 192	109	¥	meitnerium -	
		- ;	I	hydrogen 1							26				Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -	
								1			25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	ВР	bohrium —	
					<u> </u>	loqi	lass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -	
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium -	
						atc	rel				22	i	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	¥	rutherfordium -	
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids		
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium -	
	_				8	=	lithium 7	#	Na	sodium 23	19	×	potassium 39	37	R _b	rubidium 85	55	S	caesium 133	87	ቷ	francium -	

			_			
7.1	Γn	lutetium 175	103	۲	lawrencium	I
70	Υp	ytterbium 173	102	8 N	nobelium	I
69	Tu	thulium 169	101	Md	mendelevium	I
89	Щ	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	I
99	Ò	dysprosium 163	98	Ç	californium	I
65	Р	terbium 159	97	益	berkelium	I
64	В	gadolinium 157	96	Cm	curium	I
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium	93	ď	neptunium	I
09	PZ	neodymium 144	92	\supset	uranium	238
69	Ā	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Ч	thorium	232
22	Га	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm^3}$ at room temperature and pressure (r.t.p.).