

# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

\*706553456

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

October/November 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

1 Table 1.1 gives the electronic configurations of some atoms and ions, **A** to **G**.

Table 1.1

	electronic configuration
Α	2,5
В	2,8
С	2,8,2
D	2,8,4
E	2,8,5
F	2,8,6
G	2,8,18,7

Answer the following questions about **A** to **G**. Each letter may be used once, more than once or not at all.

State which of the atoms or ions, **A** to **G**, could be:

(a)	a noble gas atom	
		[1]
(b)	an atom of an element in Group VI	
		[1]
(c)	an atom with an atomic number of 14	
		[1]
(d)	atoms from the same group	
	and	[1]
(e)	a halogen atom	
		[1]
(f)	an atom of an element which is a good conductor of electricity	
( )	,	[1]
(a)	a stable ion of a Group V element	
(9)	a stable for a croup v dismon	[1]
(h)		ניו
(11)	an atom that forms an ion with a 2– charge.	[41
		[1]

[Total: 8]

- **2** Cobalt and copper are transition elements.
  - (a) Copper has two naturally occurring isotopes, <sup>63</sup>Cu and <sup>65</sup>Cu. Cobalt has only one naturally occurring isotope, <sup>59</sup>Co.
    - (i) Complete Table 2.1 to show the number of protons, neutrons and electrons in the  $^{59}$ Co atom and the  $^{65}$ Cu<sup>2+</sup> ion.

Table 2.1

	<sup>59</sup> Co	<sup>65</sup> Cu <sup>2+</sup>
protons		
neutrons		
electrons		

[3]

(ii) Table 2.2 shows the relative abundance of the two naturally occurring isotopes of copper.

Table 2.2

isotope	<sup>63</sup> Cu	<sup>65</sup> Cu
relative abundance	70%	30%

Calculate the relative atomic mass of copper to **one** decimal place.

1 41			-	-
ralativa	atomic mass	$\sim$	 1.7	
ICIALIVE	alumic mas	> -	 14	

**(b)** One physical property of transition elements such as copper and cobalt is that they are hard. Other metals such as lithium are softer.

State **two** other physical properties of copper and cobalt which are significantly different from lithium.

1	١	 	 	 	 	 	 

[2]

(c) Both copper and cobalt can form coloured compounds. Some of these compounds contain

•	wat	er of crystallisation.	
	(i)	Define the term water of crystallisation.	
		[	2
	(ii)	State the colour and formula of hydrated cobalt(II) chloride crystals.	
		colour	
		formula	
			2
(	iii)	State the colour change seen when a few drops of water are added to anhydrocopper ( $\mathrm{II}$ ) sulfate.	JS
		from to	2
(	iv)	State how this colour change can be reversed.	
		[	1]
		ITotal: 1	1

3	Iron	is m	nanufactured in a blast furnace.	
	(a)	Thre	ee of the starting materials added to the blast furnace are coke, iron ore and limestone.	
		Nan	ne the <b>other</b> starting material added to the blast furnace.	
			[	[1]
	(b)	The	source of iron in the blast furnace is Fe <sub>2</sub> O <sub>3</sub> . Fe <sub>2</sub> O <sub>3</sub> is found in iron ore.	
		(i)	Name the main ore of iron which contains $Fe_2O_3$ .	
			[	[1]
	(	(ii)	The iron in $\rm Fe_2O_3$ is reduced by reaction with carbon monoxide. The unbalanced symbol equation is shown.	00
			Complete the equation.	
			$Fe_2O_3 +CO \rightarrowCO_2 +Fe$	[1]
	(i	iii)	State the change in oxidation number of iron in the reaction in (ii).	
			from to	[2]
	(i	iv)	Explain how the change of oxidation number shows that iron has been reduced.	
				[1]
			major impurity in iron ore is silicon( ${\rm IV}$ ) oxide. Limestone is added to the blast furnace ove this impurity.	to
			be two symbol equations to show how silicon( ${ m IV}$ ) oxide is removed. For each equation the type of chemical reaction that takes place.	'n,
		equ	ation 1	
		type	e of chemical reaction	
		equ	ation 2	
		type	e of chemical reaction	
				[4]

(d)	Iron	is converted to steel by mixing it with carbon and other elements.
	(i)	State the term given to a substance which is a mixture of a metal and other elements.
		[1]
	(ii)	Name <b>one</b> element, other than carbon, mixed with iron in the making of stainless steel.
		[1]
(e)	Pre	venting the rusting of steel is important.
	Sta	te the chemical name of rust.
		[1]
(f)		el can be coated with zinc to prevent rusting. This provides both a barrier method and rificial protection.
	(i)	State the term used for coating steel with zinc.
		[1]
	(ii)	Describe another barrier method for preventing rusting.
		[1]
	(iii)	Explain how zinc provides sacrificial protection.
		[2]
		[Total: 17]

This question is about lead(II) chloride,  $PbCl_2$ .

(a)		udent prepares a sample of insoluble lead(II) chloride, $PbCl_2$ , by mixing aqueous solutions <b>wo</b> salts in a beaker.
	(i)	Identify <b>two</b> soluble salts suitable for making lead(II) chloride when mixed together.
		[2]
	(ii)	Write the ionic equation for the formation of lead(II) chloride by mixing aqueous solutions.
		Include state symbols.
		[3]
	(iii)	List the steps the student should take in preparing a pure sample of lead ( $\rm II$ ) chloride from the mixture in the beaker.

(b) The student carries out an electrolysis experiment on molten lead(II) chloride using the apparatus shown in Fig. 4.1. Chlorine gas forms at the anode and escapes from the apparatus.




Fig. 4.1

(i)	Explain why lead(II) chloride needs to be molten before it will conduct electricity.	
(ii)	Write the ionic half-equation for the reaction occurring at the anode.	
		[2]
(iii)	State the test for chlorine gas.	
	test	
	observations	
		[2]
(iv)	Describe what is observed at the cathode.	
		[1]

[Total: 14]

5

Che	emic	al reactions can involve transfer of thermal energy.
(a)	Sta	te the term used for the transfer of thermal energy during a reaction.
		[1]
(b)	Tetr	eachloromethane gas, $CCl_4(g)$ , reacts with steam as shown.
		$CCl_4(g) + 2H_2O(g) \rightleftharpoons CO_2(g) + 4HCl(g)$
	The	reaction is reversible. The forward reaction is exothermic.
	(i)	State what happens, if anything, to the rate of the forward reaction if the concentration of $CCl_4$ is increased. Explain your answer in terms of collision theory.
		[3]
	(ii)	State what happens to the position of equilibrium, if anything, when the pressure is increased.  Explain your answer.
		[2]

(iii) Fig. 5.1 shows an incomplete reaction pathway diagram for the forward reaction.




Fig. 5.1

On Fig. 5.1:

- insert the formulae of the reactants and products
- draw an arrow, labelled  $E_{\rm a}$ , to show the activation energy draw an arrow, labelled  $\Delta H$ , to show the transfer of energy in the reaction.

(iv)	Define the term activation energy.	[3]
		[2]
(v)	State <b>one</b> way in which the activation energy of a reaction can be changed.	[1]

(c) The equation for the reaction between tetrachloromethane gas and steam can be represented as shown in Fig. 5.2.

$$Cl - C - Cl + H - O - H \rightarrow O - C - O + H - Cl + H - Cl + Cl + Cl + Cl + Cl + Cl + Cl$$

$$Cl - C - Cl + H - Cl + Cl + Cl + Cl$$

$$Cl - Cl - Cl + Cl + Cl + Cl$$

Fig. 5.2

Table 5.1 shows some bond energies.

Table 5.1

bond	C-C1	H–O	C=O
bond energy in kJ/mol	340	460	805

Use the bond energies in Table 5.1 and the  $\Delta H$  value for the reaction to calculate the H–Cl bond energy using the following steps.

• Calculate the energy needed to break the bonds in the reactants.

.....kJ

• Calculate the energy released when the bonds in carbon dioxide form.

.....kJ

Calculate the H–Cl bond energy.

.....kJ/mol [4]

[Total: 16]

6

	omo perti	logous series is a family of organic compounds whose members have similar chemical es.
(a)	Giv	e <b>two</b> characteristics that are the <b>same</b> for all members of a homologous series.
	1	
	2	[2]
(b)		erms of structure, state how one member of a homologous series differs from the next mber of that homologous series.
		[1]
(c)	A, E	<b>3</b> and <b>C</b> are organic compounds.
	<b>A</b> h	as the molecular formula $C_{12}H_{24}$ .
	<b>B</b> h	as the name tetradecane.
		has three carbon atoms and is in the homologous series with the general formula ${\rm H}_{\rm 2n+1}{\rm COOH}.$
	(i)	Name the homologous series each organic compound belongs to.
		A
		В
		<b>c</b> [3]
	(ii)	Name <b>C</b> and draw its displayed formula.
		name
		displayed formula

(d) Amino acids are a homologous series where each member has the general structure shown in Fig. 6.1.

The R side chain contains carbon and hydrogen atoms only.




Fig. 6.1

(i) An amino acid has a relative molecular mass of 103.Deduce the formula of the R side chain in this amino acid.Show your working.

		[2]
(ii)	State the name given to the natural polyamides formed from amino acid monomers.	
		[1]
	[Total:	11]

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	$\equiv$	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	ogo	oganesson -	
	₹			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	¥	astatine -	117	<u>_</u> S	tennessine -	
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium	116	_	livermorium -	
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -	
	≥	_	_		9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium –
	=			2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	nihonium –	
										30	Zu	zinc 65	48	ဦ	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium -	
										59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -	
Group										28	Ë	nickel 59	46	Pd	palladium 106	78	₽	platinum 195	110	Ds	darmstadtium -	
Group										27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	Ĭ	meitnerium -	
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium	
				,						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –	
					loc	ISS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -	
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>a</u>	tantalum 181	105	Op	dubnium –	
					ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	ቿ	hafnium 178	104	弘	rutherfordium -	
							-			21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium	
	_			က	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium	

7.1	Γn	Iutetium	175	103	۲	lawrencium	I
	Υp					_	
69	H	thulium	169	101	Md	mendelevium	1
89	ш	erbinm	167	100	Fm	ferminm	1
29	웃	holmium	165	66	Es	einsteinium	I
99	۵	dysprosium	163	86	ర్	californium	1
65	q	terbium	159	97	BK	berkelium	1
64	Gd	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	I	93	d d	neptunium	ſ
09	pN	neodymium	144	92	$\supset$	uranium	238
29	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
22	Гa	lanthanum	139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).